

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
Phone Number (800) 424-9300  
1 703-741-5500 (from anywhere in the world).  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>CALCIUM CARBONATE</b>
----------------	--------------------------

<b>Synonyms</b>	Marble Chips / Boiling Chips / Marble Rocks / Limestone Chips
-----------------	---

## Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS08

Target organs: None known



GHS Classification:

\*STOT-RE (Category 2)

GHS Label information: Hazard statement:

\*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

\* Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.

Precautionary statement:

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Calcium carbonate	1317-65-3	≥ 99%	215-279-6
Quartz	14808-60-7	0.1-1.0%	238-878-4

## Section 4 First Aid Measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** Limestone reacts with acids to release carbon dioxide.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise classified	TWA: 5 mg/m <sup>3</sup> respirable fraction	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. White stone chips. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> Data not available <b>Boiling point:</b> Data not available <b>Flash point:</b> Not flammable	<b>Evaporation rate ( = 1):</b> Not applicable <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Not flammable <b>Vapor pressure (mm Hg):</b> Data not available <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 2.85 <b>Solubility(ies):</b> 0.001% @ 0°C in water	<b>Partition coefficient:</b> Not applicable <b>Auto-ignition temperature:</b> Not applicable <b>Decomposition temperature:</b> 826°C (1520°F) <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> CaCO <sub>3</sub> <b>Molecular weight:</b> 100.09
---	---	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Avoid contact with acids.

**Incompatible materials:** Reacts with acids to liberate carbon dioxide.

**Hazardous decomposition products:** Carbon dioxide.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: Known to be a human carcinogen (respirable). [crystalline silica]\*

IARC classified: Group 1: Carcinogenic to humans. [crystalline silica]\*

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: ⚠ WARNING! This product can expose you to a chemical, crystalline silica, which is known to the State of California to cause cancer.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Inhalation - May cause damage to organs through prolonged or repeated exposure. [crystalline silica]\*

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Dust may cause congestion and irritation in nasal and respiratory passages.

Ingestion: Ingestion may cause gastrointestinal irritation and blockage.

Skin: May cause abrasions.

Eyes: May cause mild to severe irritation by abrasion with dust or chips.

**Signs and symptoms of exposure:** Prolonged inhalation of particulate dust, may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.

**Additional information:** RTECS #: EV9580000

\* Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Calcium carbonate	Listed	Not listed	Not listed	Not listed	Listed	⚠ WARNING -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** IRON METAL FILINGS, DEGREASED**Synonyms** Iron Aggregate / Iron Filings / Iron / Iron Metal**Section 2 Hazards Identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** None assigned**Pictograms:** None assigned**Target organs:** None known**GHS Classification:**

None assigned

**GHS Label information: Hazard statement:**

None assigned

**Precautionary statement:**

None assigned

**Supplemental information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Iron aggregate	65997-19-5	100%	266-048-1
<b>Contains:</b>			
Iron	1309-37-1	Balance	
Carbon	7440-44-0	<3.0%	
Silicon	7440-21-3	<3.0%	
Manganese	7439-96-5	<1.0%	
Phosphorous	7723-14-0	<0.1%	
Sulfur	7704-34-9	<0.1%	

**Section 4 First Aid Measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam. Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. A fire hazard in the form of a fine dust dispersed in air or by chemical reaction with strong oxidizers can be an explosion hazard, especially when heated.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise specified	TWA: 15 mg/m <sup>3</sup> Total dust	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid. Grey particles.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 1508.49°C (2750°F)

**Boiling point:** Data not available

**Flash point:** Data not available

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** Data not available

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 6.7 gm/cc

**Solubility(ies):** Insoluble in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** Mixture

**Molecular weight:** Mixture

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition. Acids.

**Incompatible materials:** Strong oxidizers, organic acids, mineral acids, water.

**Hazardous decomposition products:** None known

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause respiratory tract irritation.

Ingestion: No hazard known.

Skin: Contact with skin causes irritation.

Eyes: Contact may cause mechanical irritation and possible scratches to surface of the eye.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information: RTECS #:** Data not available

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Iron aggregate	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



# Sakrete Sands & Gravel

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Date of issue: 09/26/2016

Revision date: 01/31/2018

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Sakrete Sands & Gravel  
Product code : Not available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Various

#### 1.3. Details of the supplier of the safety data sheet

Sakrete of North America  
625 Griffith Rd., Ste 100  
Charlotte, NC 28217  
T 866-725-7383

#### 1.4. Emergency telephone number

Emergency number : For Hazardous Materials [or Dangerous Goods] Incident  
Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night  
1-800-424-9300 [USA] / +1 703-527-3887 [CAN]

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Carc. 1A  
STOT RE 1

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS08

Signal word (GHS-US) : Danger  
Hazard statements (GHS-US) : May cause cancer. Causes damage to organs through prolonged or repeated exposure.  
Precautionary statements (GHS-US) : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. If exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available.

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable.

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable.

#### 3.2. Mixtures

Name	Product identifier	%
Quartz	(CAS No) 14808-60-7	60 - 100

\* The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

# Sakrete Sands & Gravel

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
- First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
- First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory tract irritation.
- Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
- Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Treat for surrounding material.
- Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

#### 5.3. Advice for firefighters

- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.2. Methods and material for containment and cleaning up

- For containment : Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for cleaning up : Vacuum or sweep material and place in a disposal container.

#### 6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe dust. Do not swallow. Handle and open container with care. Avoid dust formation. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. When using do not eat, drink or smoke.
- Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep out of the reach of children. Keep container tightly closed. Avoid any dust build-up by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers.

#### 7.3. Specific end use(s)

Not available.

# Sakrete Sands & Gravel

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable fraction)
OSHA	OSHA PEL (mg/m <sup>3</sup> )	(30)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA (total dust) (250)/(%SiO <sub>2</sub> + 5) mppcf TWA (respirable fraction) (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA (respirable fraction)

#### 8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable waterproof gloves.
Eye protection	: Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).
Skin and body protection	: Wear suitable waterproof protective clothing.
Respiratory protection	: A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Granular powder
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available.

# Sakrete Sands & Gravel

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Stable under normal storage conditions. Keep dry in storage.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

Heat. Incompatible materials.

#### 10.5. Incompatible materials

Moisture. Wet cement is alkaline and incompatible with acid, ammonium salts and aluminum metal.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Sakrete Sands & Gravel	
LD50 oral rat	No data available
LD50 dermal rat	No data available
LC50 inhalation rat	No data available

Skin corrosion/irritation : Based on available data, the classification criteria are not met.

Serious eye damage/irritation : Based on available data, the classification criteria are not met.

Respiratory or skin sensitization : Based on available data, the classification criteria are not met.

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : May cause cancer.

Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens

Reproductive toxicity : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.

#### 12.2. Persistence and degradability

Sakrete Sands & Gravel	
Persistence and degradability	Not established.



# Sakrete Sands & Gravel

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

### 12.3. Bioaccumulative potential

#### Sakrete Sands & Gravel

Bioaccumulative potential	Not established.
---------------------------	------------------

### 12.4. Mobility in soil

No additional information available.

### 12.5. Other adverse effects

Effect on global warming : No known effects from this product.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

### Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### 15.3. US State regulations

#### Sakrete Sands & Gravel

State or local regulations	This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.
----------------------------	--

## SECTION 16: Other information

Date of issue : 09/26/2016

Revision date : 01/31/2018

Other information : None.

*Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.*

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
 Billings, MT 59102  
 800-860-6272  
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>CALCIUM METAL</b>
----------------	----------------------

<b>Synonyms</b>	Calcium
-----------------	---------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02**Target organs:** None known**GHS Classification:**

Water reactive (Category 2)

**GHS Label information: Hazard statement:**

H261: In contact with water releases flammable gas.

**Precautionary statement:**

P223: Do not allow contact with water.

P231+P232: Handle under inert gas. Protect from moisture.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P335+P334: Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

P370+P378: In case of fire: Use Class D extinguisher or smother with dry sand, dry clay, dry ground limestone or graphite to extinguish.

P402+P404: Store in a dry place. Store in a closed container.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Calcium	7440-70-2	98%	231-179-5

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** DO NOT use water, foam or halogenated extinguishing agents or CO<sub>2</sub>. Use Class D extinguisher or smother with dry sand, dry clay, dry ground limestone or graphite to extinguish.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Calcium reacts with water and acids to release hydrogen. Heat of reaction may ignite evolved hydrogen. Avoid direct viewing of calcium fires as eye injury may result, use fire glasses. Powders form explosive mixtures with air which may be ignited by a spark.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Avoid exposure to water and moisture.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Calcium	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid, silvery-gray metal.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 842°C (1542°F)

**Boiling point:** 1440°C (4755°F)

**Flash point:** Data not available

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** 10 mm Hg @ 983°C

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 1.54

**Solubility(ies):** Reacts violently with water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** Ca

**Molecular weight:** 40.08

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition. Avoid contact with air and water. Avoid dispersion of dust in air.

**Incompatible materials:** Acids, halogens, alkali, metals, hydroxides, carbonates. Calcium will react with water and acids to release hydrogen.

**Hazardous decomposition products:** Hydrogen, calcium hydroxide, calcium oxide.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

**NTP:** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**IARC:** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

**Signs and symptoms of exposure:** Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Cough, shortness of breath, headache, nausea. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: EV8040000

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1401

**Shipping name:** Calcium

**Hazard class:** 4.3

**Packing group:** II

**Reportable Quantity:** 10 lbs (0.37 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than (0.5 Kg) 1.1 lb.

**2016 ERG Guide #** 138

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Calcium	Listed	10 lbs (0.37 kg)	D001 ; D003	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	HYDROCHLORIC ACID, 32-36%
----------------	---------------------------

<b>Synonyms</b>	Muriatic Acid ; Hydrogen Chloride
-----------------	-----------------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS05 / GHS07**Target organs:** Respiratory system, skin, eyes, lungs.**GHS Classification:**

Serious eye damage (Category 1)

Skin corr. (Category 1B)

STOT SE (Category 3)

**GHS Label information: Hazard statement(s):**

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

**Precautionary statement(s):**

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P403/233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	64-68%	231-791-2
Hydrochloric acid	7647-01-0	32-36%	231-595-7

## Section 4 First Aid Measures

**INGESTION:** Harmful if swallowed. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Causes eye burns. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Causes skin burns. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Neutralize spill with sodium bicarbonate or calcium hydroxide, absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from physical damage and sunlight. Protect from moisture.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydrogen chloride	STEL: C 2 ppm / C 2.98 mg/m <sup>3</sup>	STEL: C 5 ppm / C 7 mg/m <sup>3</sup>	STEL: C 5 ppm / C 7 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless, fuming liquid.	<b>Evaporation rate ( = 1):</b> Data not available.	<b>Partition coefficient:</b> (n-octanol / water): Data not available.
<b>Odor:</b> Pungent odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> Data not available.
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Upper/Lower:</b> Data not available.	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> <1.5 acidic, in solution.	<b>Vapor pressure (mm Hg):</b> Approx. 25 @ 20°C (68°F)	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> Approx. -45°C (-49°F)	<b>Vapor density (Air = 1):</b> Data not available.	<b>Molecular formula:</b> HCl
<b>Boiling point:</b> 81.11-85°C (178-185°F)	<b>Relative density (Specific gravity):</b> Approx. 1.16 @ 20°C	<b>Molecular weight:</b> 36.46
<b>Flash point:</b> Not flammable.	<b>Solubility(ies):</b> Soluble in water.	

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Containers may burst when heated. Avoid contact with water.

**Incompatible materials:** Metals, bases, active metals, alkali metals, oxidizing agents, hydroxides, amines, carbonates, cyanides, sulfides, sulfites, formaldehyde.

**Hazardous decomposition products:** Hydrogen chloride gas.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Skin-rabbit - causes burns.

**Serious eye damage/irritation:** Eyes-rabbit - Corrosive to eyes.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

IARC: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. Causes skin burns.

Eyes: Causes eye burns.

**Signs and symptoms of exposure:** Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

**Additional information:** RTECS #: MW4025000

## Section 12 Ecological Information

**Toxicity to fish:** LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h (Hydrochloric acid)

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1789

**Shipping name:** Hydrochloric acid

**Hazard class:** 8

**Packing group:** II

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 Lt 2016 ERG Guide # 157

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Hydrochloric acid	Listed	Not listed	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>SODIUM HYDROXIDE, ANHYDROUS</b>
----------------	------------------------------------

<b>Synonyms</b>	Caustic Soda
-----------------	--------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS05**Target organs:** Respiratory tract, gastrointestinal tract, eyes, skin.**GHS Classification:**

Skin, Corr. (Category 1A)

Serious Eye Damage/Eye Irritation (Category 1)

**GHS Label information: Hazard statement:**

H314: Causes severe skin burns and eye damage.

**Precautionary statement:**

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sodium hydroxide	1310-73-2	96-100%	215-185-5

## Section 4 First Aid Measures

**INGESTION:** MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Flood with water, taking care not to splash or scatter. Avoid carbon dioxide as it reacts exothermically with this material.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** Contact with metals can generate hydrogen gas. Contact with water produces intense heat and highly irritating and corrosive mist. Hot or molten material will react violently with water liberating heat and causing splashing. Contact with water may generate sufficient heat to ignite combustible materials.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium hydroxide	STEL: C 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	STEL: C 2 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid white beads or pellets. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 13.0 - 14.0 <b>Melting / Freezing point:</b> 318°C (604°F) <b>Boiling point:</b> 1390°C (2534°F) <b>Flash point:</b> Not applicable.	<b>Evaporation rate ( = 1):</b> Not applicable. <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Not applicable. <b>Vapor pressure (mm Hg):</b> 1 mm Hg @ 739°C <b>Vapor density (Air = 1):</b> Not applicable. <b>Relative density (Specific gravity):</b> 2.13 @ 25°C (77°F) <b>Solubility(ies):</b> 29.6 @ 0°C (32°F) in water	<b>Partition coefficient: (n-octanol / water):</b> Data not available. <b>Auto-ignition temperature:</b> Not applicable. <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Not applicable. <b>Molecular formula:</b> NaOH <b>Molecular weight:</b> 40.00
---	---	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Deliquescent material. Absorbs moisture from air. Can react with carbon dioxide to form sodium carbonate.  
**Incompatible materials:** Metals, acids, organic compounds, organic nitro compounds.  
**Hazardous decomposition products:** Sodium oxide. Reacts with metals to form flammable and explosive hydrogen gas.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available  
**Skin corrosion/irritation:** Skin - rabbit - Causes severe burns. - 24 h  
**Serious eye damage/irritation:** Eyes - rabbit - Severe eye irritation - 24 h  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.  
Ingestion: May be harmful if swallowed.  
Skin: May be harmful if absorbed through skin. Causes skin burns.  
Eyes: Causes eye burns. Causes severe eye burns.  
**Signs and symptoms of exposure:** Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.  
**Additional information:** RTECS #: WB4900000

## Section 12 Ecological Information

**Toxicity to fish:** LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h  
**Toxicity to daphnia and other aquatic invertebrates:** Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1823      **Shipping name:** Sodium hydroxide, solid  
**Hazard class:** 8      **Packing group:** II      **Reportable Quantity:** 1,000 lbs (454 kg)      **Marine pollutant:** No  
**Exceptions:** Limited quantity equal to or less than 1 Kg      **2016 ERG Guide #** 154

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium hydroxide	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** MANGANESE(IV) DIOXIDE, 85%**Synonyms** Manganese Dioxide, Native Powder**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Respiratory system, Central nervous system**GHS Classification:**

Acute toxicity, oral (Category 4)

Acute toxicity, inhalation (Category 4)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H332: Harmful if inhaled.

**Precautionary statement:**

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Manganese dioxide*	1313-13-9	81-85%	215-202-6
*Contains: Barium compound (as Ba)	7440-39-3	0.1-1.8%	231-149-1

**Section 4 First Aid Measures**

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use water. Do not use dry chemicals or foams. CO<sub>2</sub> or Halon® may provide limited control.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Although not flammable, substance is a strong oxidizer which releases oxygen on heating, increasing the burning rate of any material with a flare-burning effect. It may cause re-ignition after a fire is extinguished.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Manganese, fume, as Mn	TWA: 0.2 mg/m <sup>3</sup>	STEL: C 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid. Black crystalline powder.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 535°C (995°F)

**Boiling point:** Data not available

**Flash point:** Data not available

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** Data not available

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 5.0

**Solubility(ies):** Insoluble in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** MnO<sub>2</sub>

**Molecular weight:** 86.94

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Do not heat or rub with organic matter or other oxidizable substance. e.g. sulfur, sulfides, phosphides, hypophosphites, etc.

**Incompatible materials:** Chlorates, strong oxidizers, organic materials, combustible materials, aluminum powder and sulfur.

**Hazardous decomposition products:** Heating above 535°C (995°F) will produce oxygen and manganese oxides and/or fumes.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 9000 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Chronic excess inhalational exposures may lead to pulmonary inflammation and subsequent reactive airway disease. Metal fume fever has been reported with manganese inhalation.

Ingestion: May be harmful if ingested.

Skin: Prolonged or repeated contact with dust may irritate skin.

Eyes: Contact with eyes may cause irritation.

**Signs and symptoms of exposure:** Toxicity from acute ingestion or acute inhalation of manganese is rare. Chronic inhalation over many years, usually from occupational exposure, may lead to manganese toxicity. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: OP0350000

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1479

**Shipping name:** Oxidizing solid, n.o.s., (Manganese dioxide)

**Hazard class:** 5.1

**Packing group:** III

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 5 Kg

**2016 ERG Guide #** 140

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Manganese dioxide	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>LIMEWATER SOLUTION</b>
<b>Synonyms</b>	Calcium Hydroxide, Water Solution

**Section 2 Hazards Identification**

**Signal word:** WARNING  
**Pictograms:** None required  
**Target organs:** None known

**GHS Classification:**  
Eye irritation (Category 2B)

**GHS Label information: Hazard statement(s):**  
H320: Causes eye irritation.

**Precautionary statement(s):**

P264: Wash hands thoroughly after handling.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical attention.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	99.86%	231-791-2
Calcium hydroxide	1305-62-0	0.14%	215-137-3

**Section 4 First Aid Measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Calcium hydroxide	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Clear, colorless liquid.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** 13.0

**Melting / Freezing point:** Approximately 0°C (32°F) (water)

**Boiling point:** Approximately 100°C (212°F) (water)

**Flash point:** Data not available

**Evaporation rate (Water = 1):** <1

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** 14 (water)

**Vapor density (Air = 1):** 0.7 (water)

**Relative density (Specific gravity):** Approximately 1.0 (water)

**Solubility(ies):** Complete in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** Mixture

**Molecular weight:** Mixture

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures which cause evaporation.

**Incompatibilities with other materials:** Strong acids, fluorine.

**Hazardous decomposition products:** None known.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 7,340 mg/kg [Calcium hydroxide]

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation.

Eyes: May cause irritation.

**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information: RTECS #:** EW2800000 [Calcium hydroxide]

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Calcium hydroxide	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** COPPER(II) SULFATE, PENTAHYDRATE**Synonyms** Cupric Sulfate, 5-Hydrate**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07 / GHS09**Target organs:** Liver, Kidneys, Lungs, Spleen.**GHS Classification:**

Acute toxicity-oral (Category 4)

Skin irritation (Category 2)

Eye irritation (Category 2A)

Aquatic acute toxicity (Category 1)

Aquatic chronic toxicity (Category 1)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Cupric sulfate	7758-99-8	>99%	231-847-6 (anhydrous)

**Section 4 First Aid Measures**

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. Blue powder	<b>Evaporation rate ( = 1):</b> Not applicable	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> Odorless	<b>Flammability (solid/gas):</b> Not applicable	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available	<b>Explosion limits: Lower / Upper:</b> Not applicable	<b>Decomposition temperature:</b> 560°C (1040°F)
<b>pH:</b> 3.7-4.2 (10% solution)	<b>Vapor pressure (mm Hg):</b> 20 torr @ 22.5°C	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 150°C (302°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> CuSO <sub>4</sub> •5H <sub>2</sub> O
<b>Boiling point:</b> Decomposes	<b>Relative density (Specific gravity):</b> 2.284	<b>Molecular weight:</b> 249.68
<b>Flash point:</b> Non-flammable	<b>Solubility(ies):</b> 31.6 g/100 ml water @ 0°C	

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Hygroscopic material. Stable when kept dry, under normal temperature and pressure. Avoid high temperatures, exposure to air and incompatible materials.

**Incompatible materials:** Reducing agents, acetylene or nitromethane, magnesium, strong bases, alkalines, phosphates, hydrazine, zirconium. Can corrode aluminum, steel and iron.

**Hazardous decomposition products:** Oxides of sulfur and copper fumes.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 300 mg/kg [Copper sulfate anhydrous]

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion: Ingestion can cause irritation to the digestive tract and abdominal pain.

Skin: Contact with skin causes slight irritation. Excessive exposure may cause allergic dermatitis. May cause irritation or burns on wet skin.

Eyes: Can cause severe irritation and may result in irreversible eye damage.

**Signs and symptoms of exposure:** *Note to physician:* Probable mucosal damage may contradict the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Wilson's disease can be aggravated by excessive exposure. Symptoms include nausea, vomiting, gastrointestinal pain, diarrhea, dizziness, jaundice, and general debility.

**Additional information:** RTECS #: GL8900000

## Section 12 Ecological Information

**Toxicity to fish:** *Salmo gairdneri* (fish, estuary, fresh water), LC50 = < 0.75-0.84 mg/L [Copper sulfate anhydrous]

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN3077

**Shipping name:** Environmentally hazardous substances, solid, n.o.s., (Cupric sulfate)

**Hazard class:** 9

**Packing group:** III

**Reportable Quantity:** 10 lbs (4.54 kg)

**Marine pollutant:** Yes

**Exceptions:** Non regulated equal to or less than 4.539 Kg ; Reportable quantity equal to or more than 4.54 Kg

**2016 ERG Guide #** 171

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Cupric sulfate	Listed	10 lbs (4.54 kg)	Not listed	Not listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>1% PHENOLPHTHALEIN IN ISOPROPYL ALCOHOL SOLUTION</b>
----------------	---

<b>Synonyms</b>	1% Phenolphthalein in IPA
-----------------	---------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS07 / GHS08**Target organs:** Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)

Eye irritation (Category 2)

STOT-SE (Category 2)

Mutagenicity (Category 2)

Carcinogen (Category 1B)

Reproductive toxicity (Category 2)

**GHS Label information: Hazard statement(s):**

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H361: Suspected of damaging fertility.

**Precautionary statement(s):**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P308+P313: If exposed or concerned: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Isopropyl alcohol	67-63-0	70%	200-661-7
Water	7732-18-5	29%	231-791-2
Phenolphthalein	77-09-8	1%	201-004-7

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL, IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m <sup>3</sup>	TWA: 400 ppm / STEL: 500 ppm

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless liquid.	<b>Evaporation rate ( Butyl acetate = 1):</b> >1	<b>Partition coefficient:</b> (n-octanol / water): Data not available
<b>Odor:</b> Aromatic odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> 399°C (750°F) ASTM-E659-78 [Pure IPA]
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> 2% / 12% [Pure IPA]	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> 33 mm @20°C [Pure IPA]	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> Approximately -50°C (-58°F)*	<b>Vapor density (Air = 1):</b> 2.1 [Pure IPA]	<b>Molecular formula:</b> Mixture
<b>Boiling point:</b> Approximately 85-100°C (185-212°F)*	<b>Relative density (Specific gravity):</b> 0.8*	<b>Molecular weight:</b> Mixture
<b>Flash point:</b> 21.7°C (71°F) TCC [70% IPA]	<b>Solubility(ies):</b> Complete in water.	*[70% IPA]

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizing materials, caustics, aluminums, metals, nitroform, oleum, chlorinated compounds can react vigorously with this alcohol.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: >2000 mg/kg ; Inhalation-rat LC50: >5000 ppm/1hr [Isopropanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

**NTP:** Reasonably anticipated to be a human carcinogen. [Phenolphthalein]

**IARC classified:** Group 2B: Possibly carcinogenic to humans. [Phenolphthalein]

**OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**CA Prop 65:** ⚠️ **WARNING!** :This product can expose you to Phenolphthalein, which is known to the State of California to cause cancer.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Yes

**Potential health effects:**

**Inhalation:** Inhalation of high vapor concentrations may cause central nervous system depression resulting in dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat. Continued inhalation may result in unconsciousness and death.

**Ingestion:** Aspiration hazard. Liquid can directly enter the lungs (aspirated) when swallowed or vomited. Serious lung damage and possible fatal chemical pneumonia can develop if this occurs.

**Skin:** Prolonged or repeated contact may cause irritation and drying, cracking and defatting of the skin which can lead to dermatitis.

**Eyes:** Contact causes burning sensation, redness, swelling, and/or blurred vision.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: NT8050000 [Isopropanol] / SM8380000 [Phenolphthalein]

## Section 12 Ecological Information

**Toxicity to fish:** Pimephales promelas (Fish, fresh water) LC50: 9640 mg/l/96 hours [Isopropanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacia), EC50 = >10,000 mg/l/24 hours [Isopropanol]

**Toxicity to algae:** Scenedesmus quadricauda (Algae), LOEC50 = 1,800 mg/l/7 days [Isopropanol]

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1219

**Shipping name:** Isopropanol solution

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2016 ERG Guide #** 129

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Isopropyl alcohol	Listed	Not listed	Not listed	Listed	Not listed	⚠️ <b>WARNING</b> -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
Phenolphthalein	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.