

Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

**Material Name: Peat** 

# **Section 1: Identification**

1.1 Product trade names: Sphagnum peat moss

**1.2 Product Class:** Natural organic planting mixes

Product Codes: N/A

CAS/EC Number: Product does not have a CAS or EC number.

Intended Use: Domestic gardening, planting mixture, and other general horticultural

purpose.

1.3 Supplier:

County Materials Corp. 205 North St., P.O. Box 100

Marathon, WI 54448-0100

General Information Telephone: (800) 289-2569 Email: riskclaimssafety@countymaterials.com

1.4 Emergency telephone:

715-223-7788

# Section 2: Hazard(s) Identification

#### 2.1 Classification:

This material is not considered hazardous according to the OSHA Hazard Communication Standard or GHS Hazard Classification and Labelling System.

# 2.2 Labeling:

Pictograms:

None.

Signal Word:

None.

**Hazard Statements:** 

None.

**Precautionary Statements:** 

P261 – Avoid breathing dusts.

P271 – Use only outdoors or in a well-ventilated area.

P280 – Wear protective gloves, protective clothing, and eye protection.

**2.3 Other Hazards:** This product is not classified as hazardous under normal conditions of use and storage. Exposure to entrained dusts may occur during agitation of dried product and can cause irritation to respiratory system. Contact with eyes and skin may cause irritation.

# Section 3: Composition/Information on Ingredients

Components	CAS Number	EC Number	Concentration%
Peat			100

This product contains natural agricultural components and decomposed organic matter. It is not anticipated to contain quantities of naturally occurring crystalline silica at greater than 0.1%.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

**Material Name: Peat** 

# **Section 4: First-Aid Measures**

# 4.1 Description of first aid measures:

<u>Inhalation:</u> Airborne dust may be inhaled. Remove person to fresh air. Seek medical attention if breathing difficulty develops or persists.

<u>Skin Contact:</u> Wash skin with soap and plenty of water. If irritation develops or persists, seek medical attention.

<u>Eye Contact</u>: Rinse eyes thoroughly with potable water for at least 15 minutes and remove contacts if easy to do. Rinse under eyelids to remove any particles. Seek medical attention for any abrasions or if irritation develops or persists.

<u>Ingestion:</u> Rinse mouth with copious amounts of water. If the person is conscious and aware, give large amounts of water to rinse material and taste from the mouth. Never attempt to make an unconscious person drink or vomit. If the person is unconscious it may be necessary to sweep the blockage out of the mouth using a finger. Seek emergency medical attention if deemed necessary.

# 4.2 Most important symptoms and effects:

<u>Inhalation:</u> May cause irritation of the respiratory tract.

Skin Contact: May cause irritation.

Eye Contact: May cause irritation, abrasions, redness, and permanent eye damage.

Ingestion: Ingestion of large amounts may cause gastrointestinal irritation, choking/blockage.

4.3 Indication of any immediate medical attention and special treatment needed: See Section 4.1.

# **Section 5: Fire-Fighting Measures**

- **5.1 Extinguishing media:** Product is not flammable. Use appropriate media for fire adjacent to product.
- **5.2 Special hazards arising from the substance or mixture:** None known.
- **5.3 Advice to firefighters:** None.

# **Section 6: Accidental Release Measures**

- **6.1 Personal precautions:** Wear dust-mask or respirator if airborne concentrations approach or exceed exposure limits detailed in Section 8.
- **6.2 Environmental precautions:** Carefully clean up spilled material and place the material into suitable containers and hold for reuse or disposal. Dispose of the waste material in accordance with local regulations.
- **6.3 Methods and materials for containment and cleaning up:** Shovel material. Avoid sweeping to limit dried airborne dust.
- **6.4 Reference to other sections:** Use information obtained throughout this SDS to be fully prepared in case of accidental release.

# **Section 7: Handling and Storage**

- **7.1 Precautions for safe handling:** Avoid excessive dust formation and breathing dust. Persons handling the product should wear recommended personal protective equipment (PPE) as noted in Section 8. Wash thoroughly with potable water and mild soap after handling. Use outdoors or provide ventilation.
- **7.2 Conditions for safe storage, including any incompatibilities:** Store at ambient temperatures. Clean up by shovel, wet sweeping and/or vacuuming.
- 7.3 Specific end uses: See Section 1. for intended uses.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

**Material Name: Peat** 

# **Section 8: Exposure Controls/Personal Protection**

**8.1 Control parameters:** Note the limits shown below are for guidance only. Follow applicable regulations in your jurisdiction.

Substance Name	Source	Exposure Limit
Total Dust (or Particulates Not	ACGIH	10 mg/m³ (I) / 3 mg/m³ (R)
Otherwise Classified)	OSHA	15 mg/m³ (T) / 5 mg/m³ (R)
	NIOSH	10 mg/m³ (T) / 5 mg/m³ (R)

- **8.1.1 Currently recommended monitoring procedures:** No recommendations.
- 8.1.2 Exposure guidelines for air contaminants, if any: See Section 8.1
- **8.1.3 DNELS and PNECS for exposure scenarios:** Information not available at this time.
- **8.1.4 Control banding for risk management:** Use good industrial hygiene practice, wear appropriate PPE and use only in well ventilated places.
- **8.2 Exposure Controls:**
- **8.2.1 Appropriate engineering controls:** If used in an enclosed area, provide adequate local exhaust ventilation when possible to remove and prevent buildup of any dusts generated from the handling of this product. Water suppression may also be used to limit airborne dusts from dried product during application or use.
- 8.2.2 Individual protection methods: Use good industrial hygiene practices in handling this material. Eye wash stations should be available. Wash exposed skin with potable water and mild soap after use. If any irritation or redness is noted, treat symptomatically or consult a doctor immediately. Wear gloves, safety glasses/goggles and protective clothing. In case of eye contact, flush with plenty of clean, potable water for at least 15 minutes. Remove contacts if easy to do so. Seek medical attention if irritation occurs. Avoid dust inhalation and direct contact with skin and eyes. Wash contaminated skin before eating, drinking or smoking.

# 8.2.3 Personal Protective Equipment:

<u>Eye/Face:</u> Use appropriate eye protection: glasses with side shields or goggles.

<u>Skin:</u> Avoid contact by covering skin with protective clothing. Wear gloves when handling the product. Wear eye protection. Wash exposed skin thoroughly with potable water and mild soap.

<u>Respiratory:</u> If airborne concentrations are above the applicable exposure limits, use NIOSH-approved respirator if qualified.

Issue Date: 06/29/16 | Revision 2.0



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

**Material Name: Peat** 

# **Section 9: Physical and Chemical Properties**

**Physical State:**Color:

Combined blend of material Varying brown/black shades

Odor: Earthy

Odor Threshold:

Melting Point:

Freezing Point:

Initial Boiling Point:

Flammability (solid, gas):

Lower and Upper Explosion

Not applicable

Not applicable

Not applicable

Not applicable

**Limits/Flammability Limit:** 

Flash Point: Non-flammable
Auto-Ignition Temperature: Not applicable
Decomposition Temperature: Not evaluated

**pH**: 5 - 7

Kinematic Viscosity:

Solubility:

Partition Coefficient:

Vapor Pressure

Density (and/or Relative Density):

Relative Vapor Density:

Particle Characteristics:

Not applicable
Not applicable
Not evaluated
Not applicable
Variable sizes

# Section 10: Stability and Reactivity

10.1 Reactivity: None known.

- **10.2 Chemical stability:** Stable under normal conditions of storage and use.
- 10.3 Possibility of hazardous reactions: Avoid contact with powerful oxidizing agents.
- **10.4 Conditions to avoid:** Avoid dust concentrations above permissible exposure limits.
- **10.5 Incompatible materials:** Incompatible materials and possible hazardous reactions are detailed in Section 10.3.
- **10.6 Hazardous decomposition or byproducts:** Highly improbable. Hazardous polymerization will not occur.

# **Section 11: Toxicological Information**

# 11.1 Information on toxicological effects:

## **Acute Exposure and Symptoms:**

<u>Inhalation:</u> May cause irritation of the respiratory system.

Skin Contact: May cause irritation.

Eye Contact: May cause irritation, abrasions, redness, and permanent eye damage.

Ingestion: Ingestion of large amounts may cause gastrointestinal irritation, choking/blockage.

## **Chronic Exposure:**

Prolonged exposure to dust may cause irritation to the respiratory tract, inflame or sensitize the nose, throat and lungs resulting in illnesses such as asthma or pneumonia.

# **Numerical Measures of Toxicity**

There no numerical measurers of toxicity available for the product at this time.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

**Material Name: Peat** 

# **Section 11: Toxicological Information**

# **Component Carcinogenicity**

This product is not a known or suspected carcinogen.

## Specific Target Organ Toxicity Single/Repeat Exposure – Respiratory System

Repeated inhalation of dusts can lead to irritation of the respiratory tract, inflame or sensitize the nose, throat and lungs resulting in illnesses such as asthma or pneumonia. Exposure to dust may occur with agitation of the product if the product is dry.

### Skin Sensitizer

Not expected to be a skin sensitizer.

# Section 12: Ecological Information (non-mandatory)

# 12.1 Ecotoxicity:

General Product Information: Product when used as intended is not hazardous to the environment.

**Component Analysis - Ecotoxicity :** Ecotoxicity data are not available for this product's.

**Environmental Fate:** No information available for the product.

# Section 13: Disposal Considerations (non-mandatory)

#### 13.1 Waste treatment methods:

**General Product Information:** Whatever cannot be saved or recovered for recycling should be disposed of according to state and local regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

# Section 14: Transport Information (non-mandatory)

Product is not classified as Dangerous Goods.

# Section 15: Regulatory Information (non-mandatory)

# 15.1 Safety, health, and environmental regulation:

#### **US Federal Regulations**

**General Product Information:** No component is listed on the U.S. EPA TSCA Inventory List. **Component Analysis:** Components of this product are not listed as hazardous under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

### **State Regulations**

**General Product Information:** Other state regulations may apply. Check individual state requirements.

**California Prop. 65 Components:** This product contains no chemicals known to the State of California to cause cancer or reproductive toxicity.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

**Material Name: Peat** 

# Section 15: Regulatory Information (non-mandatory)

# **Section 16: Other Information**

# **Other Information**

**Disclaimer:** Supplier gives no warranty of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser will make his own tests to determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental and/or consequential property damage arising out of the use of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights. Read the Safety Data Sheet before handling product.

# **Key to Abbreviations and Acronyms:**

ACGIH: American Conference of Governmental Industrial Hygienists

DNEL: Derived No Effect Level

EINECS: European Inventory of Existing Commercial Chemical Substances

EPA: Environmental Protection Agency

EU: European Union

GHS Globally Harmonized System of classification and labelling of chemicals

IARC: International Agency for Research on Cancer

I: Inhalable Particles

LC50: Lethal concentration in air fatal to 50 percent of test animals LD50: Lethal dose by mouth or other route to 50 percent of test animals

LDLo: Lowest lethal dose

NIOSH: National Institute for Occupational Safety and Health

NJTSR: New Jersey Trade Secret Registry NOEC: No Observed Effect Concentration NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration (USA)

PNEC: Predicted No Effect Concentration
PNOC: Particulates Not Otherwise Classified

PPM: Parts Per Million R: Respirable Particles

STEL: Short Term Exposure Limit

T: Total Dust

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act TWA: Time weighted average

\*\* This is the end of SDS - Peat \*\*

Issue Date: 06/29/16 | Revision 2.0

Page 6 of 6



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Date of issue: 09/26/2016 Revision date: 01/31/2018 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Sakrete Sands & Gravel

Product code : Not available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Various

1.3. Details of the supplier of the safety data sheet

Sakrete of North America 625 Griffith Rd., Ste 100 Charlotte, NC 28217 T 866-725-7383

1.4. Emergency telephone number

Emergency number : For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

1-800-424-9300 [USÁ] / +1 703-527-3887 [CAN]

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## **GHS-US** classification

Carc. 1A STOT RE 1

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS08

Signal word (GHS-US) : Dange

Hazard statements (GHS-US) : May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS-US) : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. If exposed or concerned: Get medical

advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available.

## 2.4. Unknown acute toxicity (GHS US)

Not applicable.

# SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable.

#### 3.2. Mixtures

Name	Product identifier	%
Quartz	(CAS No) 14808-60-7	60 - 100

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.





# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing

and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn.

If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give

anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

## 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Treat for surrounding material.

Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

#### 5.3. Advice for firefighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel.

#### 6.2. Methods and material for containment and cleaning up

For containment : Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer

or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Vacuum or sweep material and place in a disposal container.

#### 6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe dust. Do not swallow. Handle and open

container with care. Avoid dust formation. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc, is not

recommended. When using do not eat, drink or smoke.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Avoid any dust build-up by frequent cleaning and suitable construction of the storage area. Do not store in an area

equipped with emergency water sprinklers.

#### 7.3. Specific end use(s)

Not available.

01/31/2018 EN (English US) 2/5



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (respirable fraction)
OSHA	OSHA PEL (mg/m³)	(30)/(%SiO2 + 2) mg/m3 TWA (total dust) (250)/(%SiO2 + 5) mppcf TWA (respirable fraction) (10)/(%SiO2 + 2) mg/m3 TWA (respirable fraction)

#### 8.2. Exposure controls

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Wear suitable waterproof gloves.

Eye protection : Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles)

and face protection (face shield).

Skin and body protection : Wear suitable waterproof protective clothing.

Respiratory protection : A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas

or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory

protection (Z88.2).

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully

before eating or smoking. Handle according to established industrial hygiene and safety practices.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granular powder Color No data available No data available Odor Odor threshold No data available : No data available Hq Melting point No data available Freezing point No data available Boiling point No data available No data available Flash point Relative evaporation rate (butyl acetate=1) : No data available Not flammable Flammability (solid, gas) **Explosion limits** : No data available Explosive properties No data available Oxidizing properties No data available : No data available Vapor pressure Relative density No data available Relative vapor density at 20 °C No data available No data available Solubility Partition coefficient n-octanol/water No data available Auto-ignition temperature : No data available Decomposition temperature No data available Viscosity No data available

### 9.2. Other information

Viscosity, kinematic

Viscosity, dynamic

No additional information available.

01/31/2018 EN (English US) 3/5

No data available
No data available



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

# **SECTION 10: Stability and reactivity**

## Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. **Chemical stability**

Stable under normal storage conditions. Keep dry in storage.

#### Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### **Conditions to avoid**

Heat. Incompatible materials.

#### 10.5. Incompatible materials

Moisture. Wet cement is alkaline and incompatible with acid, ammonium salts and aluminum metal.

#### **Hazardous decomposition products**

May include, and are not limited to: oxides of carbon.

# **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

Acute toxicity : Not classified

Sakrete Sands & Gravel	
LD50 oral rat	No data available
LD50 dermal rat	No data available
LC50 inhalation rat	No data available
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: May cause cancer.

Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens

Reproductive toxicity : Based on available data, the classification criteria are not met. STOT-single exposure : Based on available data, the classification criteria are not met.

Causes damage to organs through prolonged or repeated exposure. Respirable crystalline STOT-repeated exposure silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of

time (usually years) of exposure.

Based on available data, the classification criteria are not met. Aspiration hazard

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. Symptoms/injuries after eye contact

May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

## **SECTION 12: Ecological information**

#### 12.1. **Toxicity**

Ecology - general

: No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.

#### Persistence and degradability 12.2.

Sakrete Sands & Gravel		
Persistence and degradability	Not established.	
01/31/2018	EN (English US)	4/5



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### 12.3. Bioaccumulative potential

Sakrete Sands & Gravel	
Bioaccumulative potential	Not established.

## 12.4. Mobility in soil

No additional information available.

#### 12.5. Other adverse effects

Effect on global warming : No known effects from this product.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations

: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

# **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Not regulated for transport

#### **Additional information**

Other information

: No supplementary information available.

Special transport precautions

: Do not handle until all safety precautions have been read and understood.

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

# 15.3. US State regulations

Sakrete Sands & Gravel	
State or local regulations	This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other
	reproductive harm.

# **SECTION 16: Other information**

Date of issue : 09/26/2016
Revision date : 01/31/2018
Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

01/31/2018 EN (English US) 5/5

