CORROSIVE STORAGE CODE WHITE

Section 1 **Chemical Product and Company Identification**

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com Page E1 of E2

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only. Not for drug, food or household use.

Product CALCIUM HYDROXIDE	
Synonyms Hydrated Lime / Slaked Lime / Caustic Lime / Calcium Hydrate	
Section 2 Hazards Identification	
Signal word: DANGER Pictograms: GHS05 Target organs: Eyes, Skin, Respiratory system GHS Classification: Skin corrosion (Category 1B) Eye damage (Category 1) GHS Label information: Hazard statement: H314: Causes severe skin burns and eye damage.	 Precautionary statement: P260: Do not breathe dust. P264: Wash hands thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310: Immediately call a POISON CENTER or doctor. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405: Store locked up. P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Calcium hydroxide		1305-62-0	>98%	215-137-3	
Section 4	First Aid Measures				

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE BURNS AND EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

* * *Section 1 - IDENTIFICATION* * *

Material Name: CRAYOLA® CHALK

Synonyms

CRAYOLA COLORED CHALK; CRAYOLA DRAWING CHALK; CRAYOLA MOLDED CHALK; CRAYOLA SIDEWALK CHALK/CRAYONS; CRAYOLA GIANT CHALK; CRAYOLA 3-D CHALK; CRAYOLA GLOW CHALK; CRAYOLA GLITTER CHALK; CRAYOLA TIE DYED CHALK; CRAYOLA CHALKBOARD CHALK; CRAYOLA ANTI-DUST LOW DUST CHALK;; PRODUCT CODE(S): 03-5037; 03-5039; 03-5053; 03-5044; 03-5061; 03-5063; 03-5064; 03-5066; 03-5067; 03-5068; 03-5071; 03-5072; 03-5073; 03-5078; 03-5079; 03-5080; 03-5081; 03-5090; 03-5091; 03-5092; 03-5093; 03-5101; 03-5102; 03-5103; 03-5104; 03-5105; 03-5106; 03-5107; 03-5108; 03-5111; 03-5200; 03-5201; 03-5202; 03-5203; 03-5204; 03-5205; 03-5206; 03-5207; 03-5208; 03-5209; 03-5210; 03-5211; 03-5212; 03-5213; 03-5214; 03-5215; 03-5216; 03-5217; 03-5218; 03-5220; 03-5228; 03-5229; 03-5230; 03-5231; 03-5800; 03-5801; 03-5802; 03-5803; 03-5804; 03-5805; 03-7603; 04-1907; 04-1950; 04-1951; 04-2542; 04-5033; 04-5350; 04-5355; 04-5358; 04-5718; 04-5719; 04-5727; 04-5873; 04-6010; 51-2004; 51-0312; 51-0400; 51-0403; 51-0404; 51-0816; 51-1200; 51-1202; 51-1206; 51-1206; 51-1216; 51-1503; 51-1515; 51-1524; 51-1650; 51-2010; 51-2012; 51-2016; 51-2024; 51-2048; 51-2515; 51-3505; 51-3505; 51-3505; 51-3523; 51-4005; 51-4008; 51-4107; 51-4108; 51-4109; 51-4110; 51-8015; 51-8020; 51-8052; 51-8064; 55-4403

Recommended Use

Arts and Crafts

Restrictions on Use

None known.

Manufacturer Information

CRAYOLA LLC 1100 Church Lane Easton, PA 18044 Mfg Contact: support@crayola.com Phone: 1-800-272-9652

Emergency # Health Emergency - Call local POISON CONTROL

* * *Section 2 - HAZARD(S) IDENTIFICATION* * *

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

No classification is assigned, based on classification criteria. Review the entire data sheet for any additional information which did not result in a GHS classification.

GHS LABEL ELEMENTS

Symbol(s)

None

Signal Word

None

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Product Identifier: CRAYOLA® CHALK

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Hazard(s) Not Otherwise Classified

No data available.

0% of the mixture consists of ingredient(s) of unknown acute toxicity.

* * *Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS* * *

CAS	Component	Percent
Not Available	Product has been certified as nontoxic by the Art & Creative Materials	100
	Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art	
	materials for acute and chronic adverse health hazards.	

* * *Section 4 - FIRST-AID MEASURES* * *

Description of Necessary Measures

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed. **Skin Contact**

Skin Contact

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eye Contact

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Ingestion

Contact local poison control center or physician immediately.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of Immediate Medical Attention and Special Treatment Needed, If Needed

Treat symptomatically and supportively.

* * *Section 5 - FIRE-FIGHTING MEASURES* * *

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, regular foam, water

Unsuitable Extinguishing Media

None known.

Special Protective Equipment and Precautions for Firefighters

Slight fire hazard.

Special Hazards Arising from the Chemical

Hazardous Combustion Products

Combustion: oxides of carbon

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion byproducts. Stay upwind and keep out of low areas.

Product Identifier: CRAYOLA® CHALK

Sensitivity to Mechanical Impact

No

Sensitivity to Static Discharge

No

* * *Section 6 - ACCIDENTAL RELEASE MEASURES* * *

Personal Precautions, Protective Equipment and Emergency Procedures

None

Methods and Materials for Containment and Cleaning Up

Collect spilled material in appropriate container for disposal.

* * *Section 7 - HANDLING AND STORAGE* * *

Precautions for Safe Handling

Use methods to minimize dust.

Conditions for Safe Storage, including any Incompatibilities

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Incompatibilities: oxidizing materials

* * *Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION* * *

Component Exposure Limits

ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components.

Appropriate Engineering Controls

Based on available information, additional ventilation is not required.

Individual Protection Measures, such as Personal Protective Equipment

Eyes/Face Protection

Eye protection not required under normal conditions.

Skin Protection

Protective clothing is not required under normal conditions.

Glove Recommendations

Protective gloves are not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

* * *Section 9 - PHYSICAL AND CHEMICAL PROPERTIES* * *

Physical State: Color: Odor: pH: Boiling Point: Vapor Pressure:	various colors odorless Not available Not available	Physical Form: Odor Threshold: Melting Point:	Not available Not available No flash point
Density:	Not available	Specific Gravity (water = 1):	Not available
Water Solubility:	Insoluble	Coeff. Water/Oil Dist:	
Viscosity:	Not available	VOC:	

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

* * *Section 10 - STABILITY AND REACTIVITY* * *

Reactivity

No hazard expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

None reported.

Incompatible Materials

oxidizing materials

Hazardous Decomposition Products

oxides of carbon

Hazardous Decomposition

Combustion: oxides of carbon

* * *Section 11 - TOXICOLOGICAL INFORMATION* * *

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Medical Conditions Aggravated by Exposure

No data available.

Irritation/Corrosivity Data

None

RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Respiratory Sensitization

No information available for the product.

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

Dermal Sensitization

No information available for the product.

Germ Cell Mutagenicity

No information available for the product.

Carcinogenicity

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, or DFG.

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration Hazard

No data available.

* * *Section 12 - ECOLOGICAL INFORMATION* * *

Ecotoxicity

No information available for the product.

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility in Soil

No information available for the product.

* * *Section 13 - DISPOSAL CONSIDERATIONS* * *

Disposal Methods

Dispose in accordance with all applicable regulations.

Disposal of Contaminated Packaging

Dispose of in accordance with all applicable federal, state and local regulations. Recycle if possible.

* * *Section 14 - TRANSPORT INFORMATION* * *

US DOT Information

Not regulated as a hazardous material.

TDG Information

Not regulated as dangerous goods.

IATA Information

Not regulated as dangerous goods.

ICAO Information

Not regulated as dangerous goods.

IMDG Information

Not regulated as dangerous goods.

* * *Section 15 - REGULATORY INFORMATION* * *

U.S. Federal Regulations

Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No

U.S. State Regulations

Component Analysis - State

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

Canada Regulations

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

WHMIS Classification: Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

Canadian WHMIS Ingredients Disclosure List

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List and no components were found on the list.

Inventory

All of the components of this product are listed on the TSCA Inventory. All components of this product are listed on the DSL.

Component Analysis - Inventory

No information is available.

* * *Section 16 - OTHER INFORMATION* * *

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Product Identifier: CRAYOLA® CHALK

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia: BOD - Biochemical Oxygen Demand: C - Celsius: CA - Canada: CAS - Chemical Abstracts Service: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation: DSL - Domestic Substances List: EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health: IMDG - International Maritime Dangerous Goods: JP - Japan: Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency: NIOSH - National Institute for Occupational Safety and Health; NJTSR -New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration: PH - Philippines: RCRA - Resource Conservation and Recovery Act: RID -European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US -**United States**

Other Information

The information contained in this document express our current knowledge and experience, however cannot imply guarantee of any nature. Considering the variety of factors that can affect their process or application, the information on this sheet does not exempt the processors from the responsibility of executing their own tests and experiments.

End of Sheet CRAY-028

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection				
Exposure Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	
Exposure Limits:	Calcium hydroxide	TWA: 5 mg/m ³	TWA: 5 mg/m ³ Respirable fraction	TWA: 5 mg/m ³	

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

approtoa toophaton						
Section 9 Physical & Chemical I	Properties					
Appearance: Solid. White to yellow powder. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: as CaO 2850°C (5162°I Boiling point: as CaO 579°C (1076°F) Flash point: Not flammable	Flammability (so Explosion limits Vapor pressure F) Vapor density (A Relative density	e (= 1): Data not a blid/gas): Data not : Lower / Upper: I (mm Hg): Data not Air = 1): Data not (Specific gravity): 0.185% @ 0°C in wa	available. Data not available available railable 2.24	Auto-ignitic Decomposi Viscosity: Molecular f		: Data not available re: Data not available. le.
Section 10 Stability & Reactivity						
Chemical stability: Stable Conditions to avoid: Absorbs CO ₂ from air to		s polymerization:	Will not occur.			
Incompatible materials: Acids, fluorine.						
Hazardous decomposition products: None k	nown.					
Section 11 Toxicological Information	tion					
Respiratory or skin sensitization: Data not av Germ cell mutagenicity: Data not available Carcinogenity: Data not available NTP: No component of this product present at le IARC: No component of this product present at I OSHA: No component of this product present at Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available STOT-repeated exposure: Data not available Potential health effects: Inhalation: Inhalation may cause sore throat, bu Ingestion: Ingestion may cause burning sensati Skin: Contact with skin causes redness, roughr Eyes: Contact with eyes causes redness, pain, Signs and symptoms of exposure: Exercise : Additional information: RTECS #: EW28000	evels greater than or eq evels greater than or eq levels greater than or e levels greater than or e anning sensation. on, abdominal pain, ab ess, pain, dry skin, bur severe deep burns. appropriate procedures	qual to 0.1% is ident equal to 0.1% is ider dominal cramps, vor ns, blisters.	ified as probable, po tified as a carcinoge niting.	ssible or confirm	med human card	0
Section 12 Ecological Information						
Toxicity to fish: Gambusia affinis (fish, fresh w Toxicity to daphnia and other aquatic inverte Toxicity to algae: No data available Persistence and degradability: No data available Mobility in soil: No data available Other adverse effects: An environmental haza Section 13 Disposal Consideration	ater), LC50 = 220 mg/L brates: No data availat ble Bioaccumul PBT and vP rd cannot be excluded	ole ative potential: No vB assessment: No	o data available	or disposal.		
These disposal guidelines are intended for						
regulations may be different. Dispose of in Section 14 Transport Information			eral regulations or	contract with	a licensed che	emical disposal agency.
Hazard class: Not applicable F	hipping name: No acking group: No 016 ERG Guide #া	t applicable	Reportable Qu	antity: No	Ma	arine pollutant: No
Section 15 Regulatory Informatio	n					
A chemical is considered to be listed if the CAS number						
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Calcium hydroxide	Listed	Not listed	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Section 16 Other Information						
The information contained herein is furnished without w dent determinations of suitability and completeness of IARC: International Agency for Research on Cancer, O ERG: Emergency Response Guidebook.	information from all source	es to assure proper use	of these materials and	the safety and he	ealth of employees	s. NTP: National Toxicology Program,

Form 06/2015

Page E1 of E2

Section 1 Chemical Product and Company Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300

1 703-741-5500 (from anywhere in the world). For laboratory and industrial use only. Not for drug, food or household use.

Product IODINE-POTASSIUM IODIDE SOLUTION

Synonyms Iodine-Iodide / Iodine Solution / Iodine / Iodine Lugol's Dilute / Gram's Iodine Solution / Dilute Lugol's Solution

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07 / GHS09 Target organs: Thyroid, kidneys, endocrine system, skin, eyes, reproductive system. central nervous system.



GHS Classification:

Acute toxicity, dermal (Category 4) Acute toxicity, inhalation (Category 4) Aquatic toxicity, acute (Category 1)

GHS Label information: Hazard statement(s):

H312: Harmful in contact with skin. H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

Precautionary statement(s):

P261: Avoid breathing mist/vapours/spray.
P271: Use only outdoors or in a well-ventilated area.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of water and soap.
P312: Call a POISON CENTER or doctor if you feel unwell.
P362+P364: Take off contaminated clothing and wash it before reuse.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312: Call a POISON CENTER or doctor if you feel unwell.
P312: Call a POISON CENTER or doctor if you feel unwell.
P391: Collect spillage.
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Water Potassium iodide Iodine		7732-18-5 7681-11-0 7553-56-2	95.10% 3.05% 1.85%	231-791-2 231-659-4 231-442-4	
Section 4	First Aid Measures				

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Harmful if inhaled.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention. Harmful in contact with skin.

Section 5 Fire Fighting Measures

Extinguishing Media: Use any media suitable for extinguishing supporting fire.

General information: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, mist or spray. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, well-ventilated area away from incompatible substances. Section 8 **Exposure Controls / Personal Protection** Chemical Name ACGIH (TLV) OSHA (PEL) NIOSH (REL) Exposure Limits: TWA: 0.01 ppm^(IFV)/ STEL: 0.1 ppm^(V) Iodine CAS # 7553-56-2 STEL: C 0.1 ppm/C 1 mg/m³ STEL: C 0.1 ppm/C 1 mg/m³ Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low. Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator. **Physical & Chemical Properties** Section 9 Appearance: Deep amber liquid. Evaporation rate (Water = 1): < 1 Partition coefficient: (n-octanol / water): Not applicable Odor: Characteristic odor Flammability (solid/gas): Not applicable. Auto-ignition temperature: Not applicable Odor threshold: Not applicable. Explosion limits: Lower / Upper: Not applicable Decomposition temperature: Data not available. pH: Data not available. Vapor pressure (mm Hg): 14 [water] Viscosity: Data not available. Melting / Freezing point: ~ 0°C (~ 32°F) [water] Vapor density (Air = 1): 0.7 [water] Molecular formula: Mixture Boiling point: ~ 100°C (212°F) [water] Relative density (Specific gravity): 1.0 [water] Molecular weight: Mixture Flash point: Not flammable. Solubility(ies): Complete in water. Section 10 Stability & Reactivity Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Stable under recommended storage conditions. Excessive temperatures which cause evaporation. Incompatibilities with other materials: Metals or unsaturated organic compounds, ammonia solutions or alkaline solutions of ammonia salts. Will form explosive nitrogen iodides when reacted with gaseous ammonia. Hazardous decomposition products: Toxic iodide fumes Section 11 **Toxicological Information** Acute toxicity: Oral-Rat LD50: 14,000 mg/kg [lodine CAS # 7553-56-2] Skin corrosion/irritation: Data not available Serious eve damage/irritation: Data not available Respiratory or skin sensitization: Inhalation-rat 3.1 mg/m3 / 24 hour / 13 weeks - continuous [lodine CAS # 7553-56-2] Germ cell mutagenicity: Data not available Carcinogenity: Data not available IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available Potential health effects: Inhalation: Symptoms include cough, wheezing, and labored breathing. Symptoms may be delayed. Ingestion: Causes abdominal pain, diarrhea, nausea, and vomiting. Ingestion of levels of 2-3 grams of iodine may cause death. Skin: Contact may cause redness and pain. Eyes: Contact causes watering of the eyes, redness and pain. Signs and symptoms of exposure: Effects of short-term exposure: Lachrymator. The substance is severely irritating to the eyes and the respiratory tract, and is irritating to the skin. Inhalation of the vapor may cause asthma-like reactions. Inhalation of the vapor may cause lung edema. The effects may be delayed. Effects of long-term exposure: Repeated or prolonged contact may cause skin sensitization in rate cases. Repeated or prolonged inhalation exposure may cause asthma-like syndrome. The substance may have effects on the thyroid. Specific data not available for this mixture. Exercise appropriate procedures to minimize potential hazards.. Additional information: RTECS #: NN1575000 [lodine CAS # 7553-56-2] Section 12 **Ecological Information** Toxicity to fish: Very toxic to aquatic life. Toxicity to daphnia and other aquatic invertebrates: No data available Toxicity to algae: No data available Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. **Disposal Considerations** Section 13 These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency. Transport Information (US DOT / CANADA TDG) Section 14 UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No Exceptions: Not applicable 2016 ERG Guide # Not applicable **Regulatory Information** Section 15 A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list. CERLCA (RQ) RCRA code DSL NDSL Component TSCA CA Prop 65 This product does not contain lodine Listed Not listed Not listed Listed Not listed any chemicals known to the State Potassium iodide Listed Not listed Not listed Listed Not listed of California to cause cancer or reproductive toxicity. Section 16 **Other Information** The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure,

ERG: Emergency Response Guidebook

Section 1 Chemical Product and Company Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Page E1 of E2

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world). For laboratory and industrial use only. Not for drug, food or household use.

Product METHYLENE BLUE CHLORIDE, 1% AQUEOUS SOLUTION

Synonyms Methylene Blue Chloride, Water Solution Section 2 Hazards Identification

Signal word: WARNING Pictograms: No symbol required Target organs: None known

GHS Classification:

Acute toxicity, oral (Category 5)

GHS Label information:

Hazard statement(s): H303: May be harmful if swallowed. Precautionary statement(s): P312: Call a POISON CENTER or doctor if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Informa	tion on Ingredients			
Chemical Name	CAS #	%	EINECS	
Water Methylene blue chloride Sodium benzoate, as preservative	7732-18-5 61-73-4 532-32-1	98.8% 1.0% 0.2%	231-791-2 200-515-2 208-534-8	
Section 4 First Aid Measures	·	1		

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection				
Exposure Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	
Exposure Limits:	Methylene blue chloride	None established.	None established.	None established.	

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical & Chemical Prop	perties	
Appearance: Dark blue liquid. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: ~0°C (32°F) (water) Boiling point: ~100°C (212°F) (water) Flash point: Data not available.	Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available. Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.1 Solubility(ies): Complete in water.	Partition coefficient: Data not available. Auto-ignition temperature: Data not available. Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
Section 10 Stability & Reactivity		

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation. Stable under recommended storage conditions.

Incompatibilities with other materials: Strong oxidizing materials and reducers.

Hazardous decomposition products: Suflur oxides, nitrogen oxides, hydrogen chloride gas.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 1180 mg/kg [Methylene blue chloride] / Oral-rat LD50: 2100 mg/kg [Sodium benzoate]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available Carcinogenity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause respiratory irritation. Ingestion: May be harmful if swallowed.

Skin: Contact with skin may cause irritation.

Eyes: Contact with eyes may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: SP5740000 [Methylene blue chloride] / DH6650000 [Sodium benzoate]

Section 12 Ecological Information

Toxicity to fish: No data available

Mobility in soil: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.
Section 14
Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable Hazard class: Not applicable Exceptions: Not applicable	Shipping name: Not Regulated Packing group: Not applicable 2016 ERG Guide # Not applicable		Reportable Quantity: No		Marine pollutant: No	
Section 15 Regulatory Inform	ation					
A chemical is considered to be listed if the CAS nu	mber for the anhydrous form	is on the Inventory list.				
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Methylene blue chloride Sodium benzoate	Listed Listed	Not listed Not listed	Not listed Not listed	Listed Listed	Not listed Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Section 16 Other Information						·
The information contained barain is furnished with	autocompany of any kind. End	nlovora chauld use this i	nformation only as a su	upploment to othe	winformation wath	a wala ha a tha ana ana al maa at maalaa in alamaa

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook. Section 1

SAFETY DATA SHEET

CHEMTREC 24 Hour Emergency USA

Phone Number (800) 424-9300

1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only.

Not for drug, food or household use.

Page E1 of E2

Chemical Product and Company Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

SODIUM SULFATE, ANHYDROUS Product

Synonyms Disodium Sulfate Section 2 **Hazards Identification**

Signal word: WARNING Pictograms: GHS07 Target organs: None known.



GHS Classification: Skin irrit. (Category 2) Eye irrit. (Category 2A) GHS Label information: Hazard statement: H315: Causes skin irritation. H319: Causes serious eye irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash before reuse.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Sodium sulfate		7757-82-6	100%	231-820-9	
Section 4	First Aid Measures				

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

7	Handling	&	Storage
---	----------	---	---------

Section

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale dusts. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection				
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	
Exposure Limits.	Sodium sulfate	None established.	None established.	None established.	

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Physical & Chemical Properties Section 9 Appearance: Solid. White, crystalline powder. Evaporation rate (= 1): Not applicable Partition coefficient: Data not available Odor: No odor. Flammability (solid/gas): Not applicable Auto-ignition temperature: Not applicable Odor threshold: Data not available. Explosion limits: Lower / Upper: Not applicable Decomposition temperature: Data not available. pH: Data not available. Vapor pressure (mm Hg): Negligible Viscosity: Data not available. Melting / Freezing point: 888°C (1630°F) Vapor density (Air = 1): Data not available Molecular formula: Na₂SO₄ Boiling point: >1000°C (1832°F) Relative density (Specific gravity): 2.698 @ 20°C Molecular weight: 142.04 Flash point: Not applicable Solubility(ies): 22% @ 25°C **Stability & Reactivity** Section 10

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Hygroscopic material. Protect from moisture.

Incompatibilities with other materials: Molten active metals, including aluminum and magnesium, acids.

Hazardous decomposition products: Oxides of sulfur.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 5,989 mg/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may irritate nose, throat and lungs.

Ingestion: Not generally considered toxic. However, if swallowed, irritation may develop in the mouth, esophagus and stomach. May cause purging.

Skin: Prolonged skin contact may cause irritation.

Eves: Contact with eves may cause irritation.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: WE1650000

Section 12 **Ecological Information**

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 **Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: Not applicable	Shipping name: Not Regulated
Hazard class: Not applicable	Packing group: Not applicable
Exceptions: Not applicable	2016 FRG Guide # Not applicab

acking group: Not applicable Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

;	Regulatory Inf	ormation	
ns:	Not applicable	2016 ERG Guide #	INOL

Section 15 Regulatory Information						
A chemical is considered to be listed if the CAS number for the	anhydrous form	is on the Inventory list.				
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium sulfate	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain

Section 16 **Other Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

any chemicals known to the State of California to cause cancer or reproductive toxicity.

Form 06/2015



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 09/26/2016 Revision date: 01/31/2018 Version: 1.0

SECTION 1: Identification of the	substance/mixture and of the co	mpany/undertaking	
1.1. Product identifier		mpany/undertaking	
Product name	: Sakrete Sands & Gravel		
Product code	: Not available		
	substance or mixture and uses advised	against	
Recommended use	: Various		
1.3. Details of the supplier of the sa	fety data sheet		
Sakrete of North America 625 Griffith Rd., Ste 100 Charlotte, NC 28217 T 866-725-7383			
1.4. Emergency telephone number			
Emergency number	: For Hazardous Materials [or Dang Spill, Leak, Fire, Exposure, or Acc Call CHEMTREC Day or Night 1-800-424-9300 [USA] / +1 703-52	ident	
SECTION 2: Hazards identification			
2.1. Classification of the substance	or mixture		
GHS-US classification			
Carc. 1A			
STOT RE 1			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS08		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)		ge to organs through prolonged or rep	•
Precautionary statements (GHS-US)	read and understood. Wear protec Do not breathe dust/fume/gas/mis eat, drink or smoke when using th	use. Do not handle until all safety prec ctive gloves/protective clothing/eye pro t/vapors/spray. Wash hands thoroughl is product. If exposed or concerned: G Dispose of contents/container in acco al regulations.	tection/face protection. y after handling. Do not iet medical
2.3. Other hazards			
No additional information available.			
2.4. Unknown acute toxicity (GHS U	S)		
Not applicable.			
SECTION 3: Composition/Inform	ation on ingredients		
3.1. Substances			
Not applicable.			
3.2. Mixtures			
Name		Product identifier	%
Quartz		(CAS No) 14808-60-7	60 - 100



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3. Indication of any immediate medi	ical attention and special treatment needed
Symptoms may not appear immediately. In case	e of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Treat for surrounding material.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the	
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
5.3. Advice for firefighters	
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.2. Methods and material for contain	ment and cleaning up
For containment	: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up	: Vacuum or sweep material and place in a disposal container.
6.3. Reference to other sections	
	ctive clothing and equipment and section 13 for advice on waste disposal.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Do not breathe dust. Do not swallow. Handle and open
	container with care. Avoid dust formation. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. When using do not eat, drink or smoke.
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Storage conditions	 Keep out of the reach of children. Keep container tightly closed. Avoid any dust build-up by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers.
7.3. Specific end use(s)	
Not available.	

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

-	· · ·			
SECTION 8: Exposure of	controls/personal protection			
8.1. Control parameters				
Quartz (14808-60-7)				
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m ³ (respirable fraction)		
OSHA	OSHA PEL (mg/m³)	(30)/(%SiO2 + 2) mg/m3 TWA (total dust) (250)/(%SiO2 + 5) mppcf TWA (respirable fraction) (10)/(%SiO2 + 2) mg/m3 TWA (respirable fraction)		
8.2. Exposure controls				
Appropriate engineering control	Is : Use ventilation adequate to keep recommended exposure limits.	exposures (airborne levels of dust, fume, vapor, etc.) below		
Hand protection	: Wear suitable waterproof gloves.			
Eye protection		 Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield). 		
Skin and body protection	: Wear suitable waterproof protect	ive clothing.		
Respiratory protection	A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).			
Environmental exposure contro	Is : Maintain levels below Community	y environmental protection thresholds.		
Other information	 Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices. 			

	before eating or smoking. Handle according to established industrial hygiene and safety practices.
SECTION 9: Physical and chemical p	properties
9.1. Information on basic physical and c	
Physical state	: Solid
Appearance	: Granular powder
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available.	

additional information available.



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

according to the Hazard Communication Standard (CFR2	9 1910.1200) HazCom 2012.
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No dangerous reaction known under conditions of	of normal use.
10.2. Chemical stability	
Stable under normal storage conditions. Keep dr	y in storage.
10.3. Possibility of hazardous reactions	· •
No dangerous reaction known under conditions of	of normal use.
10.4. Conditions to avoid	
Heat. Incompatible materials.	
10.5. Incompatible materials	le with asid ammanium aste and aluminum matal
	le with acid, ammonium salts and aluminum metal.
10.6. Hazardous decomposition products	
May include, and are not limited to: oxides of car	00N.
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Sakrete Sands & Gravel	
LD50 oral rat	No data available
LD50 dermal rat	No data available
LC50 inhalation rat	No data available
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: May cause cancer.
Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens
Reproductive toxicity	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure. Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.
12.2. Persistence and degradability	
Sakrete Sands & Gravel	

Sakrete Sands & Gravel		
Persistence and degradability	Not established.	
01/31/2018	EN (English US)	4/5



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

according to the mazard communication Standard (Cr	
12.3. Bioaccumulative potential	
Sakrete Sands & Gravel	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available.	
12.5. Other adverse effects	
Effect on global warming	: No known effects from this product.
SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
	. This material must be dispassed of in assertance with all least state, provincial, and federal
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
SECTION 14: Transport informatio	n
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated for transport	
Additional information	
Other information	· No supplementary information sysilable
	No supplementary information available. Do not handle until all actety presentions have been read and understand
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	on
15.1. US Federal regulations	
All components of this product are listed, or e Control Act (TSCA) inventory	excluded from listing, on the United States Environmental Protection Agency Toxic Substances
15.3. US State regulations	
Sakrete Sands & Gravel	
State or local regulations	This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.
SECTION 16: Other information	
Date of issue	: 09/26/2016
Revision date	: 01/31/2018
Other information	: None.
	. 1010.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.



Chemical Product and Company Identification Section 1

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Synonyms

Page E1 of E2

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only. Not for drug, food or household use.

POTASSIUM PERMANGANATE Product Chameleon Mineral

Section 2 **Hazards Identification**

Signal word: DANGER Pictograms: GHS03 / GHS07 / GHS09 Target organs: None known



GHS Classification:

Oxidizing solid (Category 2) Acute toxicity, ingestion (Category 4) Aquatic acute (Category 1) Aquatic chronic (Category 1)

GHS Label information: Hazard statement:

H272: May intensify fire; oxidizer.

H302: Harmful if swallowed.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P220: Keep away from clothing/incompatible/combustible materials. P221: Take any precaution to avoid mixing with combustibles/acids/oxidizers. P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell. P370+P378: In case of fire: Use water to extinguish. P391: Collect spillage. P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on	Ingredients			
Chemical Name	CAS #	%	EINECS	
Potassium permanganate	7722-64-7	97-100%	231-760-3	
Section 4 First Aid Measures				

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE BURNS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use water. Do not use dry chemicals or foams. CO2 or Halon® may provide limited control.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Powerful oxidizing material, will accelerate burning when involved in a fire. Explosive in contact with sulfuric acid or hydrogen peroxide. May react explosively with hydrocarbons (fuels). May ignite combustibles (wood, paper, oil, clothing, etc.). Spontaneously flammable on contact with glycerin or ethylene glycol.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Prote	ection		
Exposuro Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits:	Manganese and inorganic compounds, as Mn	TWA: 0.2 mg/m ³ (A4)	STEL: C 5 mg/m ³	TWA: 1 mg/m ³ / STEL: 3 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical & Chemical Prop	perties	
 Appearance: Solid, shiny, dark purple crystals. Odor: No odor. Odor threshold: Data not available. pH: 7-9 (20 g/L water) Melting / Freezing point: Decomposes Boiling point: Decomposes Flash point: Data not available 	Evaporation rate (=1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): 5.47 Relative density (Specific gravity): 2.7032 @ 25°C Solubility(ies): 6.5 g/100 ml water @ 20°C	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: 150°C (302°F) Viscosity: Data not available. Molecular formula: KMnO ₄ Molecular weight: 158.04
Continue 40 Ctability 9 Depativity		

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Avoid exposure to incompatible materials and excessive temperatures.

Incompatible materials: Alcohols, arsenites, bromides, iodides, charcoal, hydrochloric acid, organic materials, ferrous or mercurous salts, hypophosphites, hyposulfites, sulfites, peroxides, oxalates, strong reducing agents, strong acids, formaldehyde, ethylene glycol, combustible organics, metal powders.

Hazardous decomposition products: Oxygen, oxides of potassium, oxides of manganese.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 750 mg/kg Skin corrosion/irritation: Data not available Serious eve damage/irritation: Data not available Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available Carcinogenity: Data not available NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available Potential health effects: Inhalation: Inhalation may cause burning sensation, cough, sore throat, shortness of breath, labored breathing. Symptoms may be delayed. Ingestion: Ingestion causes burning sensation, abdominal pain, diarrhea, nausea, vomiting, shock or collapse. Skin: Contact with skin causes redness, burns and pain. Eyes: Contact with eyes causes redness, pain and severe deep burns. Signs and symptoms of exposure: See Potential health effects above. Additional information: RTECS #: SD6475000 Section 12 Ecological Information Toxicity to fish: Gambusia affinis (fish, fresh water), LC100 = 18 mg/L/24 hours Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC0 = >0.63 mg/L Toxicity to algae: Anabaena sp. (Algae), EC50 = <0.5 mg/L/18 days/growth rate Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal Section 13 **Disposal Considerations** These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency. Section 14 Transport Information (US DOT / CANADA TDG) UN/NA number: UN1490 Shipping name: Potassium permanganate Hazard class: 5.1 Packing group: || **Reportable Quantity:** 100 lbs (45.4 kg) Marine pollutant: No 2016 ERG Guide # 140 Exceptions: Limited quantity equal to or less than 1 Kg Section 15 **Regulatory Information** A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list. DSL NDSL Component TSCA CERLCA (RQ) RCRA code CA Prop 65 This product does not contain Potassium permanganate Listed 100 lbs (45.4 kg) D001 Listed Not listed any chemicals known to the State of California to cause cancer or reproductive toxicity. Section 16 **Other Information** The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make indepen-

dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Chemical Product and Company Identification Section 1 Page E1 of E2 **CHEMTREC 24 Hour Emergency USA** HOME SCIENCE TOOLS Phone Number (800) 424-9300 665 Carbon Street 1 703-741-5500 (from anywhere in the world). Billings, MT 59102 800-860-6272 For laboratory and industrial use only. www.homesciencetools.com Not for drug, food or household use. HYDROCHLORIC ACID, 32-36% Product Synonyms Muriatic Acid ; Hydrogen Chloride Section 2 **Hazards Identification** Signal word: DANGER Precautionary statement(s): Pictograms: GHS05 / GHS07 P260: Do not breathe mist/vapours/spray. Target organs: Respiratory system, skin, eyes, lungs. P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. **GHS Classification:** P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for Serious eye damage (Category 1) breathing. Skin corr. (Category 1B) P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. STOT SE (Category 3) Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor. GHS Label information: Hazard statement(s): P363: Wash contaminated clothing before reuse. H314: Causes severe skin burns and eye damage. P403/233: Store in a well-ventilated place. Keep container tightly closed. H335: May cause respiratory irritation. P405: Store locked up P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Water Hydrochloric acid		7732-18-5 7647-01-0	64-68% 32-36%	231-791-2 231-595-7	
Section 4	First Aid Measures				

INGESTION: Harmful if swallowed. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Causes eye burns. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Causes skin burns. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Neutralize spill with sodium bicarbonate or calcium hydroxide, absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from physical damage and sunlight. Protect from moisture.

Section 8	Exposure Controls / Personal Pro	tection			
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	
Exposure Linits.	Hydrogen chloride	STEL: C 2 ppm / C 2.98 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³]

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Section 9	Physical & Chemical Pro	perties					
odor: Pungent odor odor threshold: Da H: <1.5 acidic, in s lelting / Freezing p	ata not available. olution. point: Approx45°C (-49°F) 1-85°C (178-185°F)	Flammability (se Explosion limits Vapor pressure Vapor density (A	e (=1): Data not ava blid/gas): Data not ava :: Upper/Lower: Data (mm Hg): Approx. 25 Air = 1): Data not ava (Specific gravity): A Soluble in water.	vailable. a not available. 5 @ 20°C (68°F) ilable.	Auto-igniti Decompos Viscosity: Molecular	on temperature	ctanol / water): Data not availal : Data not available. i re: Data not available. ble.
ection 10	Stability & Reactivity						
Chemical stability: Conditions to avoid	Stable d: Containers may burst when l		ous polymerization: tact with water.	Will not occur.			
ormaldehyde.	rials: Metals, bases, active me		oxidizing agents, hyd	roxides, amines, car	bonates, cyani	des, sulfides, su	lfites,
lazardous decomp	oosition products: Hydrogen o	chloride gas.					
ection 11	Toxicological Information	ı					
Carcinogenity: Da NTP: No componer IARC: Group 3: Not OSHA: No componer Reproductive toxic STOT-single expose STOT-repeated exg Aspiration hazard: Potential health eff Inhalation: May be h Skin: May be harmf Eyes: Causes eye b Signs and symptor and edema of the br	to f this product present at leve classifiable as to its carcinoger ent of this product present at leve ity: Data not available urre: The substance or mixture posure: Data not available Data not available fects: harmful if inhaled. Material is ex iarmful if swallowed. ul if absorbed through skin. Ca	nicity to humans. vels greater than c is classified as sp ktrememy destruc uses skin burns. ation, cough, whe	r equal to 0.1% is ide becific target organ to tive to the tissue of the ezing, laryngitis, short	ntified as a carcinog icant, single exposu e mucous membrane ness of breath, spas	en or potential re, category 3 es and upper re m, inflammatic	carcinogen by C with respiratory t espiratory tract.	9SHA. tract irritation. the larynx, spasm, inflammatio
Section 12	Ecological Information						
Foxicity to daphnia Foxicity to algae: N Persistence and de Mobility in soil: No Dther adverse effec Section 13	gradability: No data available data available cts: An environmental hazard c Disposal Considerations	tes: No data avail Bioaccum PBT and vi annot be excluded	able ulative potential: No PvB assessment: N d in the event of unpro	data available o data available fessional handling o			
	idelines are intended for the e different. Dispose of in acc						
Section 14	Transport Information (L	IS DOT / CANAD	DA TDG)				
IN/NA number: U Iazard class: 8		ping name: Hyd ing group: II	rochloric acid	Reportable Quan	tity: No	Ма	rine pollutant: No
ection 15	Regulatory Information	2010 EN					
	ed to be listed if the CAS number for	the anhydrous form	is on the Inventory list.				
Compon	ent	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
ydrochloric acid		Listed	Not listed	D002	Listed	Not listed	This product does not contain any chemicals known to the Stat of California to cause cancer or reproductive toxicity.
Section 16	Other Information						
	ned herein is furnished without warra	where the second stands in the second stand stands in the second stands in the second standst					

Section 1 Chemical Product and Company Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Page E1 of E2

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only. Not for drug, food or household use.

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Chemical Name				
	CAS #	%	EINECS	
Water	7732-18-5	90.03%	231-791-2	
Sodium hydroxide	1310-73-2	6.42%	215-185-5	
Potassium sodium tartrate	6381-59-5	2.00%	206-156-8	
Cupric sulfate, pentahydrate	7758-99-8	1.18%	231-847-6	
Potassium iodide	7681-11-0	0.35%	231-659-4	
Ethylenediaminetetraacetic acid	6381-92-6	0.02%	None assigned.	

Section 4 First Aid Measures

INGESTION: MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Dry chemical, water spray, alcohol foam. Can react with carbon dioxide to form sodium carbonate.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume. Contact with metals can generate hydrogen gas.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Linius.	Sodium hydroxide	STEL: C 2 mg/m ³	TWA: 2 mg/m ³	STEL: C 2 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator

Section 9							
Section 9	Physical & Chemical Prop	perties					
	Not applicable. able. point: ~ 0°C (~ 32°F) [water] 00°C (212°F) [water]	Flammability (Explosion limit Vapor pressure Vapor density Relative densit	ate (Water = 1): < 1 solid/gas): Not applica ts: Lower / Upper: No e (mm Hg): 14 [water] (Air = 1): 0.7 [water] ty (Specific gravity): 1. : Complete in water.	t applicable	Auto-igniti Decompos Viscosity: Molecular	on temperature	е
Section 10	Stability & Reactivity						
Incompatible mat	y: Stable bid: Can react with carbon dioxide terials: Metals, acids, organic con mposition products: Sodium oxid	e to form sodium o npounds, organic	nitro compounds.		Irogen gas.		
Section 11	Toxicological Information						
Respiratory or sk Germ cell mutage Carcinogenity: D NTP: No compone IARC: No compone OSHA: No compon Reproductive tox STOT-single expo	age/irritation: Eyes - rabbit - Sev kin sensitization: Data not available pata not available bata not available ent of this product present at levels nent of this product present at level nent of this product present at level incity: Data not available osure: Data not available	greater than or e s greater than or or	equal to 0.1% is identifie equal to 0.1% is identifi	d as a known or ar ed as probable, po	ssible or confi	med human car	0,
Aspiration hazard Potential health e Inhalation: May be Skin: May be harr Eyes: Causes eye Signs and sympt edema, burning se and upper respirat	 xposure: Data not available d: Data not available offects: a harmful if inhaled. Material is ext harmful if swallowed. mful if absorbed through skin. Cau: a burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi ory tract, eyes, and skin. 	ses skin burns. mation and eden tis, shortness of b	na of the larynx, spasm, breath, headache, nause	inflammation and	edema of the l	pronchi, pneumo	
Aspiration hazard Potential health e Inhalation: May be Ingestion: May be Skin: May be harr Eyes: Causes eyet eiges and sympt edema, burning se and upper respirat Additional inform Section 12	xposure: Data not available d: Data not available offects: e harmful if inhaled. Material is ext harmful if swallowed. mful if absorbed through skin. Cau- b burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi ory tract, eyes, and skin. hation: RTECS #: WB4900000 [S Ecological Information	ses skin burns. mation and eden tis, shortness of b Sodium hydroxide	na of the larynx, spasm, breath, headache, nause 2]	inflammation and ea, vomiting. Mate	edema of the l	pronchi, pneumo	
Aspiration hazard Potential health e Inhalation: May be Ingestion: May be harr Eyes: Causes eye Signs and sympto edema, burning se and upper respirat Additional inform Section 12 Toxicity to fish: L Toxicity to fish: L Toxicity to daphn Toxicity to algae: Persistence and c Mobility in soil: N	xposure: Data not available d: Data not available offects: e harmful if inhaled. Material is ext harmful if swallowed. mful if absorbed through skin. Cause burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi ory tract, eyes, and skin. hation: RTECS #: WB4900000 [S Ecological Information .C50 - Gambusia affinis (Mosquito ia and other aquatic invertebrate No data available degradability: No data available	ses skin burns. Imation and eden tis, shortness of b Sodium hydroxide fish) - 125 mg/l - es: Immobilization Bioaccumu PBT and vi	na of the larynx, spasm, breath, headache, nause 9] • 96 h [Sodium hydroxide n EC50 - Daphnia - 40.3 ulative potential: No da PvB assessment: No da	inflammation and o ea, vomiting. Mate e] 88 mg/l - 48 h [Sod ata available data available	edema of the l rial is extreme um hydroxide	pronchi, pneumo ly destructive to	
Aspiration hazard Potential health e nhalation: May be ngestion: May be harr Eyes: Causes eye Signs and sympto dema, burning se and upper respirat Additional inform fection 12 Foxicity to fish: L coxicity to fish: L coxicity to daphn coxicity to algae: Persistence and co Abbility in soil: Nother adverse effor Section 13	xposure: Data not available d: Data not available offects: e harmful if inhaled. Material is ext is harmful if swallowed. mful if absorbed through skin. Cause burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi ory tract, eyes, and skin. hation: RTECS #: WB4900000 [S Ecological Information .CC50 - Gambusia affinis (Mosquito ia and other aquatic invertebrate No data available degradability: No data available lo data available ects: An environmental hazard ca	ses skin burns. mation and edem tis, shortness of t Sodium hydroxide fish) - 125 mg/l - es: Immobilization Bioaccumu PBT and vi annot be excluded	na of the larynx, spasm, breath, headache, nause 9] 96 h [Sodium hydroxide n EC50 - Daphnia - 40.3 ulative potential: No da PvB assessment: No d d in the event of unprofe	inflammation and d ea, vomiting. Mate e] 88 mg/l - 48 h [Sod ata available Jata available ssional handling o	edema of the t rial is extreme um hydroxide disposal.	pronchi, pneumo ly destructive to	tissue of the mucous membr
Aspiration hazard Potential health e nhalation: May be ngestion: May be Signs and sympto- edema, burning se and upper respirat Additional inform Section 12 Foxicity to fish: L Foxicity to fish: L Foxicity to algae: Persistence and o Mobility in soil: N Dther adverse eff Section 13 Fhese disposal g egulations may	xposure: Data not available d: Data not available offects: e harmful if inhaled. Material is ext is harmful if swallowed. mful if absorbed through skin. Cause burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi ory tract, eyes, and skin. hation: RTECS #: WB4900000 [S Ecological Information .C50 - Gambusia affinis (Mosquito ia and other aquatic invertebrate No data available degradability: No data available do data available dets: An environmental hazard ca Disposal Considerations guidelines are intended for the of be different. Dispose of in account	ses skin burns. imation and eden tis, shortness of t Sodium hydroxide fish) - 125 mg/l - es: Immobilization Bioaccumu PBT and vl annot be excluded disposal of cata prdance with all	na of the larynx, spasm, breath, headache, nause 9] • 96 h [Sodium hydroxide n EC50 - Daphnia - 40.3 ulative potential: No da PvB assessment: No da d in the event of unprofe log-size quantities on l local, state and feder	inflammation and ea, vomiting. Mate e] 88 mg/l - 48 h [Sodi ata available data available essional handling o ly. Federal regul	edema of the l rial is extreme um hydroxide disposal. ations may a	pronchi, pneumo ly destructive to	tissue of the mucous membr
Aspiration hazard Potential health e nhalation: May be ngestion: May be harr Eyes: Causes eye Signs and sympto edema, burning se and upper respirat Additional inform for the the the the foxicity to fish: L foxicity to fish: L foxicity to algae: Persistence and c Mobility in soil: N Other adverse eff Section 13 Fhese disposal g egulations may Section 14	xposure: Data not available d: Data not available offects: e harmful if inhaled. Material is ext is harmful if swallowed. mful if absorbed through skin. Cause burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi ory tract, eyes, and skin. hation: RTECS #: WB4900000 [S Ecological Information .CC50 - Gambusia affinis (Mosquito ia and other aquatic invertebrate No data available degradability: No data available to data available etcs: An environmental hazard ca Disposal Considerations guidelines are intended for the of be different. Dispose of in acco Transport Information (Use	ses skin burns. Imation and edem tis, shortness of t Sodium hydroxide fish) - 125 mg/l - es: Immobilization Bioaccumu PBT and vi annot be excluded disposal of cata ordance with all S DOT / CANAE	na of the larynx, spasm, breath, headache, nause 9] 96 h [Sodium hydroxide n EC50 - Daphnia - 40.3 ulative potential: No da PvB assessment: No d d in the event of unprofe log-size quantities on l local, state and feder DA TDG)	inflammation and ea, vomiting. Mate e] 88 mg/l - 48 h [Sodi ata available data available essional handling o ly. Federal regul	edema of the l rial is extreme um hydroxide disposal. ations may a	pronchi, pneumo ly destructive to	tissue of the mucous membr
Aspiration hazard Potential health e nhalation: May be ngestion: May be Signs and sympto- dema, burning se and upper respirat Additional inform fection 12 Toxicity to fish: L Toxicity to fish: L Toxicity to algae: Persistence and of Mobility in soil: N Other adverse eff Section 13 These disposal g egulations may Section 14 JN/NA number: Hazard class: 8	xposure: Data not available d: Data not available d: Data not available offects: e harmful if inhaled. Material is ext nful if absorbed through skin. Cause e burns. Causes severe eye burns oms of exposure: Spasm, inflam enstion, cough, wheezing, laryngi ory tract, eyes, and skin. hation: RTECS #: WB4900000 [S Ecological Information LC50 - Gambusia affinis (Mosquito ia and other aquatic invertebrate No data available degradability: No data available locts: An environmental hazard ca Disposal Considerations guidelines are intended for the obse different. Dispose of in acc Transport Information (U) : UN1824 Shipping	ses skin burns. imation and eden tis, shortness of t Sodium hydroxide fish) - 125 mg/l - es: Immobilization Bioaccumu PBT and vi annot be excluded disposal of cata ordance with all S DOT / CANAE name: Sodiur proup: II	na of the larynx, spasm, breath, headache, nause e] 96 h [Sodium hydroxide n EC50 - Daphnia - 40.3 ulative potential: No de PvB assessment: No de d in the event of unprofe log-size quantities on l local, state and feder DA TDG) m hydroxide solution Reportabl	inflammation and ea, vomiting. Mate e] 88 mg/l - 48 h [Sodi ata available data available essional handling o ly. Federal regul	edema of the l rial is extreme um hydroxide disposal. ations may a contract with	pronchi, pneumo ly destructive to pply to empty o a licensed che	tissue of the mucous membr
Aspiration hazard Potential health e nhalation: May be ngestion: May be signs and sympto dema, burning se and upper respirat Additional inform fection 12 foxicity to fish: L foxicity to fish: L foxicity to fish: L foxicity to algae: Persistence and c Mobility in soil: N Other adverse eff Section 13 These disposal g egulations may fection 14 JN/NA number: fazard class: { Exceptions: Li	xposure: Data not available d: Data not available offects: a a harmful if inhaled. Material is ext harmful if swallowed. mful if absorbed through skin. Cause a burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi ory tract, eyes, and skin. nation: RTECS #: WB4900000 [S Ecological Information .C50 - Gambusia affinis (Mosquito ia and other aquatic invertebrate No data available degradability: No data available degradability: No data available idefferent. Disposal Considerations guidelines are intended for the obe be different. UN1824 Shipping 8 Packing g	ses skin burns. imation and eden tis, shortness of t Sodium hydroxide fish) - 125 mg/l - es: Immobilization Bioaccumu PBT and vi annot be excluded disposal of cata ordance with all S DOT / CANAE name: Sodiur proup: II	na of the larynx, spasm, breath, headache, nause e] 96 h [Sodium hydroxide n EC50 - Daphnia - 40.3 ulative potential: No de PvB assessment: No de d in the event of unprofe log-size quantities on l local, state and feder DA TDG) m hydroxide solution Reportabl	inflammation and ea, vomiting. Mate e] 88 mg/l - 48 h [Sodi ata available data available ssional handling o ly. Federal regul al regulations or e Quantity: 1,0	edema of the l rial is extreme um hydroxide disposal. ations may a contract with	pronchi, pneumo ly destructive to pply to empty o a licensed che	tissue of the mucous membr container. State and/or lo emical disposal agency.
Aspiration hazard Potential health e nhalation: May be ngestion: May be harr Eyes: Causes eye Signs and sympto edema, burning se and upper respirat Additional inform for the the the the form of the fore	xposure: Data not available d: Data not available d: Data not available offects: e harmful if inhaled. Material is ext nful if absorbed through skin. Cause a burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi cory tract, eyes, and skin. nation: RTECS #: WB4900000 [S Ecological Information .C50 - Gambusia affinis (Mosquito ia and other aquatic invertebrate No data available degradability: No data available idegradability: No data available idefineer t. Dispose of in acc Disposal Considerations uidelines are intended for the obse different. Dispose of in acc Transport Information (U) : UN1824 Shipping 8 Packing g imited quantity equal to or less	ses skin burns. mation and edem tis, shortness of t Sodium hydroxide fish) - 125 mg/l - es: Immobilization Bioaccumu PBT and vi annot be excluded disposal of cata ordance with all S DOT / CANAI name: Sodium proup: II s than 1 L	na of the larynx, spasm, oreath, headache, nause e] 96 h [Sodium hydroxide n EC50 - Daphnia - 40.3 ulative potential: No de PvB assessment: No de d in the event of unprofe log-size quantities on l local, state and feder DA TDG) m hydroxide solution Reportabl 2016 ERG	inflammation and ea, vomiting. Mate e] 88 mg/l - 48 h [Sodi ata available data available ssional handling o ly. Federal regul al regulations or e Quantity: 1,0	edema of the l rial is extreme um hydroxide disposal. ations may a contract with	pronchi, pneumo ly destructive to pply to empty o a licensed che	tissue of the mucous membr container. State and/or lo emical disposal agency.
Aspiration hazard Potential health e Inhalation: May be Ingestion: May be Ingestion: May be Ingestion: May be Signs and sympto edema, burning se and upper respirat Additional inform Section 12 Foxicity to fish: L Foxicity to fish: L Foxicity to algae: Persistence and c Mobility in soil: N Other adverse eff Section 13 Fhese disposal g regulations may Section 14 JN/NA number: Hazard class: 8 Exceptions: Li Section 15	xposure: Data not available d: Data not available d: Data not available offects: e harmful if inhaled. Material is ext nful if absorbed through skin. Cause a burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi cory tract, eyes, and skin. nation: RTECS #: WB4900000 [S Ecological Information .C50 - Gambusia affinis (Mosquito ia and other aquatic invertebrate No data available degradability: No data available locts: An environmental hazard ca Disposal Considerations guidelines are intended for the obe be different. Dispose of in acc Transport Information (U) : UN1824 Shipping B Packing g imited quantity equal to or less Regulatory Information red to be listed if the CAS number for the obe	ses skin burns. mation and edem tis, shortness of t Sodium hydroxide fish) - 125 mg/l - es: Immobilization Bioaccumu PBT and vi annot be excluded disposal of cata ordance with all S DOT / CANAI name: Sodium proup: II s than 1 L	na of the larynx, spasm, oreath, headache, nause e] 96 h [Sodium hydroxide n EC50 - Daphnia - 40.3 ulative potential: No de PvB assessment: No de d in the event of unprofe log-size quantities on l local, state and feder DA TDG) m hydroxide solution Reportabl 2016 ERG	inflammation and ea, vomiting. Mate e] 88 mg/l - 48 h [Sodi ata available data available ssional handling o ly. Federal regul al regulations or e Quantity: 1,0	edema of the l rial is extreme um hydroxide disposal. ations may a contract with	pronchi, pneumo ly destructive to pply to empty o a licensed che	tissue of the mucous membric container. State and/or lo emical disposal agency.
Aspiration hazard Potential health e Inhalation: May be Ingestion: May be harr Eyes: Causes eye Signs and sympto edema, burning se and upper respirat Additional inform Section 12 Toxicity to fish: L Toxicity to fish: L Toxicity to dapher Persistence and C Mobility in soil: N Other adverse eff Section 13 These disposal g regulations may Section 14 UN/NA number: Hazard class: { Exceptions: Li Section 15 A chemical is conside	xposure: Data not available d: Data not available d: Data not available offects: e harmful if inhaled. Material is ext nful if absorbed through skin. Cause a burns. Causes severe eye burns oms of exposure: Spasm, inflam ensation, cough, wheezing, laryngi cory tract, eyes, and skin. nation: RTECS #: WB4900000 [S Ecological Information .C50 - Gambusia affinis (Mosquito ia and other aquatic invertebrate No data available degradability: No data available locts: An environmental hazard ca Disposal Considerations guidelines are intended for the obe be different. Dispose of in acc Transport Information (U) : UN1824 Shipping B Packing g imited quantity equal to or less Regulatory Information red to be listed if the CAS number for the obe	ses skin burns. mation and eden tis, shortness of t Sodium hydroxide fish) - 125 mg/l - es: Immobilization Bioaccumu PBT and vi annot be excluded disposal of cata ordance with all S DOT / CANAI name: Sodiur proup: II s than 1 L the anhydrous form	na of the larynx, spasm, oreath, headache, nause 9 96 h [Sodium hydroxide n EC50 - Daphnia - 40.3 ulative potential: No de PvB assessment: No de d in the event of unprofe log-size quantities on l local, state and feder DA TDG) m hydroxide solution Reportabl 2016 ERG	inflammation and ea, vomiting. Mate e] 88 mg/l - 48 h [Sod ata available fata available ssional handling o ly. Federal regul al regulations or e Quantity: 1,0 Guide # 154	edema of the f rial is extreme um hydroxide disposal. ations may a contract with 00 lbs (454 l	pronchi, pneumo ly destructive to pply to empty o a licensed che (g) Ma	tissue of the mucous membr container. State and/or loc emical disposal agency. arine pollutant: No

dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook. Form 06/2015

Chemical Product and Company Identification Section 1

1% PHENOLPHTHALEIN IN ISOPROPYL ALCOHOL SOLUTION

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Product

Page E1 of E2

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only. Not for drug, food or household use.

Synonyms 1% Phenolphthalein in IPA	
Section 2 Hazards Identification	
Signal word: DANGER Pictograms: GHS02 / GHS07 / GHS08 Target organs: Central nervous system, Liver, Kidneys. Image: Second Secon	 Precautionary statement(s): P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P210: Keep away from heat/sparks/open flames/hot surfaces No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P260: Do not breathe fume/gas/mist/vapours/spray. P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTER or doctor/physician if you feel unwell. P337+P313: If exposed or concerned: Get medical advice/attention. P362: Take off contaminated clothing and wash before reuse. P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish. P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to a licensed chemical disposal agency in
Hazards not otherwise classified:	accordance with local/regional/national regulations.

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
lsopropyl alcohol Water Phenolphthalein		67-63-0 7732-18-5 77-09-8	70% 29% 1%	200-661-7 231-791-2 201-004-7	
Section 4	First Aid Measures				

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL. IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Accidental Release Measures Section 6

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m ³	TWA: 400 ppm / STEL: 500 ppm			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Appearance: Clear, cold Odor: Aromatic odor. Odor threshold: Data n pH: Data not available. Melting / Freezing point: A Boiling point: Approxima Flash point: 21.7°C (71 Section 10 S Chemical stability: Sta Conditions to avoid: E Incompatible materials Hazardous decompositi	ot available. pproximately -50°C (-58°F)* ely 85-100°C (185-212°F)* F) TCC [70% IPA] tability & Reactivity	Evaporation ra Flammability (Explosion limi Vapor pressur Vapor density Solubility(ies): Hazardo sparks, open fil	ate (Butyl acetate = 1) (solid/gas): Data not a its: Lower / Upper: 2 re (mm Hg): 33 mm @ (Air = 1): 2.1 [Pure IP (Specific gravity): 0.8* : Complete in water.	available. !% / 12% [Pure IPA]]20°C [Pure IPA] PA]	Auto-ignition Decompos Viscosity: Molecular	n temperature: 39	ire
Odor: Aromatic odor. Odor threshold: Data n pH: Data not available. Melting / Freezing point: A Boiling point: Approxima Flash point: 21.7°C (71 Section 10 S Chemical stability: Sta Conditions to avoid: E Incompatible materials Hazardous decompositi Section 11 To Acute toxicity: Oral-rati	ot available. pproximately -50°C (-58°F)* ely 85-100°C (185-212°F)* PF) TCC [70% IPA] tability & Reactivity ble ccessive temperatures, heat, Strong oxidizing materials,	Flammability (Explosion limi Vapor pressur Vapor density Relative density Solubility(ies): Hazardo sparks, open fla	(solid/gas): Data not a its: Lower / Upper: 2 re (mm Hg): 33 mm @ (Air = 1): 2.1 [Pure IP (Specific gravity): 0.8* : Complete in water.	available. !% / 12% [Pure IPA]]20°C [Pure IPA] PA]	Auto-ignition Decompos Viscosity: Molecular	n temperature: 399 sition temperatu Data not availab formu la: Mixtur	99°C (750°F) ASTM-E659-78 [Pure ire: Data not available. ble. ire
Chemical stability: Sta Conditions to avoid: E Incompatible materials Hazardous decomposit Section 11 To Acute toxicity: Oral-rat	ole kcessive temperatures, heat, Strong oxidizing materials,	sparks, open fla		A/III mat a a			
Conditions to avoid: E Incompatible materials Hazardous decomposit Section 11 To Acute toxicity: Oral-rat	ccessive temperatures, heat, Strong oxidizing materials,	sparks, open fla		A/:!!			
Hazardous decomposit Section 11 To Acute toxicity: Oral-rat	o o .	accustion alumain	ame and other sources				
Section 11 To Acute toxicity: Oral-rat	ion products: Oxides of ca		ums, metals, nitroform	1, oleum, chlorinated	l compounds c	an react vigorous	sly with this alcohol.
Acute toxicity: Oral-rat		rbon.					
	oxicological Information						
IARC classified: Group 2 OSHA: No component o CA Prop 65: A WARNIN Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: STOT-repeated exposure: STOT-repeated exposure: Inhalation hazard: Yee Potential health effects Inhalation: Inhalation of and irritation of the throa Ingestion: Aspiration ha: develop if this occurs. Skin: Prolonged or repe Eyes: Contact causes b Signs and symptoms of Additional information	t available ated to be a human carcinog B: Possibly carcinogenic to h this product present at level G! :This product can expose Data not available The substance or mixture is re: Data not available : high vapor concentrations m t. Continued inhalation may tard. Liquid can directly ente ated contact may cause irrita urning sensation, redness, so f exposure: See Potential H RTECS #: NT8050000 [Isc	numans. [Pheno s greater than o you to Phenolp c classified as sp ay cause centra result in uncons or the lungs (asp tion and drying, welling, and/or b ealth effects ab	Iphthalein] r equal to 0.1% is iden hthalein, which is know pecific target organ toxi al nervous system depro- ciousness and death. pirated) when swallowe cracking and defatting plurred vision. ove.	vn to the State of Ča icant, single exposur ression resulting in di ed or vomited. Seriou g of the skin which ca	liforn ⁱ a to caus re, category 3 lizziness, drow us lung damag	se cancer. with narcotic effe siness, nausea, v ge and possible fa	
Section 12 E	cological Information						
Toxicity to daphnia and Toxicity to algae: Scene Persistence and degrae Mobility in soil: No data Other adverse effects: Section 13	An environmental hazard can isposal Considerations nes are intended for the d	s: Daphnia mag), LOEC50 = 1,8 Bioaccum PBT and v nnot be exclude isposal of cata	gna (Crustacia), EC50 : 800 mg/l/7 days [Isopro ulative potential: No PvB assessment: No d in the event of unpro	= >10,000 mg/l/24 hd opanol] data available o data available ofessional handling or only. Federal regula	or disposal. lations may a	apply to empty c	container. State and/or loca
	erent. Dispose of in acco			eral regulations or	contract with	i a licensed che	emical disposal agency.
UN/NA number: UN Hazard class: 3	Packing g	name: Isopro roup: II	panol solution Reportal	ble Quantity: No)	Ma	arine pollutant: No
· ·	quantity equal to or less	than 1 L	2016 ER	G Guide # 129			
	egulatory Information	a and south a set	to an all a loss of the t				
A chemical is considered to	be listed if the CAS number for the	ne anhydrous form	certex (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Component		IJUA	ULINEOA (RQ)	INGINA COUR	DOL		

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.