

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
 Billings, MT 59102  
 800-860-6272  
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

**Product** L+ASCORBIC ACID**Synonyms** Vitamin C**Section 2 Hazards Identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** None required**Pictograms:** No symbol required**Target organs:** None known**GHS Classification:** None required**GHS Label information: Hazard statement:** None required**Precautionary statement:** None required**Precautionary statement(s):**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Combustible dust

Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Ascorbic acid	50-81-7	100%	200-066-2

**Section 4 First Aid Measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from light, air and moisture.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ascorbic acid	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid, white, crystalline powder. <b>Odor:</b> Nearly odorless. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> 190-192°C (374-377°F) <b>Boiling point:</b> Decomposes <b>Flash point:</b> Non flammable	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Non flammable <b>Vapor pressure (mm Hg):</b> Negligible <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 1.65 <b>Solubility(ies):</b> 30% by weight at 20°C in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> 660°C (1220°F) <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> C <sub>6</sub> H <sub>8</sub> O <sub>6</sub> <b>Molecular weight:</b> 176.13
--	---	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, moisture, air and light.

**Incompatible materials:** Alkalies, iron, copper, water, oxidizing agents, acids.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause cough and sore throat.

Ingestion: May cause gastrointestinal irritation.

Skin: May cause mild irritation with redness.

Eyes: May cause mild irritation with redness and pain.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: CI7650000

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ascorbic acid	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>COPPER(II) SULFATE, PENTAHYDRATE</b>
----------------	---

<b>Synonyms</b>	Cupric Sulfate, 5-Hydrate
-----------------	---------------------------

## Section 2 Hazards Identification

**Signal word:** WARNING**Pictograms:** GHS07 / GHS09**Target organs:** Liver, Kidneys, Lungs, Spleen.**GHS Classification:**

Acute toxicity-oral (Category 4)

Skin irritation (Category 2)

Eye irritation (Category 2A)

Aquatic acute toxicity (Category 1)

Aquatic chronic toxicity (Category 1)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Cupric sulfate	7758-99-8	>99%	231-847-6 (anhydrous)

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. Blue powder	<b>Evaporation rate ( = 1):</b> Not applicable	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> Odorless	<b>Flammability (solid/gas):</b> Not applicable	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available	<b>Explosion limits: Lower / Upper:</b> Not applicable	<b>Decomposition temperature:</b> 560°C (1040°F)
<b>pH:</b> 3.7-4.2 (10% solution)	<b>Vapor pressure (mm Hg):</b> 20 torr @ 22.5°C	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 150°C (302°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> CuSO <sub>4</sub> •5H <sub>2</sub> O
<b>Boiling point:</b> Decomposes	<b>Relative density (Specific gravity):</b> 2.284	<b>Molecular weight:</b> 249.68
<b>Flash point:</b> Non-flammable	<b>Solubility(ies):</b> 31.6 g/100 ml water @ 0°C	

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Hygroscopic material. Stable when kept dry, under normal temperature and pressure. Avoid high temperatures, exposure to air and incompatible materials.

**Incompatible materials:** Reducing agents, acetylene or nitromethane, magnesium, strong bases, alkalines, phosphates, hydrazine, zirconium. Can corrode aluminum, steel and iron.

**Hazardous decomposition products:** Oxides of sulfur and copper fumes.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 300 mg/kg [Copper sulfate anhydrous]

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion: Ingestion can cause irritation to the digestive tract and abdominal pain.

Skin: Contact with skin causes slight irritation. Excessive exposure may cause allergic dermatitis. May cause irritation or burns on wet skin.

Eyes: Can cause severe irritation and may result in irreversible eye damage.

**Signs and symptoms of exposure:** *Note to physician:* Probable mucosal damage may contradict the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Wilson's disease can be aggravated by excessive exposure. Symptoms include nausea, vomiting, gastrointestinal pain, diarrhea, dizziness, jaundice, and general debility.

**Additional information:** RTECS #: GL8900000

## Section 12 Ecological Information

**Toxicity to fish:** *Salmo gairdneri* (fish, estuary, fresh water), LC50 = < 0.75-0.84 mg/L [Copper sulfate anhydrous]

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN3077

**Shipping name:** Environmentally hazardous substances, solid, n.o.s., (Cupric sulfate)

**Hazard class:** 9

**Packing group:** III

**Reportable Quantity:** 10 lbs (4.54 kg)

**Marine pollutant:** Yes

**Exceptions:** Non regulated equal to or less than 4.539 Kg ; Reportable quantity equal to or more than 4.54 Kg

**2016 ERG Guide #** 171

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Cupric sulfate	Listed	10 lbs (4.54 kg)	Not listed	Not listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** MAGNESIUM SULFATE, HEPTAHYDRATE**Synonyms** Epsom Salts**Section 2 Hazards Identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** None**Pictograms:** No symbol required**Target organs:** None known**GHS Classification:** Not classified**GHS Label information: Hazard statement:** Not classified**Precautionary statement:** Not classified**Supplementary information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Magnesium sulfate	10034-99-8	100%	231-298-2 (anhydrous)

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Magnesium sulfate	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid, White crystalline powder <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> Data not available <b>Boiling point:</b> Data not available <b>Flash point:</b> Data not available	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Data not available <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 2.7 <b>Solubility(ies):</b> Appreciable in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> MgSO <sub>4</sub> ·7H <sub>2</sub> O <b>Molecular weight:</b> 246.48
--	---	--

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and heat. Protect from moisture.

**Incompatible materials:** None known.

**Hazardous decomposition products:** Sulfur oxides.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May cause respiratory irritation.

Ingestion: Ingestion may cause nausea, vomiting and diarrhea.

Skin: Contact with skin may cause irritation.

Eyes: Contact with eyes may cause irritation.

**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information: RTECS #:** Data not available

## Section 12 Ecological Information

**Toxicity to fish:** Gambusia affinis (fish, fresh water), LC50: 15,500 mg/L/24 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50: 1,700 mg/L/24 hours

**Toxicity to algae:** Scenedesmus subspicatus (Algae), EC50: 2,700 mg/L/ 72 hours

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable **2016 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Magnesium sulfate	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	HYDROGEN PEROXIDE, 6%
----------------	-----------------------

<b>Synonyms</b>	Hydrogen Dioxide
-----------------	------------------

## Section 2 Hazards Identification

**Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Respiratory and gastrointestinal systems, skin, eyes**GHS Classification:**

Acute toxicity (Category 4)

Eye irritation (Category 2A)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Supplementary information:**

Do not tamper with venting mechanism.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	<94%	231-791-2
Hydrogen peroxide	7722-84-1	6%	231-765-0
Acetanilide	103-84-4	0.05%	203-150-7

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES IRRITATION AND / OR BURNS TO EYES. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES IRRITATION AND / OR BURNS TO THE SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Water only! Apply vast amounts for cooling and dilution.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. This product is a strong oxidizer which may release oxygen and promote the combustion of flammable materials. Spontaneous combustion can occur if allowed to remain in contact with oxidizable materials. Drying of product on clothing or combustible material may cause fire.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources. Do not allow temperature of storage to rise above 100°F.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydrogen peroxide	TWA: 1 ppm ; 1.4 mg/m <sup>3</sup> (A3)	TWA: 1 ppm ; 1.4 mg/m <sup>3</sup>	TWA: 1 ppm ; 1.4 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless liquid. <b>Odor:</b> Slightly pungent odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> Approximately 0°C (32°F) (water) <b>Boiling point:</b> Approximately 100°C (212°F) (water) <b>Flash point:</b> Data not available	<b>Evaporation rate ( Water = 1):</b> <1 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> 14 (water) <b>Vapor density (Air = 1):</b> 0.7 (water) <b>Relative density (Specific gravity):</b> Approximately 1.0 (water) <b>Solubility(ies):</b> Complete in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> Mixture <b>Molecular weight:</b> Mixture
--	---	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition. Contact with combustible materials may result in spontaneous combustion.

**Incompatible materials:** Acids, bases, metals, metal salts, reducing agents, organic materials, alkalies, dust and dirt contaminants, flammable substances, oxidizable materials.

**Hazardous decomposition products:** Oxygen, which will promote the combustion of flammable material.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 800 mg/kg [50% hydrogen peroxide]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Expected to be irritating to respiratory tract.

Ingestion: Expected to cause burns to the gastrointestinal tract.

Skin: Expected to cause irritation and/or burns. As the concentration or time of exposure increases, the extent of damage increases.

Eyes: Expected to cause irritation and/or burns. Could cause corneal damage which may occur several days later.

**Signs and symptoms of exposure:** See Potential health effects above. Medical conditions which may be aggravated by exposure include conjunctivitis of the eye, dermatitis of the skin, asthma and respiratory diseases.

**Additional information: RTECS #:** MX0900000 [Hydrogen peroxide]

## Section 12 Ecological Information

**Toxicity to fish:** *Gambusia affinis* (fish, fresh water), NOEC = 2.38 - 9.86 mg/l [Hydrogen peroxide]

**Toxicity to daphnia and other aquatic invertebrates:** *Daphnia magna* (Crustacea), EC50 = 7.7 mg/l/24 hours [Hydrogen peroxide]

**Toxicity to algae:** *Chlorella vulgaris* (Algae), EC50 = 2.5 mg/l/growth rate [Hydrogen peroxide]

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Hydrogen peroxide	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.





Revision Number: 013.0

Issue Date: 05/27/2015

### 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

**Product identifier used on the label:** Sta-Flo Concentrated Liquid Starch

**Other means of identification:** 719091, 719092

**Recommended use of the chemical and restrictions on use:** Fabric conditioner; No restrictions on use

**Name, address and telephone number of the chemical manufacturer:**

The Dial Corporation, a Henkel Company  
7201 E. Henkel Way  
Scottsdale, AZ 85255-9672 USA

CHEMTREC: 1-800-424-9300 (24 hours daily)  
Internet: www.henkelna.com

**Emergency telephone number:** Medical Emergencies: 1-888-689-9082

### 2. HAZARD IDENTIFICATION

The hazards described in this OSHA Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

**Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200**

HAZARD CLASS	HAZARD CATEGORY
None	None

**Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200**

**Signal word:** Not prescribed  
**Hazard Statement(s):** Not prescribed  
**Symbol(s):** None

**Precautionary Statements:**

**Prevention:** Not prescribed  
**Response:** Not prescribed  
**Storage:** Not prescribed  
**Disposal:** Not prescribed

**Hazards not otherwise classified:** Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**See Section 11 for additional toxicological information.**

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration
Borax	1330-43-4	0.1 – 1 %

\*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

## 4. FIRST AID MEASURES

### Description of necessary measures

<b>Inhalation:</b>	Remove from exposure area to fresh air. Treat symptomatically and supportively.
<b>Skin contact:</b>	Rinse affected area with large amounts of mild soap and water until no evidence of product remains. Discontinue exposure. Get medical attention if irritation persists.
<b>Eye contact:</b>	Rinse eyes with plenty of water until no evidence of product remains. Get medical attention if pain or irritation develops.
<b>Ingestion:</b>	Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact physician or local poison control center.

### Most important symptoms and effects, both acute and delayed

After eye contact: May cause mild transient irritation After skin contact: Repeated or prolonged excessive exposure may cause irritation or dermatitis. After ingestion: Nausea and possible vomiting may occur. After inhalation: Unlikely to occur due to the physical properties of the product. At elevated temperatures, vapors or mists may cause irritation.

### Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes with plenty of water until no evidence of product remains. After skin contact: Rinse affected area with mild soap and water until no evidence of product remains. After ingestion: Dilution by rinsing the mouth and giving a glass of water to drink is generally recommended. After inhalation: Remove from exposure area to fresh air.

## 5. FIRE FIGHTING MEASURES

### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Dry chemical, carbon dioxide, water spray or regular foam.

**Unsuitable extinguishing media:** None known

### Specific hazards arising from the chemical

Oxides of carbon and oxides of nitrogen.

### Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Shut off all ignition sources. Move containers from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Use flooding amounts of water as a fog, solid streams may be ineffective. Avoid breathing hazardous vapors, keep upwind.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop or reduce any leaks if it is safe to do so. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

### Environmental Precautions

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local water treatment plant.

### Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water.

LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Do not get in eyes. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists.

### Conditions for safe storage, including any incompatibilities

Store in original containers in a cool dry area. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

Hazardous Component(s)	ACGIH	OSHA PEL	AIHA WEEL	OTHER
None	None	None	None	None

### Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

### Individual protection measures

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672	
Liquid Starch	Page 2 of 5

**Respiratory:** Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits.

**Eye:** Safety glasses are required to prevent eye contact where dusty conditions may occur.

**Hand/Body:** Protective gloves are required where repeated or prolonged skin contact may occur. Protective clothing is required where repeated or prolonged skin contact may occur.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	liquid, light blue
<b>Odor:</b>	floral, woody
<b>Odor threshold:</b>	Not available.
<b>pH:</b>	8.50 – 9.30 (25 °C)
<b>Melting point/ range:</b>	Not available.
<b>Boiling point/range:</b>	Not available.
<b>Flash point:</b>	Not available.
<b>Evaporation rate:</b>	Not available.
<b>Flammable/Explosive limits - lower:</b>	Not available.
<b>Flammable/Explosive limits - upper:</b>	Not available.
<b>Vapor pressure:</b>	Not available.
<b>Vapor density:</b>	Not available.
<b>Solubility in water:</b>	Soluble
<b>Partition coefficient (n-octanol/water):</b>	Not available.
<b>Autoignition temperature:</b>	Not available.
<b>Decomposition temperature:</b>	Not available.
<b>Viscosity:</b>	60 - 220 mPa.s
<b>VOC content:</b>	Not available.
<b>Specific gravity:</b>	1.025 - 1.040 at 25 °C (77°F)

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	This product may react with strong alkalis.
<b>Chemical stability:</b>	Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).
<b>Possibility of hazardous reactions:</b>	Hazardous polymerization has not been reported to occur under normal temperatures and pressures.
<b>Conditions to avoid:</b>	Avoid storing in direct sunlight and avoid extremes of temperature.
<b>Incompatible materials:</b>	Strong oxidizers and alkalis.
<b>Hazardous decomposition products:</b>	Thermal decomposition products may include toxic oxides of sulfur and carbon, and hydrogen sulfide.

## 11. TOXICOLOGICAL INFORMATION

### Likely routes of exposure including symptoms related to characteristics

<b>Inhalation:</b>	Unlikely to occur due to the physical properties of the product. At elevated temperatures, vapors or mists may cause irritation.
<b>Skin contact:</b>	Repeated or prolonged excessive exposure may cause irritation or dermatitis.
<b>Eye contact:</b>	This product may cause slight irritation.
<b>Ingestion:</b>	May cause mild gastrointestinal irritation with nausea, vomiting, diarrhea and abdominal pain.
<b>Physical/Chemical:</b>	No physical/chemical hazards are anticipated for this product.

### Other relevant toxicity information:

This product is laundry care product. Direct contact with eyes may cause irritation. No adverse effects are anticipated to skin from normal use.

### Numerical measures of toxicity, including delayed and immediate effect

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Borax	Oral LD50 (RAT) = 2.660 mg/kg Dermal LD50 (RABBIT) = > 1.055 mg/kg Inhalation LC50 (RAT, 4 h) = > 0,002 mg/l	Blood, Central nervous system, Gastrointestinal, Irritant, Kidney, Liver, Skin, Less weight gain and food intake.

### Carcinogenicity information

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Borax	No	No	No

<b>Carcinogenicity</b>	None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).
<b>Mutagenicity</b>	None of the ingredients in this product are known to cause mutagenicity.
<b>Toxicity to reproduction</b>	None of the ingredients in this product are known to have reproductive, fetal, or developmental hazards.

## 12. ECOLOGICAL INFORMATION

**Aquatic Toxicity:**

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

**Toxicity to fish:**

The aquatic toxicity profile of this product has not been determined.

**Toxicity to aquatic invertebrates:**

The aquatic toxicity profile of this product has not been determined.

**Toxicity to algae:**

The aquatic toxicity profile of this product has not been determined.

**Persistence and Degradability:** No data available.

**Bioaccumulation Potential:** The bioaccumulation potential of this product has not been determined.

**Mobility:** The mobility of this product (in soil and water) has not been determined.

## 13. DISPOSAL CONSIDERATIONS

**Waste Number and Description:** Not regulated.

**Disposal Considerations:**

**Disposal of products:** This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.

**Disposal of packages:** Place in trash.

**Additional information:** Observe all federal, state and local regulations when storing or disposing of this substance

## 14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper shipping classification may vary by packaging, properties, and mode of transportation.

**U.S. Department of Transportation Ground (49 CFR)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**International Air Transportation (ICAO/IATA)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**Water Transportation (IMO/IMDG)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None  
**Marine pollutant:** None

## 15. REGULATORY INFORMATION

**Occupational safety and health act:** Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

**United States Regulatory Information:**

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
**TSCA 12 (b) Export Notification:** None above reporting de minimis  
**CERCLA/SARA Section 302:** None above reporting de minimis  
**CERCLA/SARA Section 311/312:** Not available.

**CERCLA/SARA Section 313:**  
**California Proposition 65:**

None above reporting de minimis  
No California Proposition 65 listed chemicals are known to be present.

**Canada Regulatory Information:**

**CEPA DSL/NDL Status:** One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

**16. OTHER INFORMATION**

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

**This safety data sheet contains changes from the previous version in sections: 2, 11**

**Prepared by:** R&D Support Services

**Issue date:** 05/27/2015

**Supersedes:** Rev. 12, 04/27/2015

# SAFETY DATA SHEET

Product Number: 730

Revision Date 29-May-2015

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** Green Envy Paint Thinner

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Solvent mixture

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Supplier Name** Sunnyside Corporation

**Supplier Address** 225 Carpenter Avenue  
Wheeling  
IL  
60090  
US

**Supplier Phone Number** Phone:8475415700  
Fax:8475419043

**Supplier Email** sscontact@sunnysidecorp.com

### Emergency telephone number

**Company Emergency Phone Number** Chem Trec: 800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 1B



Flammable liquids

Category 3

**GHS Label elements, including precautionary statements****Emergency Overview**

<b>Signal word</b>	<b>Danger</b>	
<b>Hazard Statements</b>		
Causes skin irritation		
Causes serious eye damage		
May cause genetic defects		
Flammable liquid and vapor		
<b>Appearance</b>	Milky white	<b>Physical state</b> Liquid
		<b>Odor</b> Naphthalenic

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 Keep container tightly closed  
 Ground/bond container and receiving equipment  
 Use explosion-proof electrical/ ventilating/ lighting/ equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 Specific treatment (see supplemental first aid instructions on this label)

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician

**Skin**

IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation occurs: Get medical advice/attention  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse

**Fire**

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

**Other information**

Harmful to aquatic life with long lasting effects

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

**Interactions with Other Chemicals**

Use of alcoholic beverages may enhance toxic effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Sodium dioctyl sulfosuccinate	577-11-7	3 - 7	
p-Chloro-a,a,a-trifluorotoluene	98-56-6	3 - 7	
Naphtha (petroleum), heavy alkylate	64741-65-7	3 - 7	
Dipropylene glycol monomethyl ether	34590-94-8	3 - 7	

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

**First aid measures****General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Seek immediate medical attention/advice.

**Skin contact**

Get medical attention if irritation develops and persists. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

**Inhalation**

Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion**

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

**Self-protection of the first aider**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8). Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.





**Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms and Effects** Burning sensation.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol resistant foam.

**Unsuitable extinguishing media**

CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Uniform Fire Code**

Irritant: Liquid  
Combustible Liquid: II

**Hazardous Combustion Products**

Carbon oxides.

**Explosion Data**

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** Yes.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. See section 8 for more information. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

#### **Other Information**

Refer to protective measures listed in Sections 7 and 8. Ventilate the area.

### Environmental precautions

#### **Environmental precautions**

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### Methods and material for containment and cleaning up

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways.

#### **Methods for cleaning up**

Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

### Conditions for safe storage, including any incompatibilities

#### **Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

#### **Incompatible Products**

Strong acids. Strong oxidizing agents. Strong bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



**Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
p-Chloro-a,a,a-trifluorotoluene 98-56-6	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F TWA: 2.5 mg/m <sup>3</sup> dust (vacated) TWA: 2.5 mg/m <sup>3</sup>	
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Other Exposure Guidelines**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

**Appropriate engineering controls****Engineering Measures**

Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Tight sealing safety goggles.

**Skin and body protection**

Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves. Chemical resistant apron. Antistatic boots.

**Respiratory protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Naphthalenic
<b>Appearance</b>	Milky white	<b>Odor Threshold</b>	No information available
<b>Color</b>	No information available		
<b>Property</b>	<b>Values</b>	<b>Remarks</b>	<b>Method</b>
<b>pH</b>	UNKNOWN	None known	
<b>Melting / freezing point</b>	No data available	None known	
<b>Boiling point / boiling range</b>	100 °C / 212 °F	None known	
<b>Flash Point</b>	43 C / 109 F	None known	

<b>Evaporation Rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit</b>	No data available	
<b>Lower flammability limit</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Specific Gravity</b>	1.0165	None known
<b>Water Solubility</b>	Completely soluble	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient: n-octanol/water</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known
<b>Explosive properties</b>	No data available	
<b>Oxidizing properties</b>	No data available	

**Other Information**

<b>Softening Point</b>	No data available
<b>VOC Content (%)</b>	No data available
<b>Particle Size</b>	No data available
<b>Particle Size Distribution</b>	

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available.

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization**

Hazardous polymerization does not occur.

**Conditions to avoid**

Heat, flames and sparks.

**Incompatible materials**

Strong acids. Strong oxidizing agents. Strong bases.

**Hazardous Decomposition Products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information****Inhalation**

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

**Eye contact**

Specific test data for the substance or mixture is not available. (based on components). Causes serious eye damage. Severely irritating to eyes. May cause irreversible damage to eyes.

<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium dioctyl sulfosuccinate 577-11-7	= 1900 mg/kg ( Rat )	= 10000 mg/kg ( Rabbit )	-
p-Chloro-a,a,a-trifluorotoluene 98-56-6	= 13 g/kg ( Rat )	> 2 mL/kg ( Rabbit )	= 33 mg/L ( Rat ) 4 h
Naphtha (petroleum), heavy alkylate 64741-65-7	> 7000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit ) > 3000 mg/kg ( Rat )	> 5.04 mg/L ( Rat ) 4 h
Dipropylene glycol monomethyl ether 34590-94-8	= 5230 mg/kg ( Rat )	= 9500 mg/kg ( Rabbit )	-

**Information on toxicological effects**

**Symptoms** Erythema (skin redness). May cause redness and tearing of the eyes. May cause blindness. Burning.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No information available.
<b>Mutagenic Effects</b>	There is no data available for this product. Contains a known or suspected mutagen.
<b>Carcinogenicity</b>	Contains no ingredient listed as a carcinogen.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Chronic Toxicity</b>	No known effect based on information supplied. Contains a known or suspected mutagen. Possible risk of irreversible effects.
<b>Target Organ Effects</b>	Respiratory system. Eyes. Skin. May affect the genetic material in germ cells (sperm and eggs). Central Nervous System (CNS).
<b>Aspiration Hazard</b>	No information available.

**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**  
25,175.00 mg/kg  
**ATEmix (dermal)**  
97,436.00 mg/kg (ATE)  
**ATEmix (inhalation-dust/mist)**  
660.00 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium dioctyl sulfosuccinate 577-11-7		96h LC50: 20 - 40 mg/L (Oncorhynchus mykiss) 96h LC50: = 37 mg/L (Lepomis macrochirus) 96h LC50: < 24 mg/L (Oncorhynchus mykiss)		48h EC50: = 36 mg/L
p-Chloro-a,a,a-trifluorotoluene 98-56-6		48h LC50: 11.5 - 15.8 mg/L (Lepomis macrochirus)	EC50 = 11.1 mg/L 5 min EC50 = 13.4 mg/L 15 min EC50 = 14.3 mg/L 30 min	48h EC50: = 3.68 mg/L
Naphtha (petroleum), heavy alkylate 64741-65-7	72h EC50: = 30000 mg/L (Pseudokirchneriella subcapitata)			48h LC50: = 2 mg/L
Dipropylene glycol monomethyl ether 34590-94-8		96h LC50: > 10000 mg/L (Pimephales promelas)		48h LC50: = 1919 mg/L

### Persistence and Degradability

No information available.

### Bioaccumulation

Chemical Name	Log Pow
p-Chloro-a,a,a-trifluorotoluene 98-56-6	3.7
Dipropylene glycol monomethyl ether 34590-94-8	-0.064

### Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

<b>Disposal methods</b>	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
<b>Contaminated Packaging</b>	Dispose of contents/containers in accordance with local regulations.
<b>US EPA Waste Number</b>	D001

## 14. TRANSPORT INFORMATION

<b>DOT</b>	NOT REGULATED
<b>Proper Shipping Name</b>	NON REGULATED
<b>Hazard Class</b>	N/A



<b><u>TDG</u></b>	Not regulated
<b><u>MEX</u></b>	Not regulated
<b><u>ICAO</u></b>	Not regulated
<b><u>IATA</u></b>	Not regulated
<b>Proper Shipping Name</b>	NON REGULATED
<b>Hazard Class</b>	N/A
<b><u>IMDG/IMO</u></b>	Not regulated
<b>Hazard Class</b>	N/A
<b><u>RID</u></b>	Not regulated
<b><u>ADR</u></b>	Not regulated
<b><u>ADN</u></b>	Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	Yes
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**



Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X	X	X

### International Regulations

#### Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Dipropylene glycol monomethyl ether 34590-94-8 ( 3 - 7 )		Mexico: TWA 100 ppm Mexico: TWA 60 mg/m <sup>3</sup> Mexico: STEL 150 ppm Mexico: STEL 900 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

#### WHMIS Hazard Class

Not determined

## 16. OTHER INFORMATION

<b>NFPA</b>	<b>Health Hazards 3</b>	<b>Flammability 2</b>	<b>Instability 0</b>	<b>Physical and Chemical Hazards - Personal Protection X</b>
<b>HMIS</b>	<b>Health Hazards 3 *</b>	<b>Flammability 2</b>	<b>Physical Hazard 0</b>	

**Chronic Hazard Star Legend** \* = Chronic Health Hazard

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Revision Date** 29-May-2015  
**Revision Note** No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**



# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 1

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

## SECTION 1. IDENTIFICATION

**Identification of the company:**

Uline, Inc.  
12575 Uline Drive  
Pleasant Prarie, WI 53158  
Telephone No.: 800-295-5510

**Emergency tel. number:** +1 800-424-9300 CHEMTREC

**Trade name:**

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

**Material number:**

299037

**CAS number:**

7631-86-9

**Chemical family:**

approx. 94 - 96 % silica, approx. 4 - 6 % water of constitution and approx. 0,3 % water-soluble components

**Primary product use:**

Adsorbing medium for technical applications

**Primary product use:**

Packaging

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

This product is considered an "Article" by the US Department of Labor, Occupational Safety & Health Administration (OSHA) under OSHA 29 CFR 1910.1200(c) and is exempt from the requirements of a Safety Data Sheet (SDS) found in the Hazard Communication Standard, 29 CFR 1910.1200(b)(v).

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : approx. 94 - 96 % silica, approx. 4 - 6 % water of constitution and approx. 0,3 % water-soluble components

**Components**

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 2

---

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

---

- General advice : none
- If inhaled : No special precautions required.  
In case of irritation when dust is inhaled, provide for plenty of fresh air.
- In case of skin contact : Wash off immediately with soap and plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : No special precautions required.  
If large quantities of this material are swallowed, call a physician immediately.  
Call your local Poison Control Center (In the U.S. call 1-800-222-1222).
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

---

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : None known.
- Further information : Wear full protective clothing and NIOSH/MSHA-approved positive pressure, self-contained breathing apparatus.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Do not breathe dust.  
No special precautions required.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Take up uncontaminated material and pass on for further processing.  
Take up contaminated material by mechanical means, load

# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 3

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

into clean containers, and dispose of in accordance with legal regulations.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : No special precautions required.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
- Conditions for safe storage : Keep container tightly closed and dry.
- Further information on storage conditions : Store in a dry place.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : Stable under recommended storage conditions.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is 5 mg/m<sup>3</sup> for respirable fraction and 15 mg/m<sup>3</sup> for total dust. ACGIH exposure guidelines of less than 3 mg/m<sup>3</sup> (respirable) and 10 mg/m<sup>3</sup> (inhalable) have been established for particles (insoluble/poorly soluble) not otherwise specified (PNOS).

- Engineering measures** : Use ventilation adequate to keep exposures below recommended exposure limits. See the safety datasheet.

### Personal protective equipment

- Respiratory protection : Use local exhaust if dusting occurs. Good general ventilation is adequate in the absence of dusts.
- Hand protection  
Remarks : Impervious rubber such as neoprene, nitrile, natural rubber, butyl rubber, PVC, or teflon.
- Eye protection : Follow facility guidelines in the absence of dusts.
- Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact. Thoroughly wash clothing before reuse.
- Hygiene measures : Wash off with warm water and soap.

# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 4

---

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Solid form
Colour	:	various
Odour	:	none
Odour Threshold	:	not available
pH	:	not determined
Melting point	:	not determined
Boiling point	:	not determined
Flash point	:	does not flash
Evaporation rate	:	Non-Volatile
Flammability (solid, gas)	:	not determined
Self-ignition	:	not tested.
Burning number	:	not determined
Upper explosion limit / upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not tested.
Density	:	not determined
Bulk density	:	not determined
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	not tested.
Partition coefficient: n-octanol/water	:	no data available

# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 5

---

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

---

Auto-ignition temperature : Not applicable

Decomposition temperature : no data available

Viscosity

    Viscosity, dynamic : Not applicable

    Viscosity, kinematic : Not applicable

Flow time : Not applicable

Explosive properties : no data available

Oxidizing properties : not tested.

Sublimation point : not determined

Minimum ignition energy : not tested.

Particle size : not tested.

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Stable

Conditions to avoid : None known.

Incompatible materials : Water

Hazardous decomposition products : No decomposition if stored and applied as directed.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

None known.

### Acute toxicity

#### Product:

Acute oral toxicity : Remarks: Not applicable

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 6

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: Other  
GLP: no

## **Skin corrosion/irritation**

### **Product:**

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

## **Serious eye damage/eye irritation**

### **Product:**

Species: Rabbit  
Result: No eye irritation  
Exposure time: 24 h  
Method: OECD Test Guideline 405  
GLP: yes

## **Respiratory or skin sensitisation**

### **Product:**

Remarks: no data available

## **Germ cell mutagenicity**

### **Product:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 667 - 10000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells  
Test system: Chinese hamster ovary cells  
Concentration: 10 - 500 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells

# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 7

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

Concentration: 38 - 1000 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Rat (male)  
Strain: Fischer F344  
Application Route: Inhalation  
Exposure time: 13 w, 6 h/d, 5 d/wk  
Dose: ca. 50 mg/m<sup>3</sup>  
Method: Other  
Result: negative  
GLP: No information available.

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

## **Carcinogenicity**

### **Product:**

Species: Rat, (male and female)  
Application Route: oral (feed)  
Exposure time: 103 w  
Dose: 1,25 - 2,5 - 5 % in diet  
Group: yes  
Frequency of Treatment: daily  
NOAEL: ca. 1,800 - 3,000 mg/kg bw/day  
Method: OECD Test Guideline 453  
Result: negative  
GLP: No information available.

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## **Reproductive toxicity**

### **Product:**

Effects on fertility : Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: oral (feed)

# SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 8

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

Dose: 497 (m), 509 (f) mg/kg  
General Toxicity - Parent: NOAEL: 497 mg/kg body weight  
General Toxicity F1: NOAEL: 497 mg/kg body weight  
Method: OECD Test Guideline 415  
GLP: no

Effects on foetal development : Test Type: Pre-natal  
Species: Rat  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 13,5 - 62,7 - 292 - 1350mg/kg  
General Toxicity Maternal: NOAEL: 1,350 mg/kg body weight  
Teratogenicity: NOAEL: 1,350 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: no

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
No teratogenic effects to be expected.

## STOT - single exposure

### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

## STOT - repeated exposure

### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Repeated dose toxicity

### Product:

Species: Rat, male and female  
NOAEL: 4000 - 4500 mg/kg bw/day  
Application Route: oral (feed)  
Exposure time: 13 w  
Number of exposures: continuously  
Dose: 0,5 - 2 - 6,7 % SI in diet  
Group: yes  
Method: OECD Test Guideline 408  
GLP: yes

Species: Rat, male and female  
NOAEL: 1,3 mg/m<sup>3</sup>  
LOAEL: 0.0059 mg/l  
Application Route: Inhalation  
Exposure time: 13 w  
Number of exposures: 6 hr/day; 5 days a week  
Dose: 1,3 - 5,9 - 31 mg/m<sup>3</sup>  
Group: yes



# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 9

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

Method: OECD Test Guideline 413  
GLP: yes

Application Route: Skin contact  
Remarks: This information is not available.

## Aspiration toxicity

### Product:

No aspiration toxicity classification

## Experience with human exposure

### Product:

General Information : The possible symptoms known are those derived from the labelling (see section 2).

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LL0 (Brachydanio rerio (zebrafish)): 10,000 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l  
End point: Immobilization  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: By analogy with a product of similar composition  
The details of the toxic effect relate to the nominal

# SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 10

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

concentration.

Toxicity to fish (Chronic toxicity) : NOEC: 86.03 mg/l  
Exposure time: 30 d  
Method: Other  
GLP: no  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 34.223 mg/l  
Exposure time: 30 d  
Method: Other  
GLP: no  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Sediment toxicity : LC50: 148.41 mg/l  
Duration: 14 d  
Method: Other  
GLP: no  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

## Persistence and degradability

### Product:

Biodegradability : Remarks: Not applicable

## Bioaccumulative potential

no data available

## Mobility in soil

no data available

## Other adverse effects

### Product:

Environmental fate and pathways : Remarks: not available

Additional ecological information : According to experience and to the information currently available, the product has no harmful effects on the environment if used correctly as intended.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

RCRA - Resource Conservation and Recovery : This product, if discarded as sold, is not a Federal RCRA hazardous waste.

# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 11

---

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

---

Authorization Act

Waste Code : NONE

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

**DOT** not restricted

**IATA** not restricted

**IMDG** not restricted

---

## SECTION 15. REGULATORY INFORMATION

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

### **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **The components of this product are reported in the following inventories:**

**TSCA** : All substances listed as active on the TSCA inventory

---

## SECTION 16. OTHER INFORMATION

**Further information**

# SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 12


Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

## NFPA 704:



## Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EmS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations

# SAFETY DATA SHEET

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Page 13

---

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

---

Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/20/2021

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. We make no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of our products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of our General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing our products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact us.

US / EN

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 1

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

## SECCIÓN 1. IDENTIFICACIÓN

<b>Identificación de la compañía:</b>	Uline, Inc. 12575 Uline Drive Pleasant Prairie, WI 53158 Núm. Teléfono: 800-295-5510
<b>Nº telf. de emergencia:</b> +1 800-424-9300 CHEMTREC	

<b>Nombre comercial:</b>	<b>PKT SILICA GEL5G G2 27X70 1250/P S-3905</b>
<b>Número de material:</b>	299037
<b>Número CAS:</b>	7631-86-9
<b>Familia química:</b>	aprox. 94 - 96% dióxido de silicio, aprox. 4 - 6% agua de constitución y un 0,3% partes hidrosolubles
<b>Uso primario del producto:</b>	Agente de adsorción para aplicaciones técnicas
<b>Uso primario del producto:</b>	Envases

## SECCIÓN 2. IDENTIFICACIÓN DE LOS PELIGROS

### **Clasificación GHS de acuerdo con Norma de Comunicación de Riesgos de OSHA (29 CFR 1910.1200)**

No es una sustancia o mezcla peligrosa.

### **Elementos de etiquetado GHS**

No es una sustancia o mezcla peligrosa.

### **Otros peligros**

Este producto es considerado un "Artículo" por el Departamento de trabajo de los EE.UU., Administración de Seguridad y Salud Ocupacional (OSHA según OSHA 29 CFR 1910.1200(c) y esta exento de los requisitos de la hoja de datos de seguridad (SDS) que se encuentra en la Comunicación de Peligros Estándar, 29 CFR 1910.1200(b)(v).

## SECCIÓN 3. COMPOSICIÓN/INFORMACIÓN SOBRE LOS COMPONENTES

Sustancia / Mezcla	: Sustancia
Naturaleza química	: aprox. 94 - 96% dióxido de silicio, aprox. 4 - 6% agua de constitución y un 0,3% partes hidrosolubles

### **Componentes**

Este material no está considerado como peligroso por el Estándar de Comunicación de Riesgos de OSHA (29 CFR 1910.1200).

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 2

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

---

## SECCIÓN 4. PRIMEROS AUXILIOS

- Recomendaciones generales : ninguno(a)
- Si es inhalado : No se requieren precauciones especiales.  
Si al respirar el polvo se presentan irritaciones, proporcionar al afectado aire fresco.
- En caso de contacto con la piel : Lávese inmediatamente con jabón y agua abundante.
- En caso de contacto con los ojos : Enjuagar inmediatamente con abundante agua, también debajo de los párpados, al menos durante 15 minutos.
- Por ingestión : No se requieren precauciones especiales.  
Si una grande cantidad de este material se ha tragado, llamar inmediatamente un médico.  
Llame al Centro de Control de Envenenamientos local (En los EE.UU., llame al 1-800-222-1222).
- Principales síntomas y efectos, agudos y retardados : Los posibles síntomas conocidos son los derivados del etiquetado (ver apartado 2).  
No se conocen síntomas adicionales.
- Notas para el médico : Tratar sintomáticamente.

---

## SECCIÓN 5. MEDIDAS DE LUCHA CONTRA INCENDIOS

- Medios de extinción apropiados : Usar medidas de extinción que sean apropiadas a las circunstancias del local y a sus alrededores.
- Medios de extinción no apropiados : Chorro de agua de gran volumen
- Peligros específicos en la lucha contra incendios : Ninguna conocida.
- Otros datos : Usar ropa de protección completa y equipo de respiración autónomo de presión positiva aprobado por NIOSH/MSHA.
- Equipo de protección especial para el personal de lucha contra incendios : Utilice un aparato respiratorio autónomo de presión positiva aprobado además del equipo de lucha contra incendios estándar.

---

## SECCIÓN 6. MEDIDAS EN CASO DE VERTIDO ACCIDENTAL

- Precauciones personales, equipo de protección y procedimientos de : No respirar el polvo.  
No se requieren precauciones especiales.

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 3

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

emergencia

Precauciones relativas al medio ambiente : No se requieren precauciones especiales medioambientales.

Métodos y material de contención y de limpieza : Recoger material no ensuciado y aportarlo para su utilización. Recoger el material contaminado por medios mecánicos(>,<)> depositarlo en contenedores limpios y eliminar de acuerdo con la normativa legal.

## SECCIÓN 7. MANIPULACIÓN Y ALMACENAMIENTO

Indicaciones para la protección contra incendio y explosión : No se requieren precauciones especiales.

Consejos para una manipulación segura : Manipular con las precauciones de higiene industrial adecuadas, y respetar las prácticas de seguridad.

Condiciones para el almacenaje seguro : Manténgase el recipiente bien cerrado y en lugar seco.

Información complementaria sobre las condiciones de almacenamiento : Almacenar en un lugar seco.

Materias que deben evitarse : Ningún material a mencionar especialmente.

Más información acerca de la estabilidad durante el almacenamiento : Estable bajo las condiciones de almacenamiento recomendadas.

## SECCIÓN 8. CONTROLES DE EXPOSICIÓN/ PROTECCIÓN INDIVIDUAL

### Componentes con valores límite ambientales de exposición profesional.

Todo polvo inerte o molesto ya sea mineral, inorgánico u orgánico y no listados específicamente por su nombre de sustancia, están cubiertos por Particulates Not Otherwise Regulated (PNOR) cuyo límite es de 5 mg/m<sup>3</sup> para la fracción respirable y 15 mg/m<sup>3</sup> para el polvo total. Se han establecido Directrices de exposición ACGIH de menos de 3 mg/m<sup>3</sup> (respirable) y de 10 mg/m<sup>3</sup> (inhalable) para Particulates (insolubles / poco solubles) Not Otherwise Specified (PNOS).

**Medidas de ingeniería** : Utilizar una ventilación adecuada para mantener las exposiciones bajo los límites de exposición recomendados. Vea la ficha de datos de seguridad.

### Protección personal

Protección respiratoria : Utilizar ventilación local en caso de formación de polvos. Una buena ventilación general es adecuada en ausencia de polvos.



# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 4

Código del material: SC0000901386

Ultima revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión:06/08/2021

Protección de las manos	:	
Observaciones	:	Caucho impermeable como neopreno, nitrilo, caucho natural, caucho de butilo, PVC o teflón.
Protección de los ojos	:	Siga las directrices de las Compañía en ausencia de polvo.
Protección de la piel y del cuerpo	:	Use ropa protectora, incluyendo camisas de manga larga y guantes, para evitar el contacto de la piel. Lave bien la ropa antes de volverla a usar.
Medidas de higiene	:	Lavar con agua caliente y jabón.

---

## SECCIÓN 9. PROPIEDADES FÍSICAS Y QUÍMICAS

Aspecto	:	Forma sólida
Color	:	varios
Olor	:	ninguno(a)
Umbral olfativo	:	No disponible
pH	:	no determinado
Punto de fusión	:	no determinado
Punto de ebullición	:	no determinado
Punto de inflamación	:	no se inflama
Tasa de evaporación	:	No volátil
Inflamabilidad (sólido, gas)	:	no determinado
Autoencendido	:	No determinado
Índice de combustibilidad	:	no determinado
Límite superior de explosividad / Límites de inflamabilidad superior	:	No aplicable
Límites inferior de explosividad / Límites de inflamabilidad inferior	:	No aplicable
Presión de vapor	:	No aplicable

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 5

---

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

---

Densidad relativa del vapor	:	No aplicable
Densidad relativa	:	No determinado
Densidad	:	no determinado
Densidad aparente	:	no determinado
Solubilidad(es)		
Solubilidad en agua	:	insoluble
Solubilidad en otros disolventes	:	No determinado
Coefficiente de reparto n-octanol/agua	:	sin datos disponibles
Temperatura de auto-inflamación	:	No aplicable
Temperatura de descomposición	:	sin datos disponibles
Viscosidad		
Viscosidad, dinámica	:	No aplicable
Viscosidad, cinemática	:	No aplicable
Tiempo de escorrientía	:	No aplicable
Propiedades explosivas	:	sin datos disponibles
Propiedades comburentes	:	No determinado
Punto de sublimación	:	no determinado
Energía mínima de ignición	:	No determinado
Tamaño de partícula	:	No determinado

---

## SECCIÓN 10. ESTABILIDAD Y REACTIVIDAD

Reactividad	:	No se conoce reacciones peligrosas bajo condiciones de uso normales.
Estabilidad química	:	Estable
Posibilidad de reacciones peligrosas	:	No se conoce reacciones peligrosas bajo condiciones de uso normales. Estable

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 6

---

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

---

Condiciones que deben evitarse : Ninguna conocida.

Materiales incompatibles : Agua

Productos de descomposición peligrosos : No se descompone si se almacena y aplica como se indica.

---

## SECCIÓN 11. INFORMACIÓN TOXICOLÓGICA

### Información sobre posibles vías de exposición

Ninguna conocida.

### Toxicidad aguda

#### Producto:

Toxicidad oral aguda : Observaciones: No aplicable

Toxicidad aguda por inhalación : CL50 (Rata, machos y hembras): > 2.08 mg/l  
Tiempo de exposición: 4 h  
Prueba de atmosfera: polvo/niebla  
Método: Directrices de ensayo 403 del OECD  
BPL: si  
Valoración: La sustancia o mezcla no presenta toxicidad aguda por inhalación

Toxicidad cutánea aguda : DL50 (Conejo): > 5,000 mg/kg  
Método: Otro  
BPL: no

### Corrosión o irritación cutáneas

#### Producto:

Especies: Conejo  
Tiempo de exposición: 4 h  
Método: Directrices de ensayo 404 del OECD  
Resultado: No irrita la piel  
BPL: si

### Lesiones o irritación ocular graves

#### Producto:

Especies: Conejo  
Resultado: No irrita los ojos  
Tiempo de exposición: 24 h  
Método: Directrices de ensayo 405 del OECD  
BPL: si

### Sensibilización respiratoria o cutánea

#### Producto:

Observaciones: sin datos disponibles

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 7

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

## Mutagenicidad en células germinales

### Producto:

- Genotoxicidad in vitro : Tipo de Prueba: Prueba de Ames  
Sistema experimental: Salmonella typhimurium  
Concentración: 667 - 10000 µg/plate  
Activación metabólica: con o sin activación metabólica  
Método: Directrices de ensayo 471 del OECD  
Resultado: negativo  
BPL: si
- Tipo de Prueba: Estudio in vitro de la mutación génica en células de mamífero  
Sistema experimental: células del ovario del hámster chino  
Concentración: 10 - 500 µg/ml  
Activación metabólica: con o sin activación metabólica  
Método: Directrices de ensayo 476 del OECD  
Resultado: negativo  
BPL: si
- Tipo de Prueba: Prueba de aberración cromosomal in vitro  
Sistema experimental: células del ovario del hámster chino  
Concentración: 38 - 1000 µg/ml  
Activación metabólica: con o sin activación metabólica  
Método: Directrices de ensayo 473 del OECD  
Resultado: negativo  
BPL: si
- Genotoxicidad in vivo : Tipo de Prueba: Ensayo citogenético  
Especies: Rata (macho)  
Cepa: Fischer F344  
Vía de aplicación: Inhalación  
Tiempo de exposición: 13 w, 6 h/d, 5 d/wk  
Dosis: ca. 50 mg/m<sup>3</sup>  
Método: Otro  
Resultado: negativo  
BPL: No hay información disponible.
- Mutagenicidad en células germinales - Valoración : Las pruebas in vitro no mostraron efectos mutágenos, Las pruebas in vivo no demostraron efectos mutágenos

## Carcinogenicidad

### Producto:

- Especies: Rata, (machos y hembras)  
Vía de aplicación: oral (alimento)  
Tiempo de exposición: 103 w  
Dosis: 1,25 - 2,5 - 5 % in diet  
Grupo: si  
Frecuencia del tratamiento: daily  
NOAEL: aprox. 1,800 - 3,000 mg/kg pc/día  
Método: Directrices de ensayo 453 del OECD

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 8

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

Resultado: negativo  
BPL: No hay información disponible.

Carcinogenicidad - Valoración : No clasificable como agente carcinógeno para el humano.

**IARC** No se identifica ningún componente de este producto, que presente niveles mayores que o igual a 0,1% como agente carcinógeno humano probable, posible o confirmado por la (IARC) Agencia Internacional de Investigaciones sobre Carcinógenos.

**OSHA** Ningún componente de este producto está presente en niveles superiores o iguales al 0,1 % por lo que no se encuentra en la lista de OSHA de carcinógenos regulados.

**NTP** En este producto no se identifica ningún componente, que presente niveles mayores que o iguales a 0.1%, como agente carcinógeno conocido o anticipado por el (NTP) Programa Nacional de Toxicología.

## Toxicidad para la reproducción

### Producto:

Efectos en la fertilidad : Especies: Rata, machos y hembras  
Cepa: Sprague-Dawley  
Vía de aplicación: oral (alimento)  
Dosis: 497 (m), 509 (f) mg/kg  
Toxicidad general padres: NOAEL: 497 peso corporal en mg/kg  
Toxicidad general F1: NOAEL: 497 peso corporal en mg/kg  
Método: Directrices de ensayo 415 del OECD  
BPL: no

Efectos en el desarrollo fetal : Tipo de Prueba: Pre-natal  
Especies: Rata  
Cepa: Wistar  
Vía de aplicación: oral (sonda)  
Dosis: 13,5 - 62,7 - 292 - 1350mg/kg  
Toxicidad general materna: NOAEL: 1,350 peso corporal en mg/kg  
Teratogenicidad: NOAEL: 1,350 peso corporal en mg/kg  
Método: Directrices de ensayo 414 del OECD  
BPL: no

Toxicidad para la reproducción - Valoración : No hay evidencia de efectos adversos sobre la función sexual y la fertilidad, o sobre el desarrollo, basado en experimentos con animales.  
No se esperan efectos teratogénicos.

## Toxicidad específica en determinados órganos (stot) - exposición única

### Producto:

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 9

---

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión:06/08/2021

---

Valoración: La sustancia o mezcla no se clasifica como tóxica específica de órganos diana, exposición única.

## **Toxicidad específica en determinados órganos (stot) - exposiciones repetidas**

### **Producto:**

Valoración: La sustancia o mezcla no se clasifica como tóxica específica de órganos diana, exposición repetida.

## **Toxicidad por dosis repetidas**

### **Producto:**

Especies: Rata, machos y hembras  
NOAEL: 4000 - 4500 mg/kg pc/día  
Vía de aplicación: oral (alimento)  
Tiempo de exposición: 13 w  
Nombre de exposiciones: continuously  
Dosis: 0,5 - 2 - 6,7 % SI in diet  
Grupo: si  
Método: Directrices de ensayo 408 del OECD  
BPL: si

Especies: Rata, machos y hembras  
NOAEL: 1,3 mg/m<sup>3</sup>  
LOAEL: 0.0059 mg/l  
Vía de aplicación: Inhalación  
Tiempo de exposición: 13 w  
Nombre de exposiciones: 6 hr/day; 5 days a week  
Dosis: 1,3 - 5,9 - 31 mg/m<sup>3</sup>  
Grupo: si  
Método: Directrices de ensayo 413 del OECD  
BPL: si

Vía de aplicación: Contacto con la piel  
Observaciones: Esta información no está disponible.

## **Toxicidad por aspiración**

### **Producto:**

Ninguna clasificación de toxicidad por aspiración

## **Experiencia con exposición de seres humanos**

### **Producto:**

Información general : Los posibles síntomas conocidos son los derivados del etiquetado (ver apartado 2).

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 10

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

## SECCIÓN 12. INFORMACIÓN ECOLÓGICA

### Ecotoxicidad

#### Producto:

- Toxicidad para los peces : LL0 (Brachydanio rerio (pez cebra)): 10,000 mg/l  
Punto final: mortalidad  
Tiempo de exposición: 96 h  
Tipo de Prueba: Ensayo estático  
Controlo analítico: no  
Método: Directrices de ensayo 203 del OECD  
BPL: si  
Observaciones: La indicación del efecto tóxico se refiere a la concentración nominal.
- Toxicidad para las dafnias y otros invertebrados acuáticos : EL50 (Daphnia magna (Pulga de mar grande)): > 1,000 mg/l  
Punto final: Inmovilización  
Tiempo de exposición: 24 h  
Tipo de Prueba: Ensayo estático  
Controlo analítico: no  
Método: Directrices de ensayo 202 del OECD  
BPL: si  
Observaciones: La indicación del efecto tóxico se refiere a la concentración nominal.
- Toxicidad para las algas/plantas acuáticas : EL50 (Desmodesmus subspicatus (alga verde)): > 10,000 mg/l  
Punto final: Tasa de crecimiento  
Tiempo de exposición: 72 h  
Tipo de Prueba: Ensayo estático  
Controlo analítico: no  
Método: Directrices de ensayo 201 del OECD  
BPL: si  
Observaciones: Los datos han sido establecidos por analogía a un producto de composición similar.  
La indicación del efecto tóxico se refiere a la concentración nominal.
- Toxicidad para los peces (Toxicidad crónica) : NOEC: 86.03 mg/l  
Tiempo de exposición: 30 d  
Método: Otro  
BPL: no  
Observaciones: El resultado viene dado basándose en un enfoque SAR/AAR utilizando los modelos OECD Toolbox, DEREK, VEGA QSAR (modelos CAESAR), etc.
- Toxicidad para las dafnias y otros invertebrados acuáticos (Toxicidad crónica) : NOEC: 34.223 mg/l  
Tiempo de exposición: 30 d  
Método: Otro  
BPL: no  
Observaciones: El resultado viene dado basándose en un enfoque SAR/AAR utilizando los modelos OECD Toolbox, DEREK, VEGA QSAR (modelos CAESAR), etc.

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 11

---

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión:06/08/2021

---

Toxicidad del sedimento : CL50: 148.41 mg/l  
Duración: 14 d  
Método: Otro  
BPL: no  
Observaciones: El resultado viene dado basándose en un enfoque SAR/AAR utilizando los modelos OECD Toolbox, DEREK, VEGA QSAR (modelos CAESAR), etc.

## **Persistencia y degradabilidad**

### **Producto:**

Biodegradabilidad : Observaciones: No aplicable

## **Potencial de bioacumulación**

sin datos disponibles

## **Movilidad en el suelo**

sin datos disponibles

## **Otros efectos adversos**

### **Producto:**

Vías de propagación en el medio ambiente y destino final de la sustancia : Observaciones: No disponible

Información ecológica complementaria : Utilizando el producto adecuadamente y conforme a las aplicaciones previstas, según nuestros conocimientos actuales y nuestras experiencias, no son de esperar efectos perjudiciales para el medio ambiente.

---

## **SECCIÓN 13. CONSIDERACIONES RELATIVAS A LA ELIMINACIÓN**

### **Métodos de eliminación.**

RCRA - Acta de Autorización de la Conservación y Recuperación de los Recursos : Este producto, si se desecha tal como se vende no es un desecho peligros Federal RCRA.

Número de identificación de residuo : NONE

Residuos : Deseche este producto de acuerdo con todas las reglamentaciones locales, estatales y federales aplicables.

Envases contaminados : Eliminar como producto no usado.

---

## **SECCIÓN 14. INFORMACIÓN RELATIVA AL TRANSPORTE**

DOT

Mercancías no peligrosas



# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 12

---

Código del material: SC0000901386

Ultima revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión:06/08/2021

---

**IATA** Mercancías no peligrosas

**IMDG** Mercancías no peligrosas

---

## SECCIÓN 15. INFORMACIÓN REGLAMENTARIA

### **CERCLA Cantidad Reportable**

Este material no contiene ningún componente con una cantidad reportada (RQ) para CERCLA.

### **SARA 304 Sustancias extremadamente peligrosas Cantidad Reportable**

Este material no contiene ningún componente en la sección 304 EHS RQ .

### **Cantidad de planeación de umbral SARA 302 Sustancias Extremadamente peligrosas**

Este material no contiene componentes con una sección 302 EHS TPQ.

**SARA 311/312 Peligros** : No son peligros según la legislación americana SARA

**SARA 313** : Este material no contiene ningún componente químico con los conocidos números CAS que exceden el umbral de los niveles reportados (De Minimis) establecidos por SARA título III, sección 313.

### **Ley del Agua Limpia**

Este producto no contiene los siguientes contaminantes tóxicos enumerados en la sección 307 de la Ley de agua limpia de los EE.UU.

### **Los componentes de este producto están presentados en los inventarios siguientes:**

**TSCA** : Todas las sustancias enumeradas como activas en el inventario TSCA

---

## SECCIÓN 16. OTRA INFORMACIÓN

**Otros datos**

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 13


Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

## NFPA 704:



## Texto completo de otras abreviaturas

AIIC - Inventario de productos químicos industriales de Australia; ASTM - Sociedad Estadounidense para la Prueba de Materiales; bw - Peso corporal; CERCLA - Ley Integral de Respuesta, Compensación y Responsabilidad Civil Ambiental; CMR - Carcinógeno, mutágeno o tóxico para la reproducción; DIN - Norma del Instituto Alemán de Normalización; DOT - Departamento de Transporte; DSL - Lista de sustancias domésticas (Canadá); ECx - Concentración asociada con respuesta de tasa de crecimiento x%; EHS - Sustancia extremadamente peligrosa; ELx - Tasa de carga asociada con respuesta x%; EmS - Procedimiento de emergencia; ENCS - Sustancias Químicas Existentes y Nuevas (Japón); ErCx - Concentración asociada con respuesta de tasa de crecimiento x%; ERG - Guía de respuesta ante emergencias; GHS - Sistema Globalmente Armonizado; GLP - Buena práctica de laboratorio; HMIS - Sistema de Identificación de Materiales Peligrosos; IARC - Agencia Internacional para la investigación del cáncer; IATA - Asociación Internacional de Transporte Aéreo; IBC - Código internacional para la construcción y equipamiento de Embarcaciones que transportan químicos peligrosos a granel; IC50 - Concentración inhibitoria máxima media; ICAO - Organización de Aviación Civil Internacional; IECSC - Inventario de Sustancias Químicas en China; IMDG - Código Marítimo Internacional de Mercancías Peligrosas; IMO - Organización Marítima Internacional; ISHL - Ley de Seguridad e Higiene Industrial (Japón); ISO - Organización Internacional para la Normalización; KECL - Inventario de Químicos Existentes de Corea; LC50 - Concentración letal para 50% de una población de prueba; LD50 - Dosis letal para 50% de una población de prueba (Dosis letal mediana); MARPOL - Convenio Internacional para prevenir la Contaminación en el mar por los buques; MSHA - Administración de seguridad y salud minera; n.o.s. - N.E.P.: No especificado en otra parte; NFPA - Asociación Nacional de Protección contra el Fuego; NO(A)EC - Concentración de efecto (adverso) no observable; NO(A)EL - Nivel de efecto (adverso) no observable; NOELR - Tasa de carga de efecto no observable; NTP - Programa Toxicológico Nacional; NZIoC - Inventario de Químicos de Nueva Zelanda; OECD - Organización para la Cooperación y el Desarrollo Económico; OPPTS - Oficina para la Seguridad Química y Prevención de Contaminación; PBT - Sustancia persistente, bioacumulativa y tóxica; PICCS - Inventario Filipino de Químicos y Sustancias Químicas; (Q)SAR - Relación estructura-actividad (cuantitativa); RCRA - Ley de Conservación y Recuperación de Recursos; REACH - Reglamento (CE) n.º 1907/2006 del Parlamento Europeo y del Consejo relativo al registro, la evaluación, la autorización y la restricción de las sustancias químicas; RQ - Cantidad reportable;

# FICHA DE DATOS DE SEGURIDAD

**PKT SILICA GEL5G G2 27X70 1250/P S-3905**

Página 14

---

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

---

SADT - Temperatura de descomposición autoacelerada; SARA - Ley de Enmiendas y Reautorización de Superfondos; SDS - Ficha de datos de seguridad; TCSI - Inventario de Sustancias Químicas de Taiwán; TSCA - Ley para el Control de Sustancias Tóxicas (Estados Unidos); UN - Naciones Unidas; UNRTDG - Recomendaciones de las Naciones Unidas sobre el transporte de mercancías peligrosas; vPvB - Muy persistente y muy bioacumulativo

Fecha de revisión : 04/20/2021

Esta información corresponde al estado actual de nuestros conocimientos y está destinada a facilitar una descripción general de nuestros productos y sus posibles aplicaciones. No ofrecemos ninguna garantía, expresa o implícita, en cuanto a la exactitud de la información, adecuación, suficiencia o exención de fallas, y no asume ninguna responsabilidad en relación con cualquier uso de dicha información.

Cualquier usuario de este producto es responsable de determinar la idoneidad para su aplicación particular. NO SE DA NINGUNA GARANTÍA EXPRESA O IMPLÍCITA DE NINGUN PRODUCTO O SERVICIO, SOBRE LA COMERCIALIZACIÓN, APTITUD, IDONEIDAD PARA UNA FINALIDAD ESPECÍFICA O DE OTRO TIPO. Lo incluido en esta información no representa renuncia alguna a ninguno de los Términos y Condiciones Generales de venta, a menos que se acuerde lo contrario por escrito. Deben respetarse los derechos de propiedad intelectual o industrial existentes. Debido a las posibles modificaciones en nuestros productos y a la aplicación de las Leyes y Reglamentos Nacionales e Internacionales, el estatus normativo de nuestros productos puede cambiar sin previo aviso. Las Fichas de Datos de Seguridad, proporcionan información sobre las medidas de seguridad que deberán ser observadas durante la manipulación o almacenamiento de nuestros productos. Estas se encuentran disponibles a petición del interesado, y serán proporcionadas en conformidad con la ley aplicable. Es obligación del usuario, obtener y consultar la información en la Ficha de Datos de Seguridad antes de manipular cualquiera de estos productos. Para cualquier información adicional, póngase en contacto con nosotros.

US / ES

## Section 1 Identification

Page E1 of E2



**Aldon  
Corporation**

221 Rochester Street  
Avon, NY 14414  
(585) 226-6177

**CHEMTREC 24 Hour Emergency  
Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** IODINE TINCTURE 2%

**Synonyms** Tincture of Iodine

## Section 2 Hazards identification

**Signal word:** DANGER

**Pictograms:** GHS02 / GHS07 / GHS09

**Target organs:** Eyes, Skin, Liver, Blood, Respiratory system, Central nervous system, Cardiovascular system, Reproductive system



**GHS Classification:**

Flammable liquid (Category 2)

Skin irritation (Category 2)

Eye irritation (Category 2B)

STOT-SE (Category 3)

Aquatic toxicity, acute (Category 1)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P333+P313: If skin irritation or rash occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P370+P378: In case of fire: Use dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam to extinguish.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	51.0%	231-791-2
Ethyl alcohol, denatured*	64-17-5	Approx 47.0%	200-578-6
Iodine	7553-56-2	2.0%	231-442-4
*Denaturants:			
Isopropyl alcohol	67-63-0	--	200-661-7
Methanol	67-56-1	--	200-659-6
Methyl isobutyl ketone	108-10-1	--	203-550-1

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3)	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Liquid. Deep, amber colored. <b>Odor:</b> Mild characteristic odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> -114°C (-173°F)* <b>Boiling point:</b> 74-80°C (165.2-176°F)* <b>Flash point:</b> 68.7°C (20.36°F)	<b>Evaporation rate ( Ether = 1):</b> >1 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> 4.0%(V) / 20.0%(V)* <b>Vapor pressure (mm Hg):</b> Ca 50 @ 20°C* <b>Vapor density (Air = 1):</b> Ca 1.5* <b>Relative density (Specific gravity):</b> 0.7919-0.7955°C @ 60/60°F* <b>Solubility(ies):</b> Soluble in water.	<b>Partition coefficient:</b> (n-octanol / water): Low Pow: -.32* <b>Auto-ignition temperature:</b> 400°C (752°F)* <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> Mixture <b>Molecular weight:</b> Mixture  *[200 Proof Ethanol]
--	---	--

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizers, inorganic acids and halogens. Metals or unsaturated organic compounds, ammonia solutions or alkaline solutions of ammonia salts. Will form explosive nitrogen iodides when reacted with gaseous ammonia

**Hazardous decomposition products:** Oxides of carbon, toxic iodide fumes.

## Section 11 Toxicological information

**Acute toxicity: Ethanol:** Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours ; **Iodine:** Oral-rat LD50: 14 g/kg

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: ⚠️ **WARNING!** : This product can expose you to chemicals including Methanol and Methyl isobutyl ketone, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

**Signs and symptoms of exposure:** Exercise appropriate procedures to minimize potential hazards.

**Additional information: RTECS #:** Ethanol: KQ6300000 ; Iodine: NN1575000

## Section 12 Ecological information

**Toxicity to fish:** Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

**Toxicity to algae:** Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** Very toxic to aquatic life.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1170

**Shipping name:** Ethanol solution

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** 5,000 lbs (2270 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2020 ERG Guide #** 127

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ethanol	Listed	Not listed	D001	Listed	Not listed	⚠️ <b>WARNING</b> -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
Iodine	Listed	Not listed	Non listed	Listed	Non listed	

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page F1 of F2



**Aldon  
Corporation**

221 Rochester Street  
Avon, NY 14414  
(585) 226-6177

**CHEMTREC 24 Numéros De Téléphone De  
Secours D'Heure (800) 424-9300**  
Pour l'usage industriel et de laboratoire seulement.  
Pas pour l'usage de drogue, de nourriture ou de ménage.

**Produit** TEINTURE D'IODE 2%

**Synonymes** Teinture d'iode

## Section 2 Identification des dangers

**Mention d'avertissement:** DANGER

**Pictogrammes:** GHS02 / GHS07 / GHS09

**Les organes cibles:** Yeux, Peau, Foie, Sang, Système respiratoire, Système nerveux central, Système cardiovasculaire, Système reproductif



**Classification par le GHS:**

Liquide inflammable (Catégorie 2)

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2B)

STOT-SE (Catégorie 3)

Aquatic toxicity, acute (Catégorie 1)

**Renseignements sur l'étiquette GHS: Mention de danger:**

H225: Liquide et vapeurs très inflammables.

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

H336: Peut provoquer somnolence ou des vertiges.

H400: Très toxique pour les organismes aquatiques.

**Dangers non classés autrement:**

Dangers pour la santé non classés ailleurs (HHNOC) - pas connu

Dangers physiques non classés autrement (PHNOC) - pas connu

## Section 3 Composition / information sur les ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau	7732-18-5	51,00%	231-791-2
Alcool éthylique, dénaturé*	64-17-5	Environ 47,00%	200-578-6
Iode	7553-56-2	2,00%	231-442-4
*Dénaturants:			
Alcool isopropylique	67-63-0	--	200-661-7
Méthanol	67-56-1	--	200-659-6
Cetone isobutylique méthylique	108-10-1	--	203-550-1

## Section 4 Premiers soins

**INGESTION:** PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

**INHALATION:** PEUT ÊTRE NOCIF EN CAS D'INHALATION. IRRITE LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

**CONTACT AVEC LES YEUX:** CAUSE L'IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

**ABSORPTION PAR LA PEAU:** PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

## Section 5 Mesures à prendre en cas d'incendie

**Moyens d'extinction:** Produit chimique sec, CO<sub>2</sub>, eau pulvérisée ou de la mousse résistant à l'alcool.

**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

**Dangers spécifiques:** En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les vapeurs formées de ce produit sont plus lourdes que l'air et peuvent voyager le long de la terre à une source d'ignition et voyagez dos immédiatement. La flamme peut ne pas être évidente en jour.

## Section 6 Mesures à prendre en cas de déversement accidentel

**Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

**Confinement et de nettoyage:** Absorbent avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

**Déclarations de précaution:**

P210: Tenir à l'écart la chaleur/des étincelles/des flammes nues/des surfaces chaudes. Ne pas fumer.

P233: Maintenir le récipient fermé de manière étanche.

P241: Utiliser du matériel électrique/de ventilation/d'éclairage antidéflagrant.

P242: Ne pas utiliser d'outils produisant des étincelles.

P243: Prendre des mesures de précaution contre les décharges électrostatiques.

P261: Éviter de respirer les brouillards/vapeurs/aérosols.

P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.

P264: Se laver les mains soigneusement après manipulation.

P273: Éviter le rejet dans l'environnement.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P302+P352: EN CAS DE CONTACT AVEC LA PEAU: Laver abondamment à l'eau et du savon.

P333+P313: En cas d'irritation ou d'éruption cutanée: Obtenir des soins médicaux.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant 15 minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P370+P378: En cas d'incendie: Utiliser un produit chimique sec, CO<sub>2</sub>, eau pulvérisée ou de la mousse résistant à l'alcool pour l'extinction.

P391: Recueillir le produit répandu.

P403+P235: Stocker dans un endroit bien ventilé. Tenir au frais.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

**Précautions pour la manutention en toute sécurité:** Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhaler les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

**Conditions de stockage:** Stocker dans un endroit frais et bien aéré, loin des substances incompatibles. Substance loin des sources d'allumage.

## Section 8 Contrôle de l'exposition / protection individuelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Éthanol	STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3)	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>

**Contrôles d'ingénierie:** Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

**Protection respiratoire:** Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. En cas de les conditions brumeux, travaillez dans le capot de vapeur ou portez un respirateur de NIOSH/MSHA-approved.

## Section 9 Propriétés physiques et chimiques

<b>Apparence:</b> Liquide. Profonde, de couleur ambre. <b>Odeur:</b> Odeur caractéristique douce. <b>Seuil de l'odeur:</b> Données non disponibles. <b>pH:</b> Données non disponibles. <b>Point de fusion / congélation:</b> -114°C (-173°F)* <b>Point d'ébullition:</b> 74-80°C (165.2-176°F)* <b>Point d'éclair:</b> 68.7°C (20.36°F)	<b>Taux d'évaporation (Éther = 1):</b> >1 <b>Inflammabilité (solide / gaz):</b> Données non disponibles. <b>Limites d'explosivité: Bas / Max:</b> 4.0%(V) / 20.0%(V)* <b>Pression de vapeur (mm Hg):</b> Ca 50 @ 20°C* <b>Densité de vapeur (Air = 1):</b> Ca 1.5* <b>Densité relative (gravité spécifique):</b> 0.7919-0.7955°C @ 60/60°F* <b>Solubilité (s):</b> Soluble dans l'eau.	<b>Coefficient de partage: (n-octanol / eau):</b> Low Pow: -32* <b>Auto-inflammation:</b> 400°C (752°F)* <b>Température de décomposition:</b> Données non disponibles. <b>Viscosité:</b> Données non disponibles. <b>Formule moléculaire:</b> Mélange <b>Poids moléculaire:</b> Mélange *[200 Proof Éthanol]
--	--	--

## Section 10 Stabilité et réactivité

**Stabilité chimique:** Stable

**Polymérisation dangereuse:** N'aura pas lieu.

**Conditions à éviter:** Les températures excessives, la chaleur, étincelles, flamme nue et d'autres sources d'allumage.

**Matières incompatibles:** Combustibles fortes, acides inorganiques et l'halogènes. Métaux ou composés organiques insaturés, des solutions d'ammoniac ou des solutions alcalines de sels d'ammonium. Est-ce que former des iodures d'azote explosifs lorsqu'il réagit avec l'ammoniac gazeux.

**Produits dangereux de décomposition:** Oxydes de carbones, fumées toxiques d'iode.

## Section 11 Données toxicologiques

**Toxicité aiguë:** Éthanol: Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4 heures ; Iode: Oral-rat LD50: 14 g/kg

**La corrosion de la peau et l'irritation:** Peau de lapin - Légèrement irritant.

**Des lésions oculaires graves / irritation:** Yeux-lapin - Irritant sévère.

**Respiratoire ou sensibilisation de la peau:** Données non disponibles

**Mutagenicité des cellules germinales:** Données non disponibles

**Cancérogène:** Données non disponibles

**NTP:** Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

**IARC classés:** Group 3: L'agent est inclassable quant à sa cancérogénicité pour l'homme. [Isopropanol]

**OSHA:** Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

**Reproductive toxicity:** Données non disponibles

**STOT-exposition unique:** La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

**STOT-une exposition répétée:** Données non disponibles

**Risque d'aspiration:** Données non disponibles

**Effets d'une surexposition:**

**Inhalation:** L'inhalation peut causer des étourdissements, somnolence, nausées, vomissements, incapacité à se concentrer et l'irritation de la gorge.

**Ingestion:** L'ingestion provoque des étourdissements, la somnolence, la réaction a diminué, l'euphorie, des nausées, des vomissements, démarche titubante et le coma.

**Peau:** Contact avec la peau cause une irritation délipidation au contact prolongé.

**Yeux:** Contact avec les yeux peut causer la cécité.

**Les signes et les symptômes de l'exposition:** Exercice des procédures appropriées pour réduire les risques potentiels.

**Informations complémentaires:** RTECS #: Éthanol: KQ6300000 ; Iode: NN1575000

## Section 12 Données écologiques

**Toxicité pour les poissons:** Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Éthanol]

**Toxicité pour les daphnies et autres invertébrés aquatiques:** Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Éthanol, 99.8% pure]

**Toxicité pour les algues:** Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Éthanol, absolute]

**Persistance et dégradabilité:** Pas de données disponible

**Potentiel de bioaccumulation:** Pas de données disponible

**Mobilité dans le sol:** Pas de données disponibles

**Évaluation PBT et vPvB:** Pas de données disponibles

**Autres effets indésirables:** Très toxique pour les organismes aquatiques.

## Section 13 Données sur l'élimination

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

## Section 14 Informations relatives au transport

**Numéro UN / NA:** UN1170

**Nom d'expédition:** Solution d'éthanol

**Classe de danger:** 3

**Groupe d'emballage:** II

**Quantité à déclarer:** 5,000 lbs. (2270 kg)

**Polluant marin:** No

**Exceptions:** Quantité limitée égale à ou moins de 1 L

**2020 ERG Guide #:** 127

## Section 15 Informations sur la réglementation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Éthanol	Listed	Not listed	D001	Listed	Not listed
Iode	Listed	Not listed	Non listed	Listed	Not listed

## Section 16 Autres renseignements

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>UNIVERSAL PH INDICATOR</b>
----------------	-------------------------------

<b>Synonyms</b>	Universal Indicator
-----------------	---------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS07 / GHS08 / GHS06**Target organs:** Eyes, Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)  
Acute toxicity, inhalation (Category 3)  
Skin irritation (Category 2)  
Eye irritation (Category 2B)  
STOT-SE (Category 2)  
STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H331: Toxic if inhaled.  
H336: May cause drowsiness or dizziness.  
H371: May cause damage to organs.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P240: Ground/bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting equipment.  
P242: Use only non-sparking tools.  
P243: Take precautionary measures against static discharge.  
P260: Do not breathe mist/vapours/spray.  
P264: Wash hands thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER or doctor if you feel unwell.  
P332+P313: If skin irritation occurs: Get medical attention.  
P337+P313: If eye irritation persists: Get medical attention.  
P362+P364: Take off contaminated clothing and wash it before reuse.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	64.50 - 65.11%	200-578-6
Water	7732-18-5	23.96%	231-791-2
Isopropyl alcohol	67-63-0	6.83%	200-661-7
Methanol	67-56-1	3.03 - 3.26%	200-659-6
Methyl isobutyl ketone	108-10-1	0.68 - 0.76%	203-550-1
Bromothymol blue	76-59-5	0.06%	200-971-2
Phenolphthalein	77-09-8	0.06%	201-004-7
Methyl red	845-10-3	0.02%	212-682-9
Thymol blue	62625-21-2	0.005%	263-650-6

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3)	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, green liquid.	<b>Evaporation rate ( Butyl acetate = 1):</b> 4.1*	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> Mild characteristic odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> 400°C (752°F)*
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> 4.0%(V) / 20.0%(V)*	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> 44.6 @ 20°C (68°F)*	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> -114°C (-173°F)*	<b>Vapor density (Air = 1):</b> 1.59*	<b>Molecular formula:</b> Mixture
<b>Boiling point:</b> 75-80°C (173-174°F)*	<b>Relative density (Specific gravity):</b> 0.794 @ 60°F*	<b>Molecular weight:</b> Mixture
<b>Flash point:</b> Approximately 21°C (70°F)	<b>Solubility(ies):</b> Soluble in water.	*[Pure Ethanol]

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizers, inorganic acids and halogens.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available


**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65:  **WARNING!** :This product can expose you to Phenolphthalein, Methanol and Methyl isobutyl ketone, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: KQ6300000 [Ethanol]

## Section 12 Ecological Information

**Toxicity to fish:** Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

**Toxicity to algae:** Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1170

**Shipping name:** Ethanol solution

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** 5,000 lbs (2270 kg)


**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2016 ERG Guide #** 127

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ethanol	Listed	Not listed	D001	Listed	Not listed	 <b>WARNING -Cancer and Reproductive Harm</b> - www.P65Warnings.ca.gov.
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed	
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.