

# SAFETY DATA SHEET



Issuing Date: 05-Oct-2015

Revision Date: 05-Oct-2015

Version 1

## 1. IDENTIFICATION

<b>Product Name</b>	Dawn Ultra Dishwashing Liquid, Original Scent
<b>Product ID:</b>	97591965_RET_NG
<b>Product Type:</b>	Finished Product - Consumer (Retail) Use Only
<b>Recommended use</b>	Dish Care
<b>Restrictions on Use</b>	Use only as directed on label.
<b>Synonyms</b>	Dawn Ultra Dishwashing Liquid, Pomegranate Awakening (97591967_RET_NG) Dawn Ultra Dishwashing Liquid, Apple Orchard Harvest (97591968_RET_NG)
<b>Manufacturer</b>	PROCTER & GAMBLE - Fabric and Home Care Division Ivorydale Technical Centre 5289 Spring Grove Avenue Cincinnati, Ohio 45217-1087 USA  Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5 1-800-331-3774
<b>E-mail Address</b>	pgsds.im@pg.com
<b>Emergency Telephone</b>	Transportation (24 HR) CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

## 2. HAZARD IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

**This product is classified under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:**

<b>Hazard Category</b>	
<b>Eye Damage / Irritation</b>	Category 2B
<b>Signal Word</b>	WARNING
<b>Hazard Statements</b>	Causes eye irritation
<b>Hazard pictograms</b>	None

<b>Precautionary Statements - Prevention</b>	Wash hands thoroughly after handling
<b>Precautionary Statements - Response</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF SWALLOWED: Drink 1 or 2 glasses of water
<b>Precautionary Statements - Storage</b>	None
<b>Precautionary Statements - Disposal</b>	None
<b>Hazards not otherwise classified (HNOC)</b>	None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight %
Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	No	68585-47-7	15 - 20
Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	No	68585-34-2	5 - 10
Amine oxides, C10-16-alkyldimethyl	Amine oxides, C10-16-alkyldimethyl	No	70592-80-2	5 - 10
Ethanol	Ethanol	No	64-17-5	1 - 5

### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

<b>Eye contact</b>	Rinse with plenty of water. Get medical attention immediately if irritation persists.
<b>Skin contact</b>	Rinse with plenty of water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.
<b>Inhalation</b>	Move to fresh air. If symptoms persist, call a physician.
<b>Most important symptoms/effects, acute and delayed</b>	None under normal use conditions.

#### Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

### 5. FIRE-FIGHTING MEASURES

<b>Suitable extinguishing media</b>	Dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray.
<b>Unsuitable Extinguishing Media</b>	None.
<b>Special hazard</b>	None known.
<b>Special protective equipment for fire-fighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
<b>Specific hazards arising from the chemical</b>	None.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Use personal protective equipment. Do not get in eyes, on skin, or on clothing.
<b>Advice for emergency responders</b>	Use personal protective equipment as required.

### Methods and materials for containment and cleaning up

<b>Methods for containment</b>	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
<b>Methods for cleaning up</b>	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## 7. HANDLING AND STORAGE

### Precautions for safe handling

<b>Advice on safe handling</b>	Use personal protective equipment as required. Keep container closed when not in use. Never return spills in original containers for re-use. Keep out of the reach of children.
--------------------------------	---

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place.
<b>Incompatible products</b>	None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
Ethanol	64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m <sup>3</sup>

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Ethanol	64-17-5	TWA: 1000 ppm TWA: 1880 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1880 mg/m <sup>3</sup>	STEL: 1000 ppm	STEL: 1000 ppm

No relevant exposure guidelines for other ingredients

### Exposure controls

**Engineering Measures**

**Distribution, Workplace and Household Settings:**

Ensure adequate ventilation

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction

**Personal Protective Equipment**

**Eye Protection**

**Distribution, Workplace and Household Settings:**

No special protective equipment required

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**

Use appropriate eye protection

**Hand Protection**

**Distribution, Workplace and Household Settings:**

No special protective equipment required

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**

Protective gloves

**Skin and Body Protection**

**Distribution, Workplace and Household Settings:**

No special protective equipment required

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**

Wear suitable protective clothing

**Respiratory Protection**

**Distribution, Workplace and Household Settings:**

No special protective equipment required

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**

In case of insufficient ventilation wear suitable respiratory equipment

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State @20°C**

liquid

**Appearance**

Various color by product

**Odor**

Scented

**Odor threshold**

No information available

Property

Values

Note

**pH value**

9.0 - 9.2

10% aqueous solution

**Melting/freezing point**

No information available

**Boiling point/boiling range**

100 - 104 °C / 212 - 219 °F

**Flash point**

No Flash to Boiling (NFTB)

**Evaporation rate**

No information available

**Flammability (solid, gas)**

No information available

**Flammability Limits in Air**

Upper flammability limit

No information available

Lower Flammability Limit

No information available

**Vapor pressure**

No information available

**Vapor density**

No information available

**Relative density**

1.04

**Water solubility**

100%

**Solubility in other solvents**

No information available

**Partition coefficient: n-octanol/water** No information available

**Autoignition temperature** No information available

**Decomposition temperature** No information available

**Viscosity of Product** No information available  
**VOC Content (%)** Products comply with US state and federal regulations for VOC content in consumer products.

## 10. STABILITY AND REACTIVITY

**Reactivity** None under normal use conditions.  
**Stability** Stable under normal conditions.  
**Hazardous polymerization** Hazardous polymerization does not occur.  
**Hazardous Reactions** None under normal processing.  
**Conditions to Avoid** None under normal processing.  
**Materials to avoid** None in particular.  
**Hazardous Decomposition Products** None under normal use.

## 11. TOXICOLOGICAL INFORMATION

### Product Information

#### Information on likely routes of exposure

**Inhalation** No known effect.  
**Skin contact** No known effect.  
**Ingestion** No known effect.  
**Eye contact** Irritating to eyes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Acute toxicity** No known effect.  
**Skin corrosion/irritation** No known effect.  
**Serious eye damage/eye irritation** Irritating to eyes.  
**Skin sensitization** No known effect.  
**Respiratory sensitization** No known effect.  
**Germ cell mutagenicity** No known effect.  
**Neurological Effects** No known effect.  
**Reproductive toxicity** No known effect.  
**Developmental toxicity** No known effect.  
**Teratogenicity** No known effect.  
**STOT - single exposure** No known effect.  
**STOT - repeated exposure** No known effect.  
**Target Organ Effects** No known effect.  
**Aspiration hazard** No known effect.  
**Carcinogenicity** No known effect.

### Component Information

Chemical Name	CAS-No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	68585-34-2	>2001 mg/kg	-	-

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The product is not expected to be hazardous to the environment.

**Persistence and degradability** No information available.

**Bioaccumulative potential** No information available.

**Mobility** No information available.

**Other adverse effects** No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

**Waste from Residues / Unused Products** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Codes (non-household setting)** 331

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

**IMDG** Not regulated

**IATA** Not regulated

### 15. REGULATORY INFORMATION

#### U.S. Federal Regulations

##### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

##### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Sodium hydroxide	1310-73-2	1000 lb	-	

##### **Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

Chemical Name	CAS-No	CAA (Clean Air Act) - 1990 Hazardous Air Pollutants
Phenoxyethanol	122-99-6	X

##### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CAS-No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1310-73-2	1000 lb	-	-	X

##### **California Proposition 65**

This product is not subject to warning labeling under California Proposition 65.

### U.S. State Regulations (RTK)

Chemical Name	CAS-No	New Jersey
Ethanol	64-17-5	X

Chemical Name	CAS-No	Massachusetts
Ethanol	64-17-5	X

Chemical Name	CAS-No	Pennsylvania
Ethanol	64-17-5	X
Sodium hydroxide	1310-73-2	X
Phenoxyethanol	122-99-6	X

### International Inventories

#### United States

All intentionally-added components of this product(s) are listed on the US TSCA Inventory.

#### Canada

This product is in compliance with CEPA for import by P&G.

#### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**CEPA** - Canadian Environmental Protection Act

## 16. OTHER INFORMATION

**Issuing Date:** 05-Oct-2015

**Revision Date:** 05-Oct-2015

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**



# Van Aken International

## SAFETY DATA SHEET

### SECTION 1 -- IDENTIFICATION OF THE SUBSTANCE

Identification of the Substance or Preparation  Product Class: Modeling Clay Trade Name: Van Aken (Plastalina, Claytoon) Product code: 10000 & 18000 Series	Revision date <b>29-Jan-19</b>
	Previous revision date <b>04-May-15</b>
	File designation

Use of Substance / Preparation  
This product is used as modeling clay for various art projects.

Chemical name Not Applicable	Chemical family Not Applicable	CAS No. Not Applicable
---------------------------------	-----------------------------------	---------------------------

Manufacture's Name and issuing location VAN AKEN INTERNATIONAL. 1564 WARING RD. NW DALTON, GA 30721	<b>EMERGENCY PHONE NUMBER</b>  1 - (888) – 222 - 3089
	Issuer's phone number 888-222-3089

#### Manufacturing site

1564 WARING RD. NW DALTON,GA 30721

### SECTION 2 -- HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** Caution!

**Product Description:** This product is pigmented solid clay with a negligible odor.

**Health Hazards:** Non-Hazardous – Not expected to have hazardous health effects.

**Flammability Hazards:** Non-Flammable

**Reactivity Hazards:** This product is not reactive.

**Environmental Hazards:** Release of the product is not expected to cause adverse effects to the aquatic environment.

**Emergency Recommendations:** Emergency responders must have personal protective equipment and fire protection appropriate for the situation to which they are responding.

**EU LABELING AND CLASSIFICATION:** This product does not meet the definition of a hazardous substance or preparation according to EU Regulations (EC) No 1272/2008.

**INDEX NUMBER:**

**EC# 215-279-6** This substance is not listed in the Annex I of Regulation (EC) No 689/2008.

**EC# 232-315-6** This substance is not listed in the Annex I of Regulation (EC) No 689/2008.

**GHS CLASSIFICATIONS:**

None Known

**SIGNAL WORD:** Caution !

**HAZARD STATEMENT:**

None Known


**PREVENTION STATEMENT :**

None Known

**RESPONSE STATEMENT:**

None Known

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)	0		
FLAMMABILITY HAZARD (RED)	0		
REACTIVITY (YELLOW)	0		
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	SEE SECTION 8		SEE SECTION 8
For Routine Industrial Use and Handling Applications			



Scale: 0 = Minimal 1 = Slight 2 = Moderate  
3 = Serious 4 = Severe \* = Chronic hazard



# Van Aken International

## SAFETY DATA SHEET

Material: PLASTALINA/CLAYTOON, 10000/18000

Version: 1

### HEALTH EFFECTS OR RISKS FROM EXPOSURE:

#### ACUTE HEALTH HAZARDS:

**EYES:** Not expected to be a hazard, however contact may cause irritation with temporary redness.

**SKIN:** Not expected to cause irritation or other health effects.

**INHALATION:** Not expected to cause irritation to respiratory system.

**INGESTION:** Exposure is unlikely. This product can cause gastrointestinal irritation.

**POTENTIAL CHRONIC HEALTH EFFECTS:** None known.

**AGGRAVATION OF PRE-EXISTING CONDITIONS:** None known

**CHRONIC:** This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens.

### SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	Hazard Classification	Risk Phrases
Proprietary Mixture	100%	Proprietary	Proprietary	Not Classified	None
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					None

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z 7250: 2000*.

### SECTION 4 -- FIRST AID MEASURES

EYES	If material contacts the eye, immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids open. GET MEDICAL ATTENTION IF IRRITATION CONTINUES.
SKIN	Wash affected area with plenty of soap and water. GET MEDICAL ATTENTION IF IRRITATION OCCURRS OR PERSISTS
INHALATION	If breathing becomes difficult remove victim to fresh air and provide oxygen if breathing is difficult. If not breathing, give artificial respiration, preferably mouth to mouth. GET MEDICAL ATTENTION.
INGESTION	If ingested, get immediate medical attention. Do not induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to a victim who is unconscious or is having convulsions. <b>NOTES TO PHYSICIAN:</b> Treat symptoms and eliminate overexposure.

### SECTION 5 -- FIRE FIGHTING MEASURES

**FLASH POINT:** 415 °F

**AUTOIGNITION TEMPERATURE:** Not Applicable

**FLAMMABLE LIMITS (in air by volume, %):** Lower NA Upper NA

**FIRE EXTINGUISHING MATERIALS:** Use fire extinguishing methods listed below:

Water Spray: Yes

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

Other: Any "C" Class

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None known

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

**SPECIAL FIRE-FIGHTING PROCEDURES:** Incipient fire responders should wear eye protection.

Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment.



# Van Aken International

## SAFETY DATA SHEET

Material: PLASTALINA/CLAYTOON, 10000/18000

Version: 1

Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

### SECTION 6 -- ACCIDENTAL RELEASE MEASURES

**SPILLS OR LEAKS** Contain spill and recover if possible. Pick up and re-use or place in proper container for disposal. Clean area with soap and water.  
 U.S. Regulations (CERCLA) requires reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

### SECTION 7 -- HANDLING AND STORAGE

**WORK PRACTICES AND HYGIENE PRACTICES:** Wash hands thoroughly after handling.  
**STORAGE AND HANDLING PRACTICES:** Store in a cool, dry well-ventilated location. Avoid extreme heat. Protect from physical damage.

### SECTION 8 -- EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Proprietary Mixture	Proprietary	Not Listed	Not Listed

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

*The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.*

**RESPIRATORY PROTECTION:** Not required with this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Not normally required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

**HAND PROTECTION:** Not required when handling this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION:** Not normally required when using this product. Use body protection appropriate for task (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

### SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES

<b>FORM:</b> Solid	<b>COLOR:</b> Various
<b>ODOR:</b> Negligible odor	<b>BOILING POINT:</b> Not Established
<b>SOLUBILITY IN WATER:</b> Not Established	<b>SPECIFIC GRAVITY:</b> 1.60-1.70 g/cc
<b>MELTING POINT:</b> Not Established	<b>EVAPORATION RATE (BuAc=1):</b> Not Applicable
<b>AUTO IGNITION TEMPERATURE:</b> Not Applicable	<b>FLASH POINT:</b> 415 °F
<b>pH:</b> Not applicable (1% soln/water)	<b>WEIGHT PER GALLON:</b> 14 lb/gal
<b>VAPOR DENSITY:</b> Not Applicable	



# Van Aken International

## SAFETY DATA SHEET

Material: PLASTALINA/CLAYTOON, 10000/18000

Version: 1

### SECTION 10 -- STABILITY AND REACTIVITY

Chemical stability YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	If no, which conditions?
Compatibility with other substances YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	If NO, which ones? Strong oxidizing agents, eg., peroxides, chlorine
Reactivity, and under what conditions Stable; condition to avoid extreme heat	
Hazardous decomposition products Thermal decomposition may produce carbon dioxide and carbon monoxide.	

### SECTION 11 -- TOXICOLOGICAL INFORMATION

**TOXICITY DATA:**

**TOXICOLOGICAL DATA:**

**DUKE UNIVERSITY SCHOOL OF MEDICINE** has completed a toxicological evaluation of this product(s) and have found no hazardous component or contaminant level or effect of the products themselves that would require acute or chronic hazard labeling to conform with ASTM D4236, the Labeling for Hazardous Art Materials Act, LHAMA regulations (16 CFR 1500.14(B)(8), or the Federal Hazardous Substances Act. These products are classified as NOT being toxic, corrosive, skin/eye irritants, or a strong sensitizer as defined in 16 CFR 1500.3(b)(5), and 1500.3(b)(7) – (9) of the Federal Hazardous Substances Act. These product(s) do not require labeling under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). These products do not contain hazardous substances when evaluated under ASTM F963.8.2 of the Standard Consumer Safety Specification for Toy Safety. This evaluation is in accord with the 1984 CPSC Policy Statement on Animal Testing. Conducted by a board certified toxicologist as defined by 16 CFR 14(B)(8). A completed a review of this product(s) under Canada's Hazardous Products Act, including CCCR-2001, Hazardous Products (Toys) Regulations and Surface Coating Materials Regulations. No restrictions, labeling or special packaging are required. Specifically, this product is not considered a toxic hazard, sensitizer, irritant or corrosive substance as described in CHPA c.r.c., c.931 sections 10 and 11 and no materials described in section 14 are used in this product and does not contain a toxic substance, corrosive substance, irritant or sensitizer as defined in CHPA-2001 R.S. c. H-3 schedule I part II, item 13 (p) & (q).

**CARCINOGENIC EFFECTS:**

Mutagenic effects: Not available.  
 Teratogenic effects: Not available.  
 Cancer Lists ---NTP Carcinogen---

Ingredient	Known	Anticipated	IARC Category
All Ingredients	No	No	None

### SECTION 12 -- ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**ENVIRONMENTAL FATE:** No Data Available

Oxygen Demand Data: No data available

**ENVIRONMENTAL TOXICITY:**

Acute Aquatic Effects Data: No data available

### SECTION 13 -- DISPOSAL CONSIDERATIONS

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.



# Van Aken International

## SAFETY DATA SHEET

Material: PLASTALINA/CLAYTOON, 10000/18000

Version: 1

### SECTION 14 -- TRANSPORT INFORMATION

US DOT, IATA, IMO, ADR:

**U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:** This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

**PROPER SHIPPING NAME:** NON-REGULATED MATERIAL

**HAZARD CLASS NUMBER and DESCRIPTION:** NA

**UN IDENTIFICATION NUMBER:** NA

**PACKING GROUP:** NA

**DOT LABEL(S) REQUIRED:** None

**NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER:** NA

**RQ QUANTITY:** NA

**MARINE POLLUTANT:** The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

**INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA):** This product is not considered as dangerous goods.

**INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO):** This product is not considered as dangerous goods.

**EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):** This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

### SECTION 15 -- REGULATORY INFORMATION

**UNITED STATES REGULATIONS:**

**U.S. SARA REPORTING REQUIREMENTS:** The components of this product are Not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**U.S. TSCA INVENTORY STATUS:** The components of this product are listed on the TSCA Inventory or are exempted from listing.

**OTHER U.S. FEDERAL REGULATIONS:** None

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):**

Ingredients within this product are not on the Proposition 65 Lists.

**CANADIAN REGULATIONS:**

**CANADIAN DSL/NDL INVENTORY STATUS:** The components of this product are on the DSL Inventory, or are exempted from listing.

**OTHER CANADIAN REGULATIONS:** Not applicable.

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:**

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** Not Controlled

**EUROPEAN ECONOMIC COMMUNITY INFORMATION:**

**EU LABELING AND CLASSIFICATION:** This product meets the definition of the following hazard class as defined by the European Economic Community Guidelines.

**EU CLASSIFICATION:**

**EU RISK PHRASES:** None known

**EU SAFETY PHRASES:** None known

**AUSTRALIAN INFORMATION FOR PRODUCT:** The components of this product are listed on the International Chemical Inventory list.

**JAPANESE INFORMATION FOR PRODUCT:**

**JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:** The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.



# Van Aken International SAFETY DATA SHEET

Material: PLASTALINA/CLAYTOON, 10000/18000

Version: 1

**JAPANESE ENCS INVENTORY:** The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

**POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW:** No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

**INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

Swiss Giftliste List of Toxic Substances: Listed

U.S. TSCA: Listed

## SECTION 16 -- OTHER

Recommended uses and restrictions

Please consult the product label for specific product information

Further Information

Website: [www.vanaken.com](http://www.vanaken.com)

Source used

Duke Toxicology, Supplier Information.

Prepared by

Connor Bizon

Signature

### Disclaimer

This material safety data sheet is offered for your information only. We believe the statements, technical information and recommendations contained herein are reliable, but are given without warranty or guarantee of any kind, expressed or implied. VAN AKEN INTERNATIONAL assumes no responsibility for any loss, damage or expense, direct or consequential, arising from the use of our material. It is the responsibility of the user to determine the suitability and completeness of such information for the required use or application. We do not assume any legal responsibility for nor do we give permission, inducement or recommendation to practice any patented invention without a license. Further, it is the user's obligation to utilize this material in full compliance with all health, safety and environmental regulations.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	ETHYL ALCOHOL, DENATURED, 95%
----------------	-------------------------------

<b>Synonyms</b>	Ethanol, Denatured, 95%
-----------------	-------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS06 / GHS07 / GHS08**Target organs:** Eyes, Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)  
Acute toxicity, oral (Category 3)  
Acute toxicity, dermal (Category 3)  
Acute toxicity, inhalation (Category 3)  
Eye irritation (Category 2B)  
STOT-SE (Category 2)  
STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.  
H301: Toxic if swallowed.  
H311: Toxic in contact with skin.  
H319: Causes serious eye irritation.  
H331: Toxic if inhaled.  
H336: May cause drowsiness or dizziness.  
H371: May cause damage to organs.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233+P235: Keep container tightly closed. Keep cool.  
P240: Ground/bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting equipment.  
P242: Use only non-sparking tools.  
P243: Take precautionary measures against static discharge.  
P260: Do not breathe mist/vapours/spray.  
P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P308+P311: IF exposed or concerned: Call a POISON CENTER or doctor.  
P337+P313: If eye irritation persists: Get medical attention.  
P361+P364: Take off immediately all contaminated clothing and wash it before reuse.  
P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.  
P403+P405: Store in a well-ventilated place. Store locked up.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	80.75 - 81.51%	200-578-6
Isopropyl alcohol	67-63-0	8.55%	200-661-7
Water	7732-18-5	5.00%	231-791-2
Methanol	67-56-1	3.80 - 4.08%	200-659-6
Methyl isobutyl ketone	108-10-1	0.85 - 0.95%	203-550-1

## Section 4 First Aid Measures

**INGESTION:** TOXIC IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** TOXIC IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** TOXIC IN CONTACT WITH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3)	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless liquid. <b>Odor:</b> Mild characteristic odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> -114°C (-173°F)* <b>Boiling point:</b> 74-80°C (165.2-176°F)* <b>Flash point:</b> 5°C (41°F)*	<b>Evaporation rate ( Butyl acetate = 1):</b> Ca 2* <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> 4.0%(V) / 20.0%(V)* <b>Vapor pressure (mm Hg):</b> Ca 50 @ 20°C* <b>Vapor density (Air = 1):</b> Ca 1.5* <b>Relative density (Specific gravity):</b> 0.7919-0.7955°C @ 60/60°F* <b>Solubility(ies):</b> Soluble in water.	<b>Partition coefficient:</b> (n-octanol / water): Low Pow: -.32* <b>Auto-ignition temperature:</b> 400°C (752°F)* <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> Mixture <b>Molecular weight:</b> Mixture *[ Ethanol]
---	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizers, inorganic acids and halogens.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: ⚠️ **WARNING!** : This product can expose you to chemicals including Methanol and Methyl isobutyl ketone, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information: RTECS #:** KQ6300000 [Ethanol]

## Section 12 Ecological Information

**Toxicity to fish:** Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

**Toxicity to algae:** Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1170 **Shipping name:** Ethanol

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** 5,000 lbs (2270 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2016 ERG Guide #** 127

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ethanol	Listed	Not listed	D001	Listed	Not listed	⚠️ <b>WARNING</b> -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed	
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.