Section 1

Synonyms

# SAFETY DATA SHEET

# FLAMMABLE STORAGE CODE RED

Page E1 of E2

**Chemical Product and Company Identification** 

# HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

# **CHEMTREC 24 Hour Emergency USA**

## Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only. Not for drug, food or household use.

ETHYL ACETATE Product

### Ethyl Acetic Ester Section 2 **Hazards Identification**

# Signal word: DANGER

Pictograms: GHS02 / GHS07 Target organs: Central nervous system, Liver, Kidneys.



GHS Classification: Flammable liquid (Category 2) Eye irritation (Category 2B) STOT-SE (Category 3)

### GHS Label information: Hazard statement:

- H225: Highly flammable liquid and vapour.
- H319: Causes serious eye irritation.
- H336: May cause drowsiness or dizziness.

Precautionary statement: P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P241: Use explosion-proof electrical/ventilating/lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312: Call a POISON CENTER or doctor if you feel unwell. P337+P313: If eye irritation persists: Get medical attention. P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P235: Keep cool. P405: Store locked up P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

### Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Repeated exposure may cause skin dryness or cracking

| Physical hazards r | not otherwise classified (PHNOC) - No    | t Known  |     |           |  |  |
|--------------------|--|----------|-----|-----------|--|--|
| Section 3          | Composition / Information on Ingredients |          |     |           |  |  |
| Chemical Name      |  | CAS #    | %   | EINECS    |  |  |
| Ethyl acetate      |  | 141-78-6 | 99% | 205-500-4 |  |  |
| Section 4          | First Aid Measures                       |          |     |           |  |  |

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION AND/OR DRYNESS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

### Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly.

### Accidental Release Measures Section 6

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

| Section 8        | Exposure Controls / Personal Protection |                                       |                                       |                                       |  |  |  |
|------------------|---|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|
| Exposure Limits: | Chemical Name                           | ACGIH (TLV)                           | OSHA (PEL)                            | NIOSH (REL)                           |  |  |  |
|                  | Ethyl acetate                           | TWA: 400 ppm / 1440 mg/m <sup>3</sup> | TWA: 400 ppm / 1440 mg/m <sup>3</sup> | TWA: 400 ppm / 1440 mg/m <sup>3</sup> |  |  |  |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

| Section 9 Physical & Chemical Pro  | perties  |  |  |  |  |  |
|--|--|--|--|--|--|--|
| Appearance: Clear, colorless liquid.<br>Odor: Fruity odor.<br>Odor threshold: Data not available.<br>pH: 7.0<br>Melting / Freezing point: -83.6°C (-118°F)<br>Boiling point: 77°C (170°F)<br>Flash point: -4.4°C (24.1°F) CC | Evaporation rate (=1): Data not available<br>Flammability (solid/gas): Data not available.<br>Explosion limits: Lower / Upper: 2.2% / 11.5%<br>Vapor pressure (mm Hg): 76 @ 20°C<br>Vapor density (Air = 1): 3.04<br>Relative density (Specific gravity): 0.902 g/cm <sup>3</sup><br>Solubility(ies): Slightly in water. | Partition coefficient: Data not available<br>Auto-ignition temperature: 427°C (800°F)<br>Decomposition temperature: Data not available.<br>Viscosity: 0.48 cSt<br>Molecular formula: CH <sub>3</sub> COOC <sub>2</sub> H <sub>5</sub><br>Molecular weight: 88.11 |  |  |  |  |
|  |  |  |  |  |  |  |

### Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, inorganic acids and halogens.

Hazardous decomposition products: Oxides of carbon.

#### Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 5620 mg/kg ; Inhalation-rat LC50: 200 g/m<sup>3</sup> ; Dermal-rabbit LD50: >20 ml/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause respiratory tract irritation.

Ingestion: Ingestion causes may cause nausea, central nervous system depression, weakness, drowsiness, loss of consciousness,

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause irritation, redness, corneal injury.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: AH5425000

# 

| Section 12   | Ecological Information      |            |             |           |     |      |            |   |
|--|-----------------------------|------------|-------------|-----------|-----|------|------------|---|
| Toxicity to fish: Pimephales promelas (fish, fresh water), LC50 = 230 mg/L/96 hours   Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 717 mg/L/48 hours   Toxicity to algae: Scenedesmus subspicatus (Algae), EC50 = 3300 mg/L/48 hours   Persistence and degradability: No data available   Bioaccumulative potential: No data available   PBT and vPvB assessment: No data available   Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. |                             |            |             |           |     |      |            |   |
| Section 13   | Disposal Considerations     |            |             |           |     |      |            |   |
| These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.   |                             |            |             |           |     |      |            |   |
| Section 14   | Transport Information (US D | OT / CANAD | A TDG)      |           |     |      |            |   |
| UN/NA number: UN1173 Shipping name: Ethyl acetate   Hazard class: 3 Packing group: II Reportable Quantity: 5,000 lbs (2270 kg) Marine pollutant: No   Exceptions: Limited quantity equal to or less than 1 L 2016 ERG Guide # 129 129  |                             |            |             |           |     |      |            |   |
| Section 15   | Regulatory Information      |            |             |           |     |      |            |   |
| A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.   |                             |            |             |           |     |      |            |   |
| Compon   | ent                         | TSCA       | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 | _ |
|  |                             |            |             |           |     |      |            |   |

#### Not listed Listed U112 Listed Not listed This product does not contain Ethyl acetate any chemicals known to the State of California to cause cancer or reproductive toxicity. Section 16 **Other Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook Form 06/2015