

Section 1 Chemical Product and Company Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory use only.
 Not for drug, food or household use.

Product	BORIC ACID , 10% IN METHANOL
Synonyms	None

Section 2 Hazards Identification

Signal word: DANGER**Pictograms:** GHS02 / GHS06 / GHS08**Target organs:** Central nervous system, Liver, Kidneys, Heart, Circulatory system**GHS Classification:**

Flammable liquid (Category 2)

Acute toxicity, oral (Category 3)

Acute toxicity, dermal (Category 3)

Acute toxicity, inhalation (Category 3)

STOT-SE (Category 1)

Reproductive toxicity (Category 1B)

GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H360: May damage fertility or the unborn child.

H370: Causes damage to organs.

Precautionary statement:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330 +P310: IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P312: IF exposed or concerned: Call a POISON CENTER or doctor if you feel unwell.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P233+P235: Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Methanol	67-56-1	90%	200-659-6
Boric acid	10043-35-3	10%	233-139-2

Section 4 First Aid Measures

INGESTION: MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: VAPOR HARMFUL. HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Fires involving a small amount of combustibles may be smothered by dry chemical. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Closed containers exposed to heat may explode. Burns with a clear, almost invisible flame. Contact with strong oxidizers may cause fire.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Methanol	TWA: 262 mg/m ³ / STEL: 328 mg/m ³	TWA: 260 mg/m ³	TWA: 260 mg/m ³ / STEL: 325 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.	Evaporation rate (Butyl acetate = 1): Data not available	Partition coefficient: (n-octanol / water): Data not available
Odor: Pungent odor.	Flammability (solid/gas): Data not available	Auto-ignition temperature: Data not available
Odor threshold: Data not available.	Explosion limits: Lower / Upper: Data not available	Decomposition temperature: Data not available.
pH: Data not available.	Vapor pressure (mm Hg): Data not available	Viscosity: Data not available.
Melting / Freezing point: Data not available	Vapor density (Air = 1): Data not available	Molecular formula: Mixture
Boiling point: Data not available	Relative density (Specific gravity): Data not available	Molecular weight: Mixture
Flash point: Data not available	Solubility(ies): Data not available	

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizing agents, strong acids, zinc, aluminum and magnesium, reducers, alkalies, acetic anhydride, potassium and heat sources.

Hazardous decomposition products: Oxides of carbon and formaldehyde.

Section 11 Toxicological Information

Acute toxicity: Inhalation-rat LC50: 64,000 mg/kg/4hours ; Skin-rabbit LD50: 15,800 mg/kg (Methanol) Oral-rat LD50: 2,500 mg/kg (Boric Acid)

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 1 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of this material may cause irritation of the respiratory tract, nausea, shortness of breath and headache.

Ingestion: Ingestion may cause headache, dizziness, weakness, euphoria, drowsiness, shortness of breath, vomiting and incoordination. Can also cause blindness and death. Cannot be made nonpoisonous.

Skin: Contact with skin can cause moderate irritation, defatting, cracking and dermatitis. Skin absorption may contribute to overall exposure.

Eyes: Contact with eyes can cause severe irritation, even corneal burns. High concentrations of vapors may cause irritation.

Signs and symptoms of exposure: Animal feeding studies in rat, mouse and dog, at high doses, have demonstrated effects on fertility and testes. Studies with the chemically related boric acid in the rat, mouse and rabbit, at high doses, demonstrate developmental effects on the fetus, including fetal weight loss and minor skeletal variations. The doses administered were many times in excess of those to which humans would normally be exposed. Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid dust and sodium borate dust. A recent epidemiological study under the conditions of normal occupational exposure to borate dusts indicated no effect on fertility. (Boric Acid)

Additional information: RTECS #: PC1400000 [Methanol], ED4550000 [Boric Acid]

Section 12 Ecological Information

Toxicity to fish: Lepomis macrochirus (fish, fresh water), LC50 = 15,400 mg/l/96 hours (Methanol), Carassius auratus (goldfish) LC50: 0.63 g/L/3 day (Boric Acid)

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Water flea) LC50: 1085-1402 mg/L/48 hours (Boric Acid)

Toxicity to algae: Scenedesmus subspicatus (algae) EC50: 158 mg/L/96 hours (Boric Acid)

Persistence and degradability: Readily biodegradable

Bioaccumulative potential: Not expected to bioaccumulate

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1230

Shipping name: Methanol, (solution)

Hazard class: Domestic: 3 International: 3, (6.1)

Packing group: II

Reportable Quantity: Yes

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L

2016 ERG Guide # 131

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Methanol	Listed	5,000 lbs. (2270 kg)	U154	Listed	Not listed
Boric acid	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Chemical Product and Company Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory use only.
 Not for drug, food or household use.

Product	SAND, (FINE)
Synonyms	Silicon Dioxide / Quartz / Crystalline Silica

Section 2 Hazards Identification

Signal word: WARNING
Pictograms: GHS08
Target organs: Lungs



GHS Classification:
 *STOT-RE (Category 2)

GHS Label information: Hazard statement:
 *H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* Respirable dust particles containing silicon dioxide may be generated by crushing. There are no known hazards associated with this material when used as recommended.

Precautionary statement:
 P260: Do not breathe dust.
 P314: Get medical advice/attention if you feel unwell.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause cancer (Silica, crystalline (airborne particles of respirable size)).

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sand	14808-60-7	>99%	238-878-4

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: RESPIRABLE CRYSTALLINE SILICA MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE CORNEAL ABRASIONS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Sand will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

Specific Hazards: None known.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

