SAFETY DATA SHEET

Page E1 of E2

Section 1 Chemical Product and Company Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300

1 703-741-5500 (from anywhere in the world). For laboratory and industrial use only. Not for drug, food or household use.

Product IODINE-POTASSIUM IODIDE SOLUTION

Synonyms Iodine-Iodide / Iodine Solution / Iodine / Iodine Lugol's Dilute / Gram's Iodine Solution / Dilute Lugol's Solution

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07 / GHS09 Target organs: Thyroid, kidneys, endocrine system, skin, eyes, reproductive system. central nervous system.



GHS Classification:

Acute toxicity, dermal (Category 4) Acute toxicity, inhalation (Category 4) Aquatic toxicity, acute (Category 1)

GHS Label information: Hazard statement(s):

H312: Harmful in contact with skin. H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

Precautionary statement(s):

P261: Avoid breathing mist/vapours/spray.
P271: Use only outdoors or in a well-ventilated area.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of water and soap.
P312: Call a POISON CENTER or doctor if you feel unwell.
P362+P364: Take off contaminated clothing and wash it before reuse.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312: Call a POISON CENTER or doctor if you feel unwell.
P312: Call a POISON CENTER or doctor if you feel unwell.
P391: Collect spillage.
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

| Section 3 | Composition / Information on Ingredients | | | | | |
|-------------------------------------|--|-------------------------------------|--------------------------|-------------------------------------|--|--|
| Chemical Name | | CAS # | % | EINECS | | |
| Water Potassium iodide Iodine | | 7732-18-5 7681-11-0 7553-56-2 | 95.10% 3.05% 1.85% | 231-791-2 231-659-4 231-442-4 | | |
| Section 4 | First Aid Measures | | | | | |

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Harmful if inhaled.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention. Harmful in contact with skin.

Section 5 Fire Fighting Measures

Extinguishing Media: Use any media suitable for extinguishing supporting fire.

General information: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, mist or spray. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, well-ventilated area away from incompatible substances. Section 8 **Exposure Controls / Personal Protection** Chemical Name ACGIH (TLV) OSHA (PEL) NIOSH (REL) Exposure Limits: TWA: 0.01 ppm^(IFV)/ STEL: 0.1 ppm^(V) Iodine CAS # 7553-56-2 STEL: C 0.1 ppm/C 1 mg/m³ STEL: C 0.1 ppm/C 1 mg/m³ Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low. Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator. **Physical & Chemical Properties** Section 9 Appearance: Deep amber liquid. Evaporation rate (Water = 1): < 1 Partition coefficient: (n-octanol / water): Not applicable Odor: Characteristic odor Flammability (solid/gas): Not applicable. Auto-ignition temperature: Not applicable Odor threshold: Not applicable. Explosion limits: Lower / Upper: Not applicable Decomposition temperature: Data not available. pH: Data not available. Vapor pressure (mm Hg): 14 [water] Viscosity: Data not available. Melting / Freezing point: ~ 0°C (~ 32°F) [water] Vapor density (Air = 1): 0.7 [water] Molecular formula: Mixture Boiling point: ~ 100°C (212°F) [water] Relative density (Specific gravity): 1.0 [water] Molecular weight: Mixture Flash point: Not flammable. Solubility(ies): Complete in water. Section 10 Stability & Reactivity Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Stable under recommended storage conditions. Excessive temperatures which cause evaporation. Incompatibilities with other materials: Metals or unsaturated organic compounds, ammonia solutions or alkaline solutions of ammonia salts. Will form explosive nitrogen iodides when reacted with gaseous ammonia. Hazardous decomposition products: Toxic iodide fumes Section 11 **Toxicological Information** Acute toxicity: Oral-Rat LD50: 14,000 mg/kg [lodine CAS # 7553-56-2] Skin corrosion/irritation: Data not available Serious eve damage/irritation: Data not available Respiratory or skin sensitization: Inhalation-rat 3.1 mg/m3 / 24 hour / 13 weeks - continuous [lodine CAS # 7553-56-2] Germ cell mutagenicity: Data not available Carcinogenity: Data not available IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available Potential health effects: Inhalation: Symptoms include cough, wheezing, and labored breathing. Symptoms may be delayed. Ingestion: Causes abdominal pain, diarrhea, nausea, and vomiting. Ingestion of levels of 2-3 grams of iodine may cause death. Skin: Contact may cause redness and pain. Eyes: Contact causes watering of the eyes, redness and pain. Signs and symptoms of exposure: Effects of short-term exposure: Lachrymator. The substance is severely irritating to the eyes and the respiratory tract, and is irritating to the skin. Inhalation of the vapor may cause asthma-like reactions. Inhalation of the vapor may cause lung edema. The effects may be delayed. Effects of long-term exposure: Repeated or prolonged contact may cause skin sensitization in rate cases. Repeated or prolonged inhalation exposure may cause asthma-like syndrome. The substance may have effects on the thyroid. Specific data not available for this mixture. Exercise appropriate procedures to minimize potential hazards.. Additional information: RTECS #: NN1575000 [lodine CAS # 7553-56-2] Section 12 **Ecological Information** Toxicity to fish: Very toxic to aquatic life. Toxicity to daphnia and other aquatic invertebrates: No data available Toxicity to algae: No data available Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. **Disposal Considerations** Section 13 These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency. Transport Information (US DOT / CANADA TDG) Section 14 UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No Exceptions: Not applicable 2016 ERG Guide # Not applicable **Regulatory Information** Section 15 A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list. CERLCA (RQ) RCRA code DSL NDSL Component TSCA CA Prop 65 This product does not contain lodine Listed Not listed Not listed Listed Not listed any chemicals known to the State Potassium iodide Listed Not listed Not listed Listed Not listed of California to cause cancer or reproductive toxicity. Section 16 **Other Information** The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure,

ERG: Emergency Response Guidebook

SAFETY DATA SHEET

Section 1 Chemical Product and Company Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Page E1 of E2

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world). For laboratory and industrial use only. Not for drug, food or household use.

Product METHYLENE BLUE CHLORIDE, 1% AQUEOUS SOLUTION

Synonyms Methylene Blue Chloride, Water Solution Section 2 Hazards Identification

Signal word: WARNING Pictograms: No symbol required Target organs: None known

GHS Classification:

Acute toxicity, oral (Category 5)

GHS Label information:

Hazard statement(s): H303: May be harmful if swallowed. Precautionary statement(s): P312: Call a POISON CENTER or doctor if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

| Section 3 Composition / Informa | tion on Ingredients | | | |
|--|----------------------------------|-----------------------|-------------------------------------|--|
| Chemical Name | CAS # | % | EINECS | |
| Water Methylene blue chloride Sodium benzoate, as preservative | 7732-18-5 61-73-4 532-32-1 | 98.8% 1.0% 0.2% | 231-791-2 200-515-2 208-534-8 | |
| Section 4 First Aid Measures | · | 1 | | |

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

| Section 8 | Exposure Controls / Personal Protection | | | |
|------------------|---|-------------------|-------------------|-------------------|
| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
| Exposure Limits. | Methylene blue chloride | None established. | None established. | None established. |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

| Section 9 Physical & Chemical Prop | perties | |
|---|---|---|
| Appearance: Dark blue liquid. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: ~0°C (32°F) (water) Boiling point: ~100°C (212°F) (water) Flash point: Data not available. | Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available. Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.1 Solubility(ies): Complete in water. | Partition coefficient: Data not available. Auto-ignition temperature: Data not available. Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture |
| Section 10 Stability & Reactivity | | |

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation. Stable under recommended storage conditions.

Incompatibilities with other materials: Strong oxidizing materials and reducers.

Hazardous decomposition products: Suflur oxides, nitrogen oxides, hydrogen chloride gas.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 1180 mg/kg [Methylene blue chloride] / Oral-rat LD50: 2100 mg/kg [Sodium benzoate]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available Carcinogenity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause respiratory irritation. Ingestion: May be harmful if swallowed.

Skin: Contact with skin may cause irritation.

Eyes: Contact with eyes may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: SP5740000 [Methylene blue chloride] / DH6650000 [Sodium benzoate]

Section 12 Ecological Information

Toxicity to fish: No data available

Mobility in soil: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.
Section 14
Transport Information (US DOT / CANADA TDG)

| UN/NA number: Not applicable Hazard class: Not applicable Exceptions: Not applicable | Packing group: No | bing name: Not Regulated ing group: Not applicable ERG Guide # Not applicable | | Reportable Quantity: No | | Marine pollutant: No | |
|--|------------------------------|---|--------------------------|-------------------------|--------------------------|---|--|
| Section 15 Regulatory Inform | ation | | | | | | |
| A chemical is considered to be listed if the CAS nu | mber for the anhydrous form | is on the Inventory list. | | | | | |
| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 | |
| Methylene blue chloride Sodium benzoate | Listed Listed | Not listed Not listed | Not listed Not listed | Listed Listed | Not listed Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. | |
| Section 16 Other Information | | | | | | · | |
| The information contained barain is furnished with | autocompany of any kind. End | nlovora chauld use this i | nformation only as a su | upploment to othe | winformation wath | a wald have the area and mariat maales in dama. | |

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 09/26/2016 Revision date: 01/31/2018 Version: 1.0

| SECTION 1: Identification of the | substance/mixture and of the co | mpany/undertaking | |
|--|---|--|---|
| 1.1. Product identifier | | mpany/undertaking | |
| Product name | : Sakrete Sands & Gravel | | |
| Product code | : Not available | | |
| | | | |
| | substance or mixture and uses advised | against | |
| Recommended use | : Various | | |
| 1.3. Details of the supplier of the sa | fety data sheet | | |
| Sakrete of North America 625 Griffith Rd., Ste 100 Charlotte, NC 28217 T 866-725-7383 | | | |
| 1.4. Emergency telephone number | | | |
| Emergency number | : For Hazardous Materials [or Dang Spill, Leak, Fire, Exposure, or Acc Call CHEMTREC Day or Night 1-800-424-9300 [USA] / +1 703-52 | ident | |
| SECTION 2: Hazards identification | | | |
| 2.1. Classification of the substance | or mixture | | |
| GHS-US classification | | | |
| Carc. 1A | | | |
| STOT RE 1 | | | |
| 2.2. Label elements | | | |
| GHS-US labeling | | | |
| Hazard pictograms (GHS-US) | GHS08 | | |
| Signal word (GHS-US) | : Danger | | |
| Hazard statements (GHS-US) | | ge to organs through prolonged or rep | • |
| Precautionary statements (GHS-US) | read and understood. Wear protec Do not breathe dust/fume/gas/mis eat, drink or smoke when using th | use. Do not handle until all safety prec ctive gloves/protective clothing/eye pro t/vapors/spray. Wash hands thoroughl is product. If exposed or concerned: G Dispose of contents/container in acco al regulations. | tection/face protection. y after handling. Do not iet medical |
| 2.3. Other hazards | | | |
| No additional information available. | | | |
| 2.4. Unknown acute toxicity (GHS U | S) | | |
| Not applicable. | | | |
| SECTION 3: Composition/Inform | ation on ingredients | | |
| 3.1. Substances | | | |
| Not applicable. | | | |
| | | | |
| 3.2. Mixtures | | | |
| Name | | Product identifier | % |
| Quartz | | (CAS No) 14808-60-7 | 60 - 100 |



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| SECTION 4: First aid measures | |
|--|---|
| 4.1. Description of first aid measures | |
| First-aid measures after inhalation | : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. |
| First-aid measures after skin contact | : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. |
| First-aid measures after eye contact | : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention. |
| First-aid measures after ingestion | : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell. |
| 4.2. Most important symptoms and ef | fects, both acute and delayed |
| Symptoms/injuries after inhalation | : May cause respiratory tract irritation. |
| Symptoms/injuries after skin contact | : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. |
| Symptoms/injuries after eye contact | : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. |
| Symptoms/injuries after ingestion | : May be harmful if swallowed. May cause stomach distress, nausea or vomiting. |
| 4.3. Indication of any immediate medi | ical attention and special treatment needed |
| Symptoms may not appear immediately. In case | e of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible). |
| SECTION 5: Firefighting measures | |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Treat for surrounding material. |
| Unsuitable extinguishing media | : None known. |
| | |
| 5.2. Special hazards arising from the | |
| Fire hazard | : Products of combustion may include, and are not limited to: oxides of carbon. |
| 5.3. Advice for firefighters | |
| Protection during firefighting | : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). |
| SECTION 6: Accidental release me | easures |
| 6.1. Personal precautions, protective | equipment and emergency procedures |
| General measures | : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. |
| 6.2. Methods and material for contain | ment and cleaning up |
| For containment | : Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). |
| Methods for cleaning up | : Vacuum or sweep material and place in a disposal container. |
| 6.3. Reference to other sections | |
| | ctive clothing and equipment and section 13 for advice on waste disposal. |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Precautions for safe handling | : Avoid contact with skin and eyes. Do not breathe dust. Do not swallow. Handle and open |
| | container with care. Avoid dust formation. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. When using do not eat, drink or smoke. |
| Hygiene measures | : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. |
| 7.2. Conditions for safe storage, inclu | uding any incompatibilities |
| Storage conditions | Keep out of the reach of children. Keep container tightly closed. Avoid any dust build-up by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers. |
| 7.3. Specific end use(s) | |
| Not available. | |
| | |

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| - | · · · | | |
|---|---|---|--|
| SECTION 8: Exposure of | controls/personal protection | | |
| 8.1. Control parameters | | | |
| Quartz (14808-60-7) | | | |
| ACGIH | ACGIH TWA (mg/m³) | 0.025 mg/m ³ (respirable fraction) | |
| OSHA | OSHA PEL (mg/m³) | (30)/(%SiO2 + 2) mg/m3 TWA (total dust) (250)/(%SiO2 + 5) mppcf TWA (respirable fraction) (10)/(%SiO2 + 2) mg/m3 TWA (respirable fraction) | |
| 8.2. Exposure controls | | | |
| Appropriate engineering control | Is : Use ventilation adequate to keep recommended exposure limits. | exposures (airborne levels of dust, fume, vapor, etc.) below | |
| Hand protection | : Wear suitable waterproof gloves. | | |
| Eye protection | | Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield). | |
| Skin and body protection | : Wear suitable waterproof protect | ive clothing. | |
| Respiratory protection | or when permissible exposure lin used under the direction of a train | filtering facepiece is recommended in poorly ventilated areas hits may be exceeded. Respirators should be selected by and hed health and safety professional following requirements lard (29 CFR 1910.134) and ANSI's standard for respiratory | |
| Environmental exposure contro | Is : Maintain levels below Community | y environmental protection thresholds. | |
| Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices | | | |

| | before eating or smoking. Handle according to established industrial hygiene and safety practices. |
|---|--|
| SECTION 9: Physical and chemical p | properties |
| 9.1. Information on basic physical and c | |
| Physical state | : Solid |
| Appearance | : Granular powder |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Not flammable |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| 9.2. Other information | |
| No additional information available. | |

additional information available.



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| according to the Hazard Communication Standard (CFR2 | 9 1910.1200) HazCom 2012. |
|--|--|
| SECTION 10: Stability and reactivity | |
| 10.1. Reactivity | |
| No dangerous reaction known under conditions of | of normal use. |
| 10.2. Chemical stability | |
| Stable under normal storage conditions. Keep dr | y in storage. |
| 10.3. Possibility of hazardous reactions | · • |
| No dangerous reaction known under conditions of | of normal use. |
| 10.4. Conditions to avoid | |
| Heat. Incompatible materials. | |
| | |
| 10.5. Incompatible materials | le with asid ammanium aste and aluminum matal |
| | le with acid, ammonium salts and aluminum metal. |
| 10.6. Hazardous decomposition products | |
| May include, and are not limited to: oxides of car | 00N. |
| SECTION 11: Toxicological informat | ion |
| 11.1. Information on toxicological effects | |
| Acute toxicity | : Not classified |
| Sakrete Sands & Gravel | |
| LD50 oral rat | No data available |
| LD50 dermal rat | No data available |
| LC50 inhalation rat | No data available |
| Skin corrosion/irritation | : Based on available data, the classification criteria are not met. |
| Serious eye damage/irritation | : Based on available data, the classification criteria are not met. |
| Respiratory or skin sensitization | : Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | : May cause cancer. |
| Quartz (14808-60-7) | |
| IARC group | 1 - Carcinogenic to humans |
| National Toxicology Program (NTP) Status | 2 - Known Human Carcinogens |
| Reproductive toxicity | : Based on available data, the classification criteria are not met. |
| STOT-single exposure | : Based on available data, the classification criteria are not met. |
| STOT-repeated exposure | : Causes damage to organs through prolonged or repeated exposure. Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure. |
| Aspiration hazard | : Based on available data, the classification criteria are not met. |
| Symptoms/injuries after inhalation | : May cause respiratory tract irritation. |
| Symptoms/injuries after skin contact | : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. |
| Symptoms/injuries after eye contact | : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. |
| Symptoms/injuries after ingestion | : May be harmful if swallowed. May cause stomach distress, nausea or vomiting. |
| SECTION 12: Ecological information | |
| 12.1. Toxicity | |
| Ecology - general | : No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful. |
| 12.2. Persistence and degradability | |
| Sakrete Sands & Gravel | |
| | |

| Sakrete Sands & Gravel | | |
|-------------------------------|------------------|-----|
| Persistence and degradability | Not established. | |
| 01/31/2018 | EN (English US) | 4/5 |



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| according to the mazard communication Standard (Cr | |
|---|--|
| 12.3. Bioaccumulative potential | |
| Sakrete Sands & Gravel | |
| Bioaccumulative potential | Not established. |
| 12.4. Mobility in soil | |
| No additional information available. | |
| 12.5. Other adverse effects | |
| Effect on global warming | : No known effects from this product. |
| SECTION 13: Disposal consideration | ons |
| 13.1. Waste treatment methods | |
| | . This material must be dispassed of in assertance with all least state, provincial, and federal |
| Waste disposal recommendations | : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible. |
| SECTION 14: Transport informatio | n |
| Department of Transportation (DOT) | |
| In accordance with DOT | |
| Not regulated for transport | |
| Additional information | |
| Other information | · No supplementary information sysilable |
| | No supplementary information available. Do not handle until all actety presentions have been read and understand |
| Special transport precautions | : Do not handle until all safety precautions have been read and understood. |
| SECTION 15: Regulatory information | on |
| 15.1. US Federal regulations | |
| All components of this product are listed, or e Control Act (TSCA) inventory | excluded from listing, on the United States Environmental Protection Agency Toxic Substances |
| 15.3. US State regulations | |
| Sakrete Sands & Gravel | |
| State or local regulations | This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. |
| SECTION 16: Other information | |
| Date of issue | : 09/26/2016 |
| Revision date | : 01/31/2018 |
| Other information | : None. |
| | . 1010. |

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.



SAFETY DATA SHEET

FORMALIN FIXED GRASSFROGS AND BULLFROGS IN PRESERVED HOLDING SOLUTION



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Recommended Use: Synonyms: Manufacturer/Supplier: General Information: Transportation Emergency Number:

Formalin Fixed Grassfrogs and Bullfrogs In Preserved Holding Solution Science education applications None Ranaco Corporation, 4345 E Irvington Road, Tucson, AZ 85714 800-528-7023 800-424-9300 Chemtrec – 24 hours assistance

SECTION 2: HAZARD IDENTIFICATION

DANGER



Targeted organs:

Eyes, Skin, Central Nervous System, Respiratory Tract

GHS Classification:

Acute Toxicity, oral (Category 4) Acute Toxicity, dermal (Category 4) Skin Irritation (Category 2) Eye irritation (Category 2A) Skin sensitization (Category 1) Acute toxicity, inhalation (Category 4) Carcinogenicity (Category 2)

Hazard Statements:

Maybe harmful if swallowed. Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. May cause cancer.

Precautionary Statements:

Obtain special instructions before use.

Wear protective gloves and eye protection.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing.

IF SWALLOWED: Immediately call a POISON CENTER or physician

IF exposed or concerned: Get medical advice/attention.

Store in a well- ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national regulations.

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS # | % | |
|----------------------------------|-----------|---------------------------------|--|
| Formaldehyde | 50-00-0 | All concentrations are withheld | |
| Methanol | 67-56-1 | due to Trade Secret | |
| Propylene Glycol | 57-55-6 | | |
| Ethylene Glycol Monophenyl Ether | 122-99-6 | | |
| Acetone | 67-64-1 | | |
| Glutaraldehyde | 111-30-8 | | |
| BHT Butylated Hydroxytoluene | 128-37-0 | | |
| Polysorbate 80 | 9005-65-6 | | |
| Water | 7732-18-5 | Balance | |

(STK) Formalin Fixed Grassfrogs/Bullfrogs In Preserved Holding Solution

SECTION 4: FIRST AID MEASURES

SKIN CONTACT: Wash affected area with soap and water. Seek medical attention if symptoms develop.

EYE CONTACT: Rinse cautiously for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Seek medical attention if irritation persists.

INHALATION: Remove to fresh air. Get medical treatment if symptoms persist.

INGESTION: Immediately call a POISON CENTER or physician. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

SIGNS AND SYMPTOMS OF EXPOSURE: Irritation of skin, eyes, respiratory tract. Repeated exposure may cause dermatitis or other allergic reactions.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use dry chemical, CO2, water spray (fog) or alcohol foam.

FIRE FIGHTING METHODS AND PROTECTION: Firefighters should wear self-contained breathing apparatus and wear full protective equipment.

FIRE AND/OR EXPLOSION HAZARDS: During a fire, smoke generated can be irritating or toxic.

HAZARDOUS COMBUSTION PRODUCTS: Products of combustion include but are not limited to carbon monoxide and carbon dioxide.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Avoid breathing vapors. Use gloves and eye protection to clean up spills.

EMERGENCY PROCEDURES: Ventilate area of spill. Eliminate all sources of ignition. Remove non-essential personnel. ENVIRONMENTAL PRECAUTIONS: No special hazards. Follow applicable federal, state, provincial and local regulations regarding releases.

METHODS FOR CONTAINMENT AND CLEAN-UP: Absorb with liquid binding material and place in a sealed container. Dispose of waste in accordance with federal, state, provincial and local regulations.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Do not eat, drink or smoke when using this product. Avoid breathing vapors. Avoid direct skin or eye contact with liquids. Do not ingest. Wash hands with soap and water after use or handling of product.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Store at room temperature in a dry well ventilated area.

Keep specimen container tightly closed when not in use.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

| Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|----------------------------------|--------------------------------------|-----------------------------------|-------------------------------------|
| Formaldehyde | C 0.3 ppm / C 0.37 mg/m ³ | TWA: 0.75 ppm / STEL: 2ppm | TWA: 0.016 ppm / STEL: 0.1 ppm |
| Methanol | TWA: 200 ppm / STEL: 250 ppm | TWA: 200 ppm / STEL: 260 ppm | TWA: 200 ppm / STEL: 250 ppm |
| Ethylene Glycol Monophenyl Ether | Not available | Not available | Not available |
| Glutaraldehyde | C 0.05 ppm / C 0.2 mg/m ³ | Not available | C 0.2 ppm / C 0.8 mg/m ³ |
| Acetone | TWA: 250 ppm / STEL: 500 ppm | TWA: 1000 ppm | TWA: 250 ppm |
| BHT Butylated Hydroxytoluene | 2 mg/m ³ Vapor | 5 mg/m ³ Nuisance Dust | TWA 10 mg/m ³ |
| Polysorbate 80 | None | None | None |
| | WEEL | | |
| Propylene Glycol | TWA 10 mg/m ³ Aerosol | Not available | Not available |

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility, a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles or face shield, apron and appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory Protection: None should be needed in normal handling and room temperatures. If use conditions generate fumes above the OSHA regulations, use of a NIOSH/MSHA approved respirator is required.

ACGIH: American Conference of Industrialist Hygienists, OSHA: U.S. Occupational Safety and Health Administration, NIOSH: U.S. National Institute for Occupational Safety and Health, PEL: Permissible Exposure Limit, TWA: Time Weighted Average, STEL: Short Term Exposure Limit, REL: Recommended Exposure Limit, WEEL: Workplace Environmental Exposure Limit

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

| Appearance: Specimen with/without clear colorless liquid | Vapor Pressure (mmHg): Data not available |
|--|---|
| Odor: Mild pungent or sweet odor | Vapor Density: Data not available |
| Odor Threshold: Data not available | Relative Density (Specific Gravity): >1 |
| pH: Data not available | Solubility(ies): Complete in water |
| Melting/Freezing Point: Data not available | Partition Coefficient: Data not available |
| Boiling Point: Data not available | Auto-ignition Temperature: Data not available |
| Flash Point: Data not available | Decomposition Temperature: Data not available |
| Evaporation Rate (Water = 1) : >1 | Viscosity: Data not available |
| Flammability (solid/gas): Data not available | Molecular Formula: Mixture |
| Explosion Limits: Lower/Upper: Data not available | Molecular Weight: Mixture |

SECTION 10: STABILITY & REACTIVITY

Reactivity: None under normal conditions.

Chemical Stability: Stable

Conditions to Avoid: Excessive temperatures which cause evaporation.

Incompatible Materials: Strong acids, phenol, strong oxidizers, strong bases, hydrochloric acid, ammonia, iodine, alkalies, tannin, iron products, gelatin, bisulfate Hazardous Polymerization: None under normal conditions.

Hazardous Decomposition Products: May include, but are not limited to Carbon oxides, gaseous formaldehyde, aldehydes, ketones, alcohols, ethers and organic acids

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity: Formalin Fixed Grassfrogs and Bullfrogs in Preserved Holding Solution have not been tested as a mixture. Information about individual components is supplied.

Formaldehyde - Oral-rat LD50: 100 mg/kg; Inhalation-rat LC50: 250 ppm/4 hours; Dermal-rat: 270 mg/kg Methanol - Oral-rat LD50: 5,600 mg/kg; Inhalation-rat LC50: 6,400 ppm/4 hours, 145,000 ppm/ 1 hour; Dermal-rat: 15,800 mg/kg Propylene Glycol – Ingestion-rat LD50: > 20,000 mg/kg, Skin absorption-rabbit LD50: > 20,000 mg/kg Ethylene Glycol Monophenyl Ether- Oral-rat LD50: 1,840 mg/kg; Dermal-rabbit: >2,214 mg/kg Glutaraldehyde - Oral-rat LD50:200mg/kg; Dermal-rabbit LD50: 1,749 mg/kg Acetone - Oral-rat LD50: 5,800 mg/kg; Inhalation-rat LC50: 50,100 mg/m³; Irritation eye-rabbit: standard draize, 20 mg BHT Butylated Hydroxytoluene - Oral-rat LD50: >2,930 mg/kg; Dermal-rat: >2,000 mg/kg Chronic Effects: Data not available. Skin Corrosion/Irritation: Causes skin irritation. May cause an allergic skin reaction. Serious Eye Damage/Irritation: Causes eye irritation or damage. **Respiratory or Skin Sensitization:** May cause sensitization by skin contact Germ Cell Mutagenicity: Data not available. Carcinogenicity: Data not available. Information about individual components is supplied. Formaldehyde - Classified as a carcinogen by the International Agency for Research on Cancer (IARC) and the National Toxicology Program (NTP) and OSHA. CA Prop 65: Formaldehyde is known to the State of California to cause cancer. Reproductive Toxicity: Data not available. Information about individual components is supplied. Methanol - CA Prop 65: This chemical is known to the State of California to cause birth defects or other reproductive harm. Specific Target Organ Toxicity – Single exposure: Data not available. Specific Target Organ Toxicity- Repeated exposure: Data not available. Aspiration Hazard: Data not available.

L.

Potential Health Effects:

Inhalation: May cause respiratory irritation.

Ingestion: May be harmful if swallowed.

Skin: May cause skin irritation. May cause an allergic skin reaction.

Eyes: May cause eye irritation or damage.

Signs and Symptoms of Exposure:

The chemical, physical and toxicological properties have not been thoroughly investigated for this product/mixture. Specific data is not available. Exercise appropriate procedures to minimize hazards.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish: No data available.

Toxicity to daphnia and other aquatic invertebrates: No data available.

Toxicity to algae: No data available.

Persistence and degradability: No data available.

Mobility in soil: No data available.

Bioaccumulative potential: No data available.

PBT and vPvB assessment: No data available.

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national regulations.

SECTION 14: TRANSPORTATION INFORMATION (US DOT / CANADA TDG)

| UN/NA Number: Not applicableShipping Name: Not regulatedHazard Class: Not applicablePacking Group: Not applicableExceptions: Not applicable2012 ERG Guide#: Not applicable | Reportable Quantity: No | Marine Pollutant: No |
|--|-------------------------|----------------------|
|--|-------------------------|----------------------|

SECTION 15: REGULATORY INFORMATION

Toxic Substances Control Act (TSCA): All components of this product are included on the TSCA inventory.

| Component | TSCA | CERLCA (RQ) | RCRA CODE | DSL | NDSL | WHMIS CLASSIFICATION |
|----------------------------------|--------|---------------------|-----------|--------|------------|----------------------|
| Formaldehyde | Listed | 100 lbs (45.4 kg) | U122 | Listed | Not Listed | D1A; D2A; D2B |
| Methanol | Listed | 5,000 lbs (2,270 kg | U154 | Listed | Not Listed | B2; D1B; D2A; D2B |
| Propylene Glycol | Listed | None | None | Listed | Not Listed | None |
| Ethylene Glycol Monophenyl Ether | Listed | None | None | Listed | Not Listed | B3 |
| Acetone | Listed | 5,000 lbs | U002 | Listed | Not Listed | B2, D2B |
| Glutaraldehyde | Listed | None | None | Listed | Not Listed | D1A, D2B, E |
| BHT Butylated Hydroxytoluene | Listed | None | None | Listed | Not Listed | None |
| Polysorbate 80 | Listed | None | None | Listed | Not Listed | None |

California Proposition 65 Information:

WARNING: This product can expose you to chemicals including formaldehyde, which is known to the State of California to cause cancer, and methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: OTHER INFORMATION

Date Prepared: July 23, 2018

2018

Supersedes: April 24, 2018

RANACO disclaims all expressed or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, **RANACO** makes no representations as to its accuracy or sufficiency. Conditions of use are beyond **RANACO**'s control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling and disposal of the product or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.