

SAFETY DATA SHEET

Section 1, Identification

<i>Product:</i>	Karlin Foods Corn Starch, KF ID# S34
<i>Manufacturer:</i>	Karlin Foods Corp 1845 Oak St. Suite 19 Northfield, IL 60093
<i>Emergency Phone Number:</i>	Karlin Foods: 847-441-8330 Chemtrec: 800-424-9300
<i>Recommended Use:</i>	Leavening agent, cleaner ingredient, bath salt ingredient, water softener, diaper rinse ingredient, direct food additive
<i>Restrictions on Use:</i>	None

Section 2, Hazard(s) Identification

<i>Classification:</i>	According with the version of the Globally Harmonized System of Classification and labeling adopted in the United States and Regulation 1272/2008/EC [CLP]: Not classified
<i>Required Label:</i>	The product contains no substances which at their given concentration, are considered to be hazardous to health
<i>Other Information:</i>	May form combustible dust concentrations in air. Possibility of dust explosion. it is recommended that all dust control equipment and material transport systems involved are engineered to prevent conditions contributing to dust explosions. Do not allow dust to accumulate on flat surfaces, on rafters or building structural components. Keep away from all ignition sources including heat, sparks and flame.

Section 3, Composition/Information on Ingredients

<i>CAS Number</i>	9005-25-8
<i>Chemical Name:</i>	Starch

Section 4, First Aid Measures

<i>Eye Contact:</i>	Remove particulates by irrigating with eye wash solution or clean water, holding eyelids apart
<i>Skin Contact:</i>	Wash skin with soap and water. Get medical attention if irritation develops and persists.
<i>Inhalation:</i>	Remove person to fresh air. If signs/symptoms continue, get medical attention.
<i>Ingestions:</i>	Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur
<i>Most important symptoms and effects, both acute and delayed:</i>	None known.
<i>Indication of immediate medical</i>	Treat symptomatically.

<i>attention and special treatment needed, if necessary</i>	
Section 5, Fire-Fighting Measures	
<i>Suitable Extinguishing Media:</i>	Water spray, dry powder, carbon dioxide or media appropriate for surrounding fire. Use of water jet may cause explosive dust conditions.
<i>Specific Hazards Arising from the Chemical:</i>	Possibility of dust explosion. It is recommended that all dust control equipment and material transport systems involved are engineered to prevent conditions contributing to dust explosions. Do not allow dust to accumulate on flat surfaces, on rafters or building structural components. Use of water jet may cause explosive dust conditions. SEE NFPA 61, Standard for the prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 or later Edition, and other related standards.
<i>Hazardous Combustion Products:</i>	Carbon dioxide and carbon monoxide
<i>Explosion data</i>	
<i>Sensitivity to Mechanical Impact:</i>	Not sensitive
<i>Sensitivity to Static Discharge:</i>	Not sensitive
<i>Protective equipment and precautions for firefighters</i>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Section 6, Accidental Release Measures	
<i>Personal Precautions:</i>	None under normal conditions. Avoid prolonged inhalation of dust.
<i>Other:</i>	For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
<i>Environmental Precautions:</i>	Prevent further leakage or spillage if safe to do so. No special environmental precautions required.
<i>Methods for Containment:</i>	Vacuum or shovel waste into a drum and label contents for disposal.
<i>Methods for cleaning up:</i>	Vacuum or sweep spills. Minimize dust generation. If washing down spilled area is necessary, use copious amounts of water and control runoff. Follow local, state and federal regulations for product disposal
Section 7, Handling and Storage	
<i>Handling:</i>	See NFPA 61, Standard for the Prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 Edition, and other related standards. Use with adequate ventilation. Minimize dust generation and accumulation; dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are disturbed. All dust control equipment and material transport systems involved are engineered to prevent conditions contributing to dust explosions and may require explosion relief vents or an

	explosion suppression system or an oxygen-deficient environment. Bonding and grounding systems may be required. Dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) should be designed to limit or prevent leakage of dust into the work area. Do not allow dust to accumulate on flat surfaces, on rafters or building structural components. Routine housekeeping should be instituted to reduce dust accumulation. Use Avoid dispersal of dust in the air; use vacuum or wet sweeping methods. Do not use compressed air to clean surfaces. Keep away from all ignition sources including heat, sparks, and flame. Where dust accumulations occur use non-sparking tools.
<i>Storage:</i>	Store in a cool dry place. Store in a tightly closed container/bag. The packaging material should have reasonable moisture and air barriers and comply with food regulations.
<i>Incompatible Products:</i>	Except under controlled conditions: Acids
Sections 8, Exposure Controls/Personal Protection	
<i>Control Parameters:</i>	8.1 CONTROL PARAMETERS Exposure limits: Nuisance dust (also called particulate not otherwise regulated (PNOR)). OSHA PEL: 15 mg/ mg/m3 Total dust 5 mg/m3 Respirable dust ACGIH TLV: 10 mg/m3 Inhalable dust 5 mg/m3 Respirable dust 15 mg/m3 Total dust
<i>Appropriate Engineering Controls:</i>	Ventilation: See NFPA 61, Standard for the Prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 Edition, and National Fire Protection Association 650, Standard for Pneumatic Conveying Systems for Handling Combustible Materials, 1997 Edition and other related standards. Normal industrial hygiene measures should be sufficient for protection of employees from exposure to dusts. Local and mechanical exhaust is desirable when dumping bags.
<i>Individual protection measures, such as personal protective equipment.</i>	
<i>Eye/Face Protection:</i>	Safety glasses are recommended. Safety goggles are desirable when dumping bags.
<i>Skin and Body Protection:</i>	Wear suitable protective clothing. Protective shoes or boots.
<i>Hand Protection:</i>	Protective gloves.
<i>Respiratory Protection:</i>	In case of inadequate ventilation, wear respiratory protection.
<i>Hygiene Measures:</i>	Handle in accordance with good industrial hygiene and safety practice.
<i>General Information:</i>	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

Section 9, Physical and Chemical Properties	
<i>Appearance:</i>	Crystalline, Powder
<i>Physical State:</i>	Powder
<i>Color:</i>	White to off-white
<i>Odor:</i>	Starch-like odor
<i>pH:</i>	Data on specification
<i>Melting Point/freezing point:</i>	Not applicable
<i>Boiling Point/Range:</i>	No information available
<i>Flash point:</i>	Not applicable
<i>Evaporation Rate:</i>	No information available
<i>Flammability (solid, gas):</i>	No information available
<i>Flammability Limit in Air:</i>	No information available
<i>Vapor pressure:</i>	Negligible
<i>Vapor density:</i>	No information available
<i>Density:</i>	No information available
<i>Specific gravity:</i>	No Data
<i>Water solubility:</i>	Data on specification
<i>Solubility in other solvents:</i>	No information available
<i>Partition coefficient:</i>	Not applicable
<i>Autoignition temperature:</i>	No information available
<i>Decomposition temperature:</i>	No information available
<i>Viscosity, kinematic:</i>	No information available
<i>Viscosity, dynamic:</i>	No information available
<i>Explosive properties:</i>	No information available
<i>Oxidizing properties:</i>	Non-oxidizing
<i>Molecular weight:</i>	No data
<i>Bulk Density:</i>	No data
Section 10, Stability and Reactivity	
<i>Reactivity:</i>	Stable
<i>Chemical Stability:</i>	Stable under normal conditions. Polymerization will not occur.
<i>Possibility of Hazardous Reactions:</i>	Not applicable.
<i>Hazardous polymerization:</i>	Hazardous polymerization does not occur
<i>Conditions to avoid:</i>	Practices which produce dust or disperse finely divided dust in air. See NFPA 61. Standard for the Prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 Edition, and other related standards.
<i>Incompatible materials:</i>	Oxidizing agents, strong acids

<i>Hazardous Decomposition Products:</i>	Nothing unusual
Section 11, Toxicological Information	
<i>Inhalation:</i>	Exposure to high airborne concentrations may cause mild respiratory irritation due to drying effects of dust.
<i>Ingestion:</i>	No effects known or anticipated.
<i>Skin irritation/corrosion:</i>	Sustained exposure in a dusty manufacturing environment may result in mechanical irritation in the creases of the skin, particularly at the fingers, or other drying effects. no health effects known or anticipated.
<i>Eye Irritation:</i>	May cause slight mechanical irritation from acute exposure.
<i>Skin sensitivity:</i>	Not sensitizing
<i>Chronic Toxicity:</i>	Not known or anticipated
<i>Genetic Toxicity:</i>	Not known or anticipated
<i>Carcinogenicity:</i>	Not classifiable as Carcinogen
<i>Reprotoxicity:</i>	Not known or anticipated
<i>Specific effects:</i>	Not applicable
Section 12, Ecological Information	
<i>Toxicity:</i>	Starch and its breakdown products are not known to be toxic to plant and animal life.
<i>Persistence and degradability:</i>	Readily biodegradable
<i>Bioaccumulation:</i>	Starch and its breakdown products are not fat-soluble, and do not accumulate in plant or animal tissue.
<i>Mobility:</i>	Not applicable
<i>Other Adverse Effects:</i>	None known.
Section 13, Disposal Considerations	
<i>Waste disposal methods:</i>	Follow local, state and federal regulations for product disposal. Not a hazardous waste unless contaminated with hazardous products.
Section 14, Transport Information	
<i>DOT shipping label</i>	Non-hazardous
Section 15, Regulatory Information	
<i>U.S. Federal Regulations</i>	
<i>Safety, Health and Environmental Regulations:</i>	According with the version of the Globally Harmonized System of Classification and labeling adopted in the United States and Regulation 1272/2008/EC(CLP): Not classified
<i>Clean Air Act:</i>	
<i>ODS:</i>	Not applicable
<i>TSCA:</i>	Not applicable
<i>SARA (EPCRA) Section 313 (40 C.F.R. 372.65)</i>	Not applicable
<i>California Proposition 65</i>	Not applicable
Section 16, Other Information	

See Hazard Communication Guidance of Combustible Dusts, OSHA 3371-08 2009, U.S. Occupational

Section 1 Chemical Product and Company Identification

Page E1 of E2

HOME SCIENCE TOOLS

665 Carbon Street
Billings, MT 59102
800-860-6272
www.homesciencetools.com

CHEMTREC 24 Hour Emergency USA
Phone Number (800) 424-9300
1 703-741-5500 (from anywhere in the world).
For laboratory and industrial use only.
Not for drug, food or household use.

Product IODINE-POTASSIUM IODIDE SOLUTION**Synonyms** Iodine-Iodide / Iodine Solution / Iodine / Iodine Lugol's Dilute / Gram's Iodine Solution / Dilute Lugol's Solution

Section 2 Hazards Identification

Signal word: WARNING**Pictograms:** GHS07 / GHS09**Target organs:** Thyroid, kidneys, endocrine system, skin, eyes, reproductive system, central nervous system.**GHS Classification:**

Acute toxicity, dermal (Category 4)

Acute toxicity, inhalation (Category 4)

Aquatic toxicity, acute (Category 1)

GHS Label information: Hazard statement(s):

H312: Harmful in contact with skin.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

Precautionary statement(s):

P261: Avoid breathing mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P312: Call a POISON CENTER or doctor if you feel unwell.

P362+P364: Take off contaminated clothing and wash it before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	95.10%	231-791-2
Potassium iodide	7681-11-0	3.05%	231-659-4
Iodine	7553-56-2	1.85%	231-442-4

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Harmful if inhaled.**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention. Harmful in contact with skin.

Section 5 Fire Fighting Measures

Extinguishing Media: Use any media suitable for extinguishing supporting fire.**General information:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, mist or spray. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Iodine CAS # 7553-56-2	TWA: 0.01 ppm ^(IFV) / STEL: 0.1 ppm ^(V)	STEL: C 0.1 ppm/C 1 mg/m ³	STEL: C 0.1 ppm/C 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Deep amber liquid. Odor: Characteristic odor. Odor threshold: Not applicable. pH: Data not available. Melting / Freezing point: ~ 0°C (~ 32°F) [water] Boiling point: ~ 100°C (212°F) [water] Flash point: Not flammable.	Evaporation rate (Water = 1): < 1 Flammability (solid/gas): Not applicable. Explosion limits: Lower / Upper: Not applicable Vapor pressure (mm Hg): 14 [water] Vapor density (Air = 1): 0.7 [water] Relative density (Specific gravity): 1.0 [water] Solubility(ies): Complete in water.	Partition coefficient: (n-octanol / water): Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
--	--	--

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Stable under recommended storage conditions. Excessive temperatures which cause evaporation.

Incompatibilities with other materials: Metals or unsaturated organic compounds, ammonia solutions or alkaline solutions of ammonia salts. Will form explosive nitrogen iodides when reacted with gaseous ammonia.

Hazardous decomposition products: Toxic iodide fumes.

Section 11 Toxicological Information

Acute toxicity: Oral-Rat LD50: 14,000 mg/kg [Iodine CAS # 7553-56-2]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Inhalation-rat 3.1 mg/m³ / 24 hour / 13 weeks - continuous [Iodine CAS # 7553-56-2]

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Symptoms include cough, wheezing, and labored breathing. Symptoms may be delayed.

Ingestion: Causes abdominal pain, diarrhea, nausea, and vomiting. Ingestion of levels of 2-3 grams of iodine may cause death.

Skin: Contact may cause redness and pain.

Eyes: Contact causes watering of the eyes, redness and pain.

Signs and symptoms of exposure: Effects of short-term exposure: Lachrymator. The substance is severely irritating to the eyes and the respiratory tract, and is irritating to the skin. Inhalation of the vapor may cause asthma-like reactions. Inhalation of the vapor may cause lung edema. The effects may be delayed. Effects of long-term exposure: Repeated or prolonged contact may cause skin sensitization in rate cases. Repeated or prolonged inhalation exposure may cause asthma-like syndrome. The substance may have effects on the thyroid. Specific data not available for this mixture. Exercise appropriate procedures to minimize potential hazards..

Additional information: RTECS #: NN1575000 [Iodine CAS # 7553-56-2]

Section 12 Ecological Information

Toxicity to fish: Very toxic to aquatic life.

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Iodine	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Potassium iodide	Listed	Not listed	Not listed	Listed	Not listed	

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015

Revision Date: February 27, 2018

Supersedes: February 22, 2018

Section 1 Chemical Product and Company Identification

Page E1 of E2

HOME SCIENCE TOOLS

665 Carbon Street
Billings, MT 59102
800-860-6272
www.homesciencetools.com

CHEMTREC 24 Hour Emergency USA
Phone Number (800) 424-9300
1 703-741-5500 (from anywhere in the world).
For laboratory and industrial use only.
Not for drug, food or household use.

Product SODIUM BORATE, DECAHYDRATE**Synonyms** Sodium Tetraborate ; Borax

Section 2 Hazards Identification

Signal word: DANGER**Pictograms:** GHS08 / GHS07**Target organs:** None known.**GHS Classification:**

Eye irritation (Category 2A)

Reproductive toxicity (Category 1B)

GHS Label information: Hazard statement:

H319: Causes serious eye irritation.

H360: May damage fertility or the unborn child.

Precautionary statement:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P308+P313: IF exposed or concerned: Get medical attention.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sodium borate, decahydrate	1303-96-4	100%	215-540-4

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: This product is an inherent fire retardant. There are no unusual fire and explosion hazards.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Borate compounds, inorganic	TWA: 2 mg/m ³ STEL: 6 mg/m ³ (A4)	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: White, crystalline powder	Evaporation rate (= 1): Data not available	Partition coefficient: Data not available
Odor: No odor	Flammability (solid/gas): Not flammable	Auto-ignition temperature: Data not available
Odor threshold: Data not available	Explosion limits: Lower / Upper: Data not available	Decomposition temperature: Data not available
pH: Data not available	Vapor pressure (mm Hg): Data not available	Viscosity: Data not available
Melting / Freezing point: 62°C (144°F)	Vapor density (Air = 1): Data not available	Molecular formula: Na ₂ B ₄ O ₇ •10H ₂ O
Boiling point: Data not available	Relative density (Specific gravity): 1.73	Molecular weight: 381.37
Flash point: Data not available	Solubility(ies): Soluble in water	

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: When heated, loses water, eventually forming anhydrous borax.

Incompatible materials: Strong acids, oxidizers and reducing agents.

Hazardous decomposition products: Boron oxide and sodium oxides.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 2,600 mg/kg ; Inhalation-rat LC50: >2.0 mg/l ; Dermal-rabbit LD50: >10,000 g/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion: Ingestion may cause gastrointestinal irritation. Symptoms of over-exposure may include nausea, vomiting and diarrhea.

Skin: Contact may cause irritation.

Eyes: Contact may cause irritation.

Signs and symptoms of exposure: Animal feeding studies in rat, mouse and dog, at high doses, have demonstrated effects on fertility and testes. Studies with the chemically related boric acid in the rat, mouse and rabbit, at high doses, demonstrate developmental effects on the fetus, including fetal weight loss and minor skeletal variations. The doses administered were many times in excess of those to which humans would normally be exposed. Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid dust and sodium borate dust. A recent epidemiological study under the conditions of normal occupational exposure to borate dusts indicated no effect on fertility..

Additional information: RTECS #: VZ2275000

Section 12 Ecological Information

Toxicity to fish: LC50 - Carassius auratus (goldfish) - 178 mg/l - 72 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 1,085 - 1,402 mg/l - 48 h

Toxicity to algae: LC50 - Desmodesmus subspicatus (green algae) - 158 mg/l - 96 h

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium borate, decahydrate	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Chemical Product and Company Information

Innovating Science® by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product 1,6-HEXANEDIAMINE, 0.5 MOLAR SOLUTION

Synonyms Hexamethylenediamine Solution

Section 2 Hazards Identification

Signal word: DANGER

Pictograms: GHS05 / GHS07

Target organs: Liver, Kidneys, Heart



GHS Classification:

Acute toxicity, oral (Category 4)

Acute toxicity, dermal (Category 4)

Skin corrosion (Category 1B)

STOT-SE (Category 3)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

Precautionary statement:

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P312: Call a POISON CENTER or doctor if you feel unwell.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	92%	231-791-2
1,6-Hexanediamine	124-09-4	6%	204-679-6
Sodium hydroxide	1310-73-2	2%	215-185-5

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SEVERE SKIN BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	1,6-Hexanediamine	TWA: 0.5 ppm ; 2.3 mg/m ³	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid. Odor: Amine or fishy odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: -39-42°C (102-107°F)* Boiling point: 205°C (401°F)* Flash point: 85°C (185°F) COC	Evaporation rate (= 1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower: 0.9% Upper: 4.1% Vapor pressure (mm Hg): 3 @ 60°C* Vapor density (Air = 1): 3.8* Relative density (Specific gravity): Approximately 1.0 Solubility(ies): Soluble in water.	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture *Hexanediamine
--	---	--

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, acids, metals, organic compounds, organic nitro compounds.

Hazardous decomposition products: Carbon oxides, nitrogen oxides, ammonia and hydrogen cyanide, sodium oxide. Reacts with metals to form flammable and explosive hydrogen gas.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 792 mg/kg ; Inhalation-rat LC0: 0.95 mg/L/4hours ; Dermal-rabbit LD50: 1110 mg/kg [Hexanediamine]

Skin corrosion/irritation: Skin-rabbit - Corrosive [Hexanediamine]

Serious eye damage/irritation: Eyes-rabbit - Corrosive [Hexanediamine]

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Burning sensation. Cough, labored breathing, shortness of breath, sore throat.

Ingestion: Abdominal cramps, abdominal pain, burning sensation, shock or collapse.

Skin: May be absorbed through skin. Redness, burns, pain, blisters.

Eyes: Redness, pain, severe deep burns.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: MO1180000 [Hexanediamine]

Section 12 Ecological Information

Toxicity to fish: Leuciscus idus (fish, fresh water), LC50 = 62 mg/L/96 hours [Hexanediamine]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 23.4 mg/L/48 hours [Hexanediamine]

Toxicity to algae: Selenastrum capricornutum (Algae), EC50 = 15 mg/L/72 hours [Hexanediamine]

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1760

Shipping name: Corrosive liquids, n.o.s., (1,6-Hexanediamine, Sodium hydroxide)

Hazard class: 8

Packing group: II

Reportable Quantity: No

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 Lt

2012 ERG Guide # 154

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Hexanediamine	Listed	Not listed	Not listed	Listed	Not listed	 E
Sodium hydroxide	Listed	1000 lbs (454 Kg)	D002	Listed	Not listed	

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: March 22, 2013

Supersedes: March 1, 2011

Section 1 L'information de produit chimique et de compagnie

Innovating Science® by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Numéros De Téléphone
 De Secours D'Heure (800) 424-9300**
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit 1,6-HEXANEDIAMINE, SOLUTION DE 0,5 MOLAIRE

Synonymes Solution de hexamethylenediamine

Section 2 Identification De Risques

Mention d'avertissement: DANGER

Pictogrammes: GHS05 / GHS07

Les organes cibles: Le foie, les reins et le coeur.



Classification par le GHS:

Acute toxicity, oral (Catégorie 4)
 Acute toxicity, dermal (Catégorie 4)
 Skin corrosion (Catégorie 1B)
 STOT-SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger:

H302: Nocif en cas d'ingestion.
 H312: Nocif par contact cutané.
 H314: Provoque des brûlures de la peau et des lésions oculaires graves.
 H335: Peut irriter les voies respiratoires.

Déclarations de précaution:

P260: Ne pas respirer les brouillards/vapeurs/aérosols.
 P264: Se laver les mains soigneusement après manipulation.
 P270: Ne pas manger, boire ou fumer en manipulant ce produit.
 P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.
 P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.
 P301+P330+P331: EN CAS D'INGESTION: Rincer la bouche. Ne PAS faire vomir.
 P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.
 P303+P361+P353: EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux): Enlever immédiatement tout vêtement souillé ou éclaboussé. Rincer la peau à l'eau/ se doucher.
 P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.
 P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.
 P310: Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.
 P363: Laver les vêtements contaminés avant réutilisation.
 P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.
 P405: Garder sous clef.
 P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau	7732-18-5	92%	231-791-2
1,6-Hexanediamine	124-09-4	6%	204-679-6
Hydroxyde de sodium	1310-73-2	2%	215-185-5

Section 4 Mesures De Premiers Soins

INGESTION: NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: CAUSE DES LÉSIONS AUX YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PROVOQUE DE GRAVES BRÛLURES DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Dioxyde de carbone, produit chimique sec, du sable sec, mousse anti-alcool.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion.

Section 6 Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorbent avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhaler les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Substances loin des sources d'allumage.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	1,6-Hexanediamine	TWA: 0.5 ppm ; 2.3 mg/m ³	None established	None established

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faibles.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide clair, incolore. Odeur: Amine ou odeur de poisson. Seuil de l'odeur: Données non disponibles. pH: Données non disponibles. Point de fusion / congélation: 39-42°C (102-107°F)* Point d'ébullition: 205°C (401°F)* Point d'éclair: 85°C (185°F) COC	Taux d'évaporation (= 1): Données non disponibles Inflammabilité (solide / gaz): Données non disponibles. Limites d'explosivité: Bas: 0.9% Max: 4.1% Pression de vapeur (mm Hg): 3 @ 60°C* Densité de vapeur (Air = 1): 3.8* Densité relative (gravité spécifique): Approximately 1.0 Solubilité (s): Soluble dans l'eau.	Coefficient de partage: Données non disponibles Auto-inflammation: Données non disponibles Température de décomposition: Données non disponibles. Viscosité: Données non disponibles. Formule moléculaire: Mélange Poids moléculaire: Mélange *Hexanediamine
--	--	---

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives, la chaleur, étincelles, flamme nue et d'autres sources d'allumage.

Matières incompatibles: Combustibles fortes, l'acides, métaux, composés organiques, dérivés nitrés organiques.

Produits dangereux de décomposition: Oxydes de carbones, oxydes d'azote, ammoniac et le cyanure d'hydrogène, l'oxyde de sodium. Réagit avec des métaux au gaz inflammable et explosif de forme d'hydrogène.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 792 mg/kg ; Inhalation-rat LC0: 0.95 mg/L/4hours ; Dermal-rabbit LD50: 1110 mg/kg [Hexanediamine]

La corrosion de la peau et l'irritation: Peau de lapin - Corrosif [Hexanediamine]

Des lésions oculaires graves / irritation: Yeux-lapin - Corrosif [Hexanediamine]

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets respiratoire.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Sensation de brûlure. Toux, respiration laborieuse, essoufflement, maux de gorge.

Ingestion: Crampes abdominales, douleurs abdominales, sensation de brûlure, de choc ou de chute.

Peau: Peut être absorbé par la peau. Rougeurs, des brûlures, des douleurs, des cloques.

Yeux: Rougeur, douleur, de graves brûlures profondes.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus. Procédures appropriées d'exercice pour réduire au minimum des risques

Informations complémentaires: RTECS #: MO1180000 [Hexanediamine]

Section 12 L'Information Écologique

Toxicité pour les poissons: Leuciscus idus (fish, fresh water), LC50 = 62 mg/L/96 hours [Hexanediamine]

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacea), EC50 = 23.4 mg/L/48 hours [Hexanediamine]

Toxicité pour les algues: Selenastrum capricornutum (Algae), EC50 = 15 mg/L/72 hours [Hexanediamine]

Persistance et dégradabilité: Pas de données disponibles

Potentiel de bioaccumulation: Pas de données disponibles

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: UN1760

Nom d'expédition: Liquides corrosif, n.o.s., (1,6-Hexanediamine, Hydroxyde de sodium)

Classe de danger: 8

Groupe d'emballage: II

Quantité à déclarer: No

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 1 Lt

2012 ERG Guide #: 154

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Hexanediamine	Listed	Not listed	Not listed	Listed	Not listed	 E

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Date de révision: 22 mars, 2013

Remplace: 1 mars, 2011

Section 1 Chemical Product and Company Information

Innovating Science® by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product SEBACOYL CHLORIDE / HEXANE SOLUTION

Synonyms None

Section 2 Hazards Identification

Signal word: DANGER

Pictograms: GHS02 / GHS05 / GHS07 / GHS08 / GHS09

Target organs: Central nervous system, Peripheral nervous system, Reproductive system, Eyes, Skin

**GHS Classification:**

Flammable liquid (Category 2)

Aspiration hazard (Category 1)

Skin corrosion (Category 1C)

STOT-SE (Category 3)

Reproductive toxicity (Category 2)

STOT-RE (Category 2)

Aquatic chronic (Category 2)

GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H314: Causes severe skin burns and eye damage.

H336: May cause drowsiness or dizziness.

H361f: Suspected of damaging fertility.

H373: May cause damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

Precautionary statement:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide to extinguish.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON CENTER or doctor.

P303+P361+P352: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash with plenty of water and soap.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P363: Wash contaminated clothing before reuse.

P308+P313: IF exposed or concerned: Get medical attention.

P273: Avoid release to the environment.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Hexane	110-54-3	96%	203-777-6
Sebacyl chloride	111-19-3	4%	203-843-4

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE BURNS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	n-Hexane	TWA: 50 ppm / 176 mg/m ³	TWA: 500 ppm / 1800 mg/m ³	TWA: 50 ppm / 180 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: Work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.

Odor: Acrid, hydrocarbon odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Data not available

Boiling point: 90-96°C (195-206°F) (Hexane)

Flash point: -15°C (5°F) TOC (Hexane)

Evaporation rate (Butyl acetate = 1): 4.3 (Hexane)

Flammability (solid/gas): Data not available.

Explosion limits: Lower: 1.0% **Upper:** 8.0%

Vapor pressure (mm Hg): 119 mm @ 37°C (Hexane)

Vapor density (Air = 1): 3.3 (Hexane)

Relative density (Specific gravity): 0.70 @ 20°C

Solubility(ies): Negligible in water.

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Mixture

Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers and moisture.

Hazardous decomposition products: Oxides of carbon and chlorine gas.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 400 mg/kg [Sebacoyl chloride]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Vapors may be irritating to nose, throat and respiratory tract. High vapor concentrations may produce CNS depression.

Ingestion: Sebacoyl chloride is corrosive and may be fatal if swallowed. Hexane ingestion may result in vomiting, aspiration of vomitus into lungs must be avoided as even small quantities may result in aspiration pneumonitis.

Skin: May cause burns and can result in defatting and drying of the skin which may result in skin irritation and dermatitis. Can be fatal if absorbed through skin.

Eyes: May cause burns. High vapor concentrations may be irritating.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: MN9275000 [Hexane]

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1208

Shipping name: Hexanes

Hazard class: 3

Packing group: II

Reportable Quantity: No

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L

2012 ERG Guide # 128

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Hexane	Listed	Not listed	Not listed	Listed	Not listed	B2 ; D2A ; D2B
Sebacoyl chloride	Listed	Not listed	Not listed	Listed	Not listed	Not listed

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: March 22, 2013

Supersedes: January 12, 2012

Section 1 L'information de produit chimique et de compagnie

Innovating Science® by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Numéros De Téléphone
 De Secours D'Heure (800) 424-9300**
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	SOLUTION DE CHLORURE DE SEBACOYL / HEXANE
----------------	--

Synonymes	Aucun
------------------	-------

Section 2 Identification De Risques

Mention d'avertissement: DANGER

Pictogrammes: GHS02 / GHS05 / GHS07 / GHS08 / GHS09

Les organes cibles: Système nerveux central, système nerveux périphérique, système de reproduction, les yeux, la peau



Classification par le GHS:

Flammable liquid (Catégorie 2)

Aspiration hazard (Catégorie 1)

Skin corrosion (Catégorie 1C)

STOT-SE (Catégorie 3)

Reproductive toxicity (Catégorie 2)

STOT-RE (Catégorie 2)

Aquatic chronic (Catégorie 2)

Renseignements sur l'étiquette GHS: Mention de danger:

H225: Liquide et vapeurs très inflammables.

H304: Peut être mortel en cas d'ingestion et de pénétration dans les voies respiratoires.

H314: Provoque des brûlures de la peau et des lésions oculaires graves.

H336: Peut provoquer somnolence ou des vertiges.

H361f: Susceptible de nuire à la fertilité.

H373: Risque présumé d'effets graves pour les organes à la suite d'expositions répétées ou d'une exposition prolongée.

H411: Toxique pour les organismes aquatiques, entraîne des effets néfastes à long terme.

Déclarations de précaution:

P201: Se procurer les instructions avant utilisation.

P202: Ne pas manipuler avant d'avoir lu et compris toutes les précautions de sécurité.

P210: Tenir à l'écart la chaleur/des étincelles/des flammes nues/des surfaces chaudes. Ne pas fumer.

Déclarations de précaution:

P233: Maintenir le récipient fermé de manière étanche.

P240: Mise à la terre/liaison équipotentielle du récipient et du matériel de réception.

P241: Utiliser du matériel électrique/de ventilation/d'éclairage antidéflagrant.

P242: Ne pas utiliser d'outils produisant des étincelles.

P243: Prendre des mesures de précaution contre les décharges électrostatiques.

P370+P378: En cas d'incendie: Utiliser un produit chimique sec, mousse anti-alcool, dioxyde de carbone pour l'extinction.

P260: Ne pas respirer les brouillards/vapeurs/aérosols.

P264: Se laver les mains soigneusement après manipulation.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P301+P330+P331: EN CAS D'INGESTION: Rincer la bouche. Ne PAS faire vomir.

P310: Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.

P303+P361+P353: EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux): Enlever immédiatement tout vêtement souillé ou éclaboussé. Rincer la peau à l'eau/se doucher.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P363: Laver les vêtements contaminés avant réutilisation.

P308+P313: En cas d'exposition prouvée ou suspectée: Consulter un médecin.

P273: Éviter le rejet dans l'environnement.

P391: Recueillir le produit répandu.

P403+P235: Stocker dans un endroit bien ventilé. Tenir au frais.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Hexane	110-54-3	96%	203-777-6
Chlorure de sebacoyl	111-19-3	4%	203-843-4

Section 4 Mesures De Premiers Soins

INGESTION: NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: NOCIF EN CAS D'INHALATION. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT PROVOQUER DES BRÛLURES. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT PROVOQUER DES BRÛLURES. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Dioxyde de carbone, produit chimique sec, du sable sec, mousse anti-alcool.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les vapeurs formées de ce produit sont plus lourdes que l'air et peuvent voyager le long de la terre à une source d'ignition et voyagez dos immédiatement. La flamme peut ne pas être évidente en jour.

Section 6 Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorbent avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhaler les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Substances loin des sources d'allumage.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	n-Hexane	TWA: 50 ppm / 176 mg/m ³	TWA: 500 ppm / 1800 mg/m ³	TWA: 50 ppm / 180 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Clair, liquide incolore. Odeur: Âcre odeur d'hydrocarbure. Seuil de l'odeur: Données non disponibles. pH: Données non disponibles. Point de fusion / congélation: Données non disponibles Point d'ébullition: 90-96°C (195-206°F) (Hexane) Point d'éclair: -15°C (5°F) TOC (Hexane)	Taux d'évaporation (Acétate de butylique = 1): 4.3 (Hexane) Inflammabilité (solide / gaz): Données non disponibles. Limites d'explosivité: Bas: 1.0% Max: 8.0% Pression de vapeur (mm Hg): 119 mm @ 37°C (Hexane) Densité de vapeur (Air = 1): 3.3 (Hexane) Densité relative (gravité spécifique): 0.70 @ 20°C Solubilité (s): Négligeable dans l'eau.	Coefficient de partage: Données non disponibles Auto-inflammation: Données non disponibles Température de décomposition: Données non disponibles. Viscosité: Données non disponibles. Formule moléculaire: Mélange Poids moléculaire: Mélange
---	--	--

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives, la chaleur, étincelles, flamme nue et d'autres sources d'allumage.

Matières incompatibles: Combustibles fortes et l'humidité.

Produits dangereux de décomposition: Oxydes de carbones et le gaz de chlore.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 400 mg/kg [Chlorure de sebacoyl]

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Les vapeurs peuvent être irritantes pour flairer, gorge et région respiratoire. Les concentrations élevées en vapeur peuvent produire la dépression de CNS.

Ingestion: Le chlorure de sebacoyl est corrosif et peut être mortel si avalé. L'ingestion d'hexane peut avoir comme conséquence le vomissement, aspiration de vomits dans des poumons doit être évitée en tant que même petites quantités peut avoir comme conséquence la pneumonite d'aspiration.

Peau: Peut cause les brûlures et peuvent avoir comme conséquence le dégraissage et le séchage de la peau qui peut avoir comme conséquence l'irritation et la dermatite de peau. Peut être mortel si absorbé par la peau.

Yeux: Peut être cause des brûlures. Les concentrations élevées en vapeur peuvent être irritantes.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus. Procédures appropriées d'exercice pour réduire au minimum des risques

Informations complémentaires: RTECS #: MN9275000 [Hexane]

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponibles

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponibles

Toxicité pour les algues: Pas de données disponibles

Persistance et dégradabilité: Pas de données disponibles

Potentiel de bioaccumulation: Pas de données disponibles

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: UN1208

Nom d'expédition: Hexanes

Classe de danger: 3

Groupe d'emballage: II

Quantité à déclarer: No

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 1 L

2012 ERG Guide #: 128

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Hexane	Listed	Not listed	Not listed	Listed	Not listed	 B2 ; D2A ; D2B Not listed
Sebacoyl chloride	Listed	Not listed	Not listed	Listed	Not listed	

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Date de révision: 22 mars, 2013

Remplace: 12 janvier, 2012