

Section 1 Chemical Product and Company Information

Page E1 of E2

HOME SCIENCE TOOLS

665 Carbon Street
 Billings, MT 59102
 800-860-6272
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory use only.
 Not for drug, food or household use.

Product	MINERAL OIL
Synonyms	White Mineral Oil / Light Paraffin Oil

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required
Pictograms: No symbol required
Target organs: None known

GHS Classification: None required
GHS Label information: Hazard statement: None required
Precautionary statement: None required

Supplemental information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Mineral oil	8042-47-5	100%	232-455-8

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam. Do not use streams of water as this will scatter the liquid and spread the fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. If container is not properly cooled, it can rupture in the heat of a fire. Slight fire hazard. Material must be preheated before ignition will occur (OSHA IIIB).

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 1 Chemical Product and Company Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	FERROFLUID
----------------	------------

Synonyms	None
-----------------	------

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07 / GHS09

Target organs: None known

**GHS Classification:**

Flammable liquids (Category 4)

Skin irritation (Category 2)

Eye irritation (Category 2)

Aquatic toxicity, acute (Category 1)

Aquatic toxicity, chronic (Category 1)

GHS Label information: Hazard statement:

H227: Combustible liquid.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue Rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Light hydrocarbon oil	Proprietary	55-91%	Proprietary
Oil soluble dispersant	Proprietary	6-30%	Proprietary
Magnetite (Iron oxide)	1309-38-2	3-15%	215-169-8

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Light hydrocarbon oil	Not established	Not established	Not established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Liquid. Brown to black.

Odor: Faint, mild odor

Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: Data not available

Boiling point: 223°C (433°F)

Flash point: 81°C (177°F)

Evaporation rate (= 1): <0.1

Flammability (solid/gas): Data not available

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 0.1

Vapor density (Air = 1): 6.4

Relative density (Specific gravity): 1.21-1.42 g/cc

Solubility(ies): Insoluble in water

Partition coefficient: Data not available

Auto-ignition temperature: 200°C (392°F)

Decomposition temperature: Data not available

Viscosity: 6 - <12 cP

Molecular formula: Mixture

Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Strong oxidizers.

Hazardous decomposition products: Carbon oxides, nitrogen oxides.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed.

Skin: Causes skin irritation.

Eyes: Causes serious eye irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: Data not available

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: NA1993 **Shipping name:** Combustible liquid, n.o.s., (Light hydrocarbon oil)

Hazard class: Comb liq **Packing group:** III **Reportable Quantity:** No

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 5 L **2012 ERG Guide #** 128

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Light hydrocarbon oil	Listed	Not listed	Not listed	Not listed	Not listed
Oil soluble dispersant	Listed	Not listed	Not listed	Not listed	Not listed
Magnetite	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Numéros De Téléphone
 De Secours D'Heure (800) 424-9300**
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	FERROFLUID
Synonymes	Aucun

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS07 / GHS09

Les organes cibles: Aucun connu



Classification par le GHS:

Flammable liquids (Catégorie 4)

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2)

Aquatic toxicity, acute (Catégorie 1)

Aquatic toxicity, chronic (Catégorie 1)

Renseignements sur l'étiquette GHS: Mention de danger:

H227: Liquide combustible.

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

H400: Très toxique pour les organismes aquatiques.

H410: Très toxique pour les organismes aquatiques, entraîne des effets néfastes à long terme.

Déclarations de précaution:

P210: Tenir à l'écart la chaleur/des étincelles/des flammes nues/des surfaces chaudes. Ne pas fumer.

P264: Se laver les mains soigneusement après manipulation.

P273: Éviter le rejet dans l'environnement.

P280: Porter des gants de protection/des vêtements de protection/un équipement de protection des yeux/du visage.

P302+P352: EN CAS DE CONTACT AVEC LA PEAU: Laver abondamment à l'eau et du savon.

P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P370+P378: En cas d'incendie: Utiliser un produit chimique sec, mousse anti-alcool, dioxyde de carbone ou eau pulvérisée pour l'extinction.

P391: Recueillir le produit répandu.

P403+P235: Stocker dans un endroit bien ventilé. Tenir au frais.

P501: Éliminer le contenu/réceptacle dans une agence agréée d'élimination chimique conformément à la réglementation locale/régionale/nationale.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Hydrocarbure léger	Propriétaire	55-91%	Propriétaire
Huile dispersant soluble	Propriétaire	6-30%	Propriétaire
Magnétite (Oxyde de fer)	1309-38-2	3-15%	215-169-8

Section 4 Mesures De Premiers Soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT CAUSER UNE IRRITATION DE LA VOIES RESPIRATOIRE. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PROVOQUE UNE SÉVÈRE IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PROVOQUE UNE IRRITATION CUTANÉE. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: En cas d'incendie: Utiliser un produit chimique sec, mousse anti-alcool, dioxyde de carbone ou eau pulvérisée pour l'extinction.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH/MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion.

Section 6 Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorber avec un matériau inerte, balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhaler les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles. Substance loin des sources d'allumage.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydrocarbure léger	Aucun établi	Aucun établi	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide. Brun au noir	Taux d'évaporation (= 1): <0.1	Coefficient de partage: Données non disponibles
Odeur: Faint, légère odeur	Inflammabilité (solide / gaz): Données non disponibles	Auto-inflammation: 200°C (392°F)
Seuil de l'odeur: Données non disponibles	Limites d'explosivité: Bas / Max: Données non disponibles	Température de décomposition: Données non disponibles
pH: Données non disponibles	Pression de vapeur (mm Hg): 0.1	Viscosité: 6 - <12 cP
Point de fusion / congélation: Données non disponibles	Densité de vapeur (Air = 1): 6.4	Formule moléculaire: Mélange
Point d'ébullition: 223°C (433°F)	Densité relative (gravité spécifique): 1.21-1.42 g/cc	Poids moléculaire: Mélange
Point d'éclair: 81°C (177°F)	Solubilité (s): Insoluble dans l'eau	

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives qui causent l'évaporation.

Matières incompatibles: Comburentes fortes.

Produits dangereux de décomposition: Oxydes de carbones.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Toxicité pour la reproduction: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut causer une irritation des voies respiratoires.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Provoque une irritation de la peau.

Yeux: Provoque une irritation des yeux.

Les signes et les symptômes de l'exposition: Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques

Informations complémentaires: RTECS #: Données non disponibles

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: NA1993

Nom d'expédition: Liquide combustible, n.o.s., (Hydrocarbure léger)

Classe de danger: Comb liq

Groupe d'emballage: III

Quantité à déclarer: No

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 5 L

2012 ERG Guide #: 128

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Hydrocarbure léger	Listed	Not listed	Not listed	Not listed	Not listed
Huile dispersant soluble	Listed	Not listed	Not listed	Not listed	Not listed
Magnétite	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.