

Safety Data Sheet

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

Section 1 - IDENTIFICATION

Material Name: CRAYOLA® CHALK

Synonyms

CRAYOLA COLORED CHALK; CRAYOLA DRAWING CHALK; CRAYOLA MOLDED CHALK; CRAYOLA SIDEWALK CHALK/CRAYONS; CRAYOLA GIANT CHALK; CRAYOLA 3-D CHALK; CRAYOLA GLOW CHALK; CRAYOLA GLITTER CHALK; CRAYOLA TIE DYED CHALK; CRAYOLA CHALKBOARD CHALK; CRAYOLA ANTI-DUST LOW DUST CHALK;; PRODUCT CODE(S): 03-5037; 03-5039; 03-5053; 03-5044; 03-5061; 03-5063; 03-5064; 03-5066; 03-5067; 03-5068; 03-5071; 03-5072; 03-5073; 03-5078; 03-5079; 03-5080; 03-5081; 03-5090; 03-5091; 03-5092; 03-5093; 03-5101; 03-5102; 03-5103; 03-5104; 03-5105; 03-5106; 03-5107; 03-5108; 03-5111; 03-5200; 03-5201; 03-5202; 03-5203; 03-5204; 03-5205; 03-5206; 03-5207; 03-5208; 03-5209; 03-5210; 03-5211; 03-5212; 03-5213; 03-5214; 03-5215; 03-5216; 03-5217; 03-5218; 03-5220; 03-5228; 03-5229; 03-5230; 03-5231; 03-5800; 03-5801; 03-5802; 03-5803; 03-5804; 03-5805; 03-7603; 04-1907; 04-1950; 04-1951; 04-2542; 04-5033; 04-5350; 04-5355; 04-5358; 04-5718; 04-5719; 04-5727; 04-5873; 04-6010; 51-2004; 51-0312; 51-0400; 51-0403; 51-0404; 51-0816; 51-1200; 51-1202; 51-1205; 51-1206; 51-1216; 51-1503; 51-1515; 51-1524; 51-1650; 51-2010; 51-2012; 51-2016; 51-2024; 51-2048; 51-2515; 51-3505; 51-3515; 51-3523; 51-4005; 51-4008; 51-4105; 51-4107; 51-4108; 51-4109; 51-4110; 51-8015; 51-8020; 51-8052; 51-8064; 55-4403

Recommended Use

Arts and Crafts

Restrictions on Use

None known.

Manufacturer Information

CRAYOLA LLC
1100 Church Lane
Easton, PA 18044
Mfg Contact: support@crayola.com

Phone: 1-800-272-9652

Emergency # Health Emergency - Call local POISON CONTROL

Section 2 - HAZARD(S) IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

No classification is assigned, based on classification criteria. Review the entire data sheet for any additional information which did not result in a GHS classification.

GHS LABEL ELEMENTS

Symbol(s)

None

Signal Word

None

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Safety Data Sheet

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Hazard(s) Not Otherwise Classified

No data available.

0% of the mixture consists of ingredient(s) of unknown acute toxicity.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component	Percent
Not Available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	100

Section 4 - FIRST-AID MEASURES

Description of Necessary Measures

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin Contact

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eye Contact

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Ingestion

Contact local poison control center or physician immediately.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of Immediate Medical Attention and Special Treatment Needed, If Needed

Treat symptomatically and supportively.

Section 5 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, regular foam, water

Unsuitable Extinguishing Media

None known.

Special Protective Equipment and Precautions for Firefighters

Slight fire hazard.

Special Hazards Arising from the Chemical

Hazardous Combustion Products

Combustion: oxides of carbon

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Safety Data Sheet

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

Sensitivity to Mechanical Impact

No

Sensitivity to Static Discharge

No

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

None

Methods and Materials for Containment and Cleaning Up

Collect spilled material in appropriate container for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Use methods to minimize dust.

Conditions for Safe Storage, including any Incompatibilities

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Incompatibilities: oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components.

Appropriate Engineering Controls

Based on available information, additional ventilation is not required.

Individual Protection Measures, such as Personal Protective Equipment

Eyes/Face Protection

Eye protection not required under normal conditions.

Skin Protection

Protective clothing is not required under normal conditions.

Glove Recommendations

Protective gloves are not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid	Appearance:	various colors
Color:	various colors	Physical Form:	solid
Odor:	odorless	Odor Threshold:	Not available
pH:	Not available	Melting Point:	Not available
Boiling Point:	Not available	Flash Point:	No flash point
Vapor Pressure:	Not applicable	Vapor Density (air = 1):	Not applicable
Density:	Not available	Specific Gravity (water = 1):	Not available
Water Solubility:	Insoluble	Coeff. Water/Oil Dist:	Not available
Viscosity:	Not available	VOC:	Not available

Safety Data Sheet

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

Section 10 - STABILITY AND REACTIVITY

Reactivity

No hazard expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

None reported.

Incompatible Materials

oxidizing materials

Hazardous Decomposition Products

oxides of carbon

Hazardous Decomposition

Combustion: oxides of carbon

Section 11 - TOXICOLOGICAL INFORMATION

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Medical Conditions Aggravated by Exposure

No data available.

Irritation/Corrosivity Data

None

RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Respiratory Sensitization

No information available for the product.

Safety Data Sheet

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

Dermal Sensitization

No information available for the product.

Germ Cell Mutagenicity

No information available for the product.

Carcinogenicity

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, or DFG.

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration Hazard

No data available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity

No information available for the product.

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility in Soil

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations.

Disposal of Contaminated Packaging

Dispose of in accordance with all applicable federal, state and local regulations. Recycle if possible.

Section 14 - TRANSPORT INFORMATION

US DOT Information

Not regulated as a hazardous material.

TDG Information

Not regulated as dangerous goods.

IATA Information

Not regulated as dangerous goods.

ICAO Information

Not regulated as dangerous goods.

IMDG Information

Not regulated as dangerous goods.

Safety Data Sheet

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312

Acute Health: No **Chronic Health:** No **Fire:** No **Pressure:** No **Reactive:** No

U.S. State Regulations

Component Analysis - State

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

Canada Regulations

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

WHMIS Classification: Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

Canadian WHMIS Ingredients Disclosure List

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List and no components were found on the list.

Inventory

All of the components of this product are listed on the TSCA Inventory. All components of this product are listed on the DSL.

Component Analysis - Inventory

No information is available.

Section 16 - OTHER INFORMATION

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Safety Data Sheet

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

Other Information

The information contained in this document express our current knowledge and experience, however cannot imply guarantee of any nature. Considering the variety of factors that can affect their process or application, the information on this sheet does not exempt the processors from the responsibility of executing their own tests and experiments.

End of Sheet CRAY-028

SAFETY DATA SHEET

Section 1, Identification

<i>Product:</i>	Karlin Foods Corn Starch, KF ID# S34
<i>Manufacturer:</i>	Karlin Foods Corp 1845 Oak St. Suite 19 Northfield, IL 60093
<i>Emergency Phone Number:</i>	Karlin Foods: 847-441-8330 Chemtrec: 800-424-9300
<i>Recommended Use:</i>	Leavening agent, cleaner ingredient, bath salt ingredient, water softener, diaper rinse ingredient, direct food additive
<i>Restrictions on Use:</i>	None

Section 2, Hazard(s) Identification

<i>Classification:</i>	According with the version of the Globally Harmonized System of Classification and labeling adopted in the United States and Regulation 1272/2008/EC [CLP]: Not classified
<i>Required Label:</i>	The product contains no substances which at their given concentration, are considered to be hazardous to health
<i>Other Information:</i>	May form combustible dust concentrations in air. Possibility of dust explosion. it is recommended that all dust control equipment and material transport systems involved are engineered to prevent conditions contributing to dust explosions. Do not allow dust to accumulate on flat surfaces, on rafters or building structural components. Keep away from all ignition sources including heat, sparks and flame.

Section 3, Composition/Information on Ingredients

<i>CAS Number</i>	9005-25-8
<i>Chemical Name:</i>	Starch

Section 4, First Aid Measures

<i>Eye Contact:</i>	Remove particulates by irrigating with eye wash solution or clean water, holding eyelids apart
<i>Skin Contact:</i>	Wash skin with soap and water. Get medical attention if irritation develops and persists.
<i>Inhalation:</i>	Remove person to fresh air. If signs/symptoms continue, get medical attention.
<i>Ingestions:</i>	Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur
<i>Most important symptoms and effects, both acute and delayed:</i>	None known.
<i>Indication of immediate medical</i>	Treat symptomatically.

<i>attention and special treatment needed, if necessary</i>	
Section 5, Fire-Fighting Measures	
<i>Suitable Extinguishing Media:</i>	Water spray, dry powder, carbon dioxide or media appropriate for surrounding fire. Use of water jet may cause explosive dust conditions.
<i>Specific Hazards Arising from the Chemical:</i>	Possibility of dust explosion. It is recommended that all dust control equipment and material transport systems involved are engineered to prevent conditions contributing to dust explosions. Do not allow dust to accumulate on flat surfaces, on rafters or building structural components. Use of water jet may cause explosive dust conditions. SEE NFPA 61, Standard for the prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 or later Edition, and other related standards.
<i>Hazardous Combustion Products:</i>	Carbon dioxide and carbon monoxide
<i>Explosion data</i>	
<i>Sensitivity to Mechanical Impact:</i>	Not sensitive
<i>Sensitivity to Static Discharge:</i>	Not sensitive
<i>Protective equipment and precautions for firefighters</i>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Section 6, Accidental Release Measures	
<i>Personal Precautions:</i>	None under normal conditions. Avoid prolonged inhalation of dust.
<i>Other:</i>	For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
<i>Environmental Precautions:</i>	Prevent further leakage or spillage if safe to do so. No special environmental precautions required.
<i>Methods for Containment:</i>	Vacuum or shovel waste into a drum and label contents for disposal.
<i>Methods for cleaning up:</i>	Vacuum or sweep spills. Minimize dust generation. If washing down spilled area is necessary, use copious amounts of water and control runoff. Follow local, state and federal regulations for product disposal
Section 7, Handling and Storage	
<i>Handling:</i>	See NFPA 61, Standard for the Prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 Edition, and other related standards. Use with adequate ventilation. Minimize dust generation and accumulation; dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are disturbed. All dust control equipment and material transport systems involved are engineered to prevent conditions contributing to dust explosions and may require explosion relief vents or an

	explosion suppression system or an oxygen-deficient environment. Bonding and grounding systems may be required. Dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) should be designed to limit or prevent leakage of dust into the work area. Do not allow dust to accumulate on flat surfaces, on rafters or building structural components. Routine housekeeping should be instituted to reduce dust accumulation. Use Avoid dispersal of dust in the air; use vacuum or wet sweeping methods. Do not use compressed air to clean surfaces. Keep away from all ignition sources including heat, sparks, and flame. Where dust accumulations occur use non-sparking tools.
<i>Storage:</i>	Store in a cool dry place. Store in a tightly closed container/bag. The packaging material should have reasonable moisture and air barriers and comply with food regulations.
<i>Incompatible Products:</i>	Except under controlled conditions: Acids
Sections 8, Exposure Controls/Personal Protection	
<i>Control Parameters:</i>	8.1 CONTROL PARAMETERS Exposure limits: Nuisance dust (also called particulate not otherwise regulated (PNOR)). OSHA PEL: 15 mg/ mg/m3 Total dust 5 mg/m3 Respirable dust ACGIH TLV: 10 mg/m3 Inhalable dust 5 mg/m3 Respirable dust 15 mg/m3 Total dust
<i>Appropriate Engineering Controls:</i>	Ventilation: See NFPA 61, Standard for the Prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 Edition, and National Fire Protection Association 650, Standard for Pneumatic Conveying Systems for Handling Combustible Materials, 1997 Edition and other related standards. Normal industrial hygiene measures should be sufficient for protection of employees from exposure to dusts. Local and mechanical exhaust is desirable when dumping bags.
<i>Individual protection measures, such as personal protective equipment.</i>	
<i>Eye/Face Protection:</i>	Safety glasses are recommended. Safety goggles are desirable when dumping bags.
<i>Skin and Body Protection:</i>	Wear suitable protective clothing. Protective shoes or boots.
<i>Hand Protection:</i>	Protective gloves.
<i>Respiratory Protection:</i>	In case of inadequate ventilation, wear respiratory protection.
<i>Hygiene Measures:</i>	Handle in accordance with good industrial hygiene and safety practice.
<i>General Information:</i>	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

Section 9, Physical and Chemical Properties	
<i>Appearance:</i>	Crystalline, Powder
<i>Physical State:</i>	Powder
<i>Color:</i>	White to off-white
<i>Odor:</i>	Starch-like odor
<i>pH:</i>	Data on specification
<i>Melting Point/freezing point:</i>	Not applicable
<i>Boiling Point/Range:</i>	No information available
<i>Flash point:</i>	Not applicable
<i>Evaporation Rate:</i>	No information available
<i>Flammability (solid, gas):</i>	No information available
<i>Flammability Limit in Air:</i>	No information available
<i>Vapor pressure:</i>	Negligible
<i>Vapor density:</i>	No information available
<i>Density:</i>	No information available
<i>Specific gravity:</i>	No Data
<i>Water solubility:</i>	Data on specification
<i>Solubility in other solvents:</i>	No information available
<i>Partition coefficient:</i>	Not applicable
<i>Autoignition temperature:</i>	No information available
<i>Decomposition temperature:</i>	No information available
<i>Viscosity, kinematic:</i>	No information available
<i>Viscosity, dynamic:</i>	No information available
<i>Explosive properties:</i>	No information available
<i>Oxidizing properties:</i>	Non-oxidizing
<i>Molecular weight:</i>	No data
<i>Bulk Density:</i>	No data
Section 10, Stability and Reactivity	
<i>Reactivity:</i>	Stable
<i>Chemical Stability:</i>	Stable under normal conditions. Polymerization will not occur.
<i>Possibility of Hazardous Reactions:</i>	Not applicable.
<i>Hazardous polymerization:</i>	Hazardous polymerization does not occur
<i>Conditions to avoid:</i>	Practices which produce dust or disperse finely divided dust in air. See NFPA 61. Standard for the Prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 Edition, and other related standards.
<i>Incompatible materials:</i>	Oxidizing agents, strong acids

<i>Hazardous Decomposition Products:</i>	Nothing unusual
Section 11, Toxicological Information	
<i>Inhalation:</i>	Exposure to high airborne concentrations may cause mild respiratory irritation due to drying effects of dust.
<i>Ingestion:</i>	No effects known or anticipated.
<i>Skin irritation/corrosion:</i>	Sustained exposure in a dusty manufacturing environment may result in mechanical irritation in the creases of the skin, particularly at the fingers, or other drying effects. no health effects known or anticipated.
<i>Eye Irritation:</i>	May cause slight mechanical irritation from acute exposure.
<i>Skin sensitivity:</i>	Not sensitizing
<i>Chronic Toxicity:</i>	Not known or anticipated
<i>Genetic Toxicity:</i>	Not known or anticipated
<i>Carcinogenicity:</i>	Not classifiable as Carcinogen
<i>Reprotoxicity:</i>	Not known or anticipated
<i>Specific effects:</i>	Not applicable
Section 12, Ecological Information	
<i>Toxicity:</i>	Starch and its breakdown products are not known to be toxic to plant and animal life.
<i>Persistence and degradability:</i>	Readily biodegradable
<i>Bioaccumulation:</i>	Starch and its breakdown products are not fat-soluble, and do not accumulate in plant or animal tissue.
<i>Mobility:</i>	Not applicable
<i>Other Adverse Effects:</i>	None known.
Section 13, Disposal Considerations	
<i>Waste disposal methods:</i>	Follow local, state and federal regulations for product disposal. Not a hazardous waste unless contaminated with hazardous products.
Section 14, Transport Information	
<i>DOT shipping label</i>	Non-hazardous
Section 15, Regulatory Information	
<i>U.S. Federal Regulations</i>	
<i>Safety, Health and Environmental Regulations:</i>	According with the version of the Globally Harmonized System of Classification and labeling adopted in the United States and Regulation 1272/2008/EC(CLP): Not classified
<i>Clean Air Act:</i>	
<i>ODS:</i>	Not applicable
<i>TSCA:</i>	Not applicable
<i>SARA (EPCRA) Section 313 (40 C.F.R. 372.65)</i>	Not applicable
<i>California Proposition 65</i>	Not applicable
Section 16, Other Information	

See Hazard Communication Guidance of Combustible Dusts, OSHA 3371-08 2009, U.S. Occupational

Section 1 Chemical Product and Company Identification

Page E1 of E2

HOME SCIENCE TOOLS

665 Carbon Street
Billings, MT 59102
800-860-6272
www.homesciencetools.com

CHEMTREC 24 Hour Emergency USA
Phone Number (800) 424-9300
1 703-741-5500 (from anywhere in the world).
For laboratory and industrial use only.
Not for drug, food or household use.

Product IODINE-POTASSIUM IODIDE SOLUTION, 0.005 MOLAR (0.01N)**Synonyms** Iodine Potassium Iodide 0.005 Molar (0.01N) Solution / Iodine Solution, 0.005M (0.01N) / Iodine 0.005M (0.01N) / Iodine Solution

Section 2 Hazards Identification

Signal word: WARNING**Pictograms:** GHS07 / GHS09**Target organs:** Thyroid, kidneys, endocrine system, skin, eyes, reproductive system, central nervous system.**GHS Classification:**

Acute toxicity, oral (Category 4)

Acute toxicity, inhalation (Category 4)

Aquatic Acute (Category 1)

GHS Label information: Hazard statement(s):

H312: Harmful in contact with skin.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

Precautionary statement(s):

P261: Avoid breathing mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P312: Call a POISON CENTER or doctor if you feel unwell.

P362+P364: Take off contaminated clothing and wash it before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	97.365%	231-791-2
Potassium iodide	7681-11-0	2.000%	231-659-4
Iodine	7553-56-2	0.635%	231-442-4

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Harmful if inhaled.**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention. Harmful in contact with skin.

Section 5 Fire Fighting Measures

Extinguishing Media: Use any media suitable for extinguishing supporting fire.**General information:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, mist or spray. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Iodine CAS # 7553-56-2	TWA: 0.01 ppm ^(IFV) / STEL: 0.1 ppm ^(V)	STEL: C 0.1 ppm/C 1 mg/m ³	STEL: C 0.1 ppm/C 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Deep amber liquid. Odor: Characteristic odor. Odor threshold: Not applicable. pH: Approximately 7.1 Melting / Freezing point: ~ 0°C (~ 32°F) [water] Boiling point: ~ 100°C (212°F) [water] Flash point: Not flammable.	Evaporation rate (Water = 1): < 1 Flammability (solid/gas): Not applicable. Explosion limits: Lower / Upper: Not applicable Vapor pressure (mm Hg): 14 [water] Vapor density (Air = 1): 0.7 [water] Relative density (Specific gravity): 1.0 [water] Solubility(ies): Complete in water.	Partition coefficient: (n-octanol / water): Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
--	--	--

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Stable under recommended storage conditions. Excessive temperatures which cause evaporation.

Incompatibilities with other materials: Metals or unsaturated organic compounds, ammonia solutions or alkaline solutions of ammonia salts. Will form explosive nitrogen iodides when reacted with gaseous ammonia.

Hazardous decomposition products: Toxic iodide fumes.

Section 11 Toxicological Information

Acute toxicity: Oral-Rat LD50: 14,000 mg/kg [Iodine CAS # 7553-56-2]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Inhalation-rat 3.1 mg/m³ / 24 hour / 13 weeks - continuous [Iodine CAS # 7553-56-2]

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Symptoms include cough, wheezing, and labored breathing. Symptoms may be delayed.

Ingestion: Causes abdominal pain, diarrhea, nausea, and vomiting. Ingestion of levels of 2-3 grams of iodine may cause death.

Skin: Contact may cause redness and pain.

Eyes: Contact causes watering of the eyes, redness and pain.

Signs and symptoms of exposure: Effects of short-term exposure: Lachrymator. The substance is severely irritating to the eyes and the respiratory tract, and is irritating to the skin. Inhalation of the vapor may cause asthma-like reactions. Inhalation of the vapor may cause lung edema. The effects may be delayed. Effects of long-term exposure: Repeated or prolonged contact may cause skin sensitization in rate cases. Repeated or prolonged inhalation exposure may cause asthma-like syndrome. The substance may have effects on the thyroid. Specific data not available for this mixture. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: NN1575000 [Iodine CAS # 7553-56-2]

Section 12 Ecological Information

Toxicity to fish: Very toxic to aquatic life.

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Iodine	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Potassium iodide	Listed	Not listed	Not listed	Listed	Not listed	

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Chemical Product and Company Identification

Page E1 of E2

HOME SCIENCE TOOLS

665 Carbon Street
Billings, MT 59102
800-860-6272
www.homesciencetools.com

CHEMTREC 24 Hour Emergency USA
Phone Number (800) 424-9300
1 703-741-5500 (from anywhere in the world).
For laboratory and industrial use only.
Not for drug, food or household use.

Product SODIUM BORATE, DECAHYDRATE**Synonyms** Sodium Tetraborate ; Borax

Section 2 Hazards Identification

Signal word: DANGER**Pictograms:** GHS08 / GHS07**Target organs:** None known.**GHS Classification:**

Eye irritation (Category 2A)

Reproductive toxicity (Category 1B)

GHS Label information: Hazard statement:

H319: Causes serious eye irritation.

H360: May damage fertility or the unborn child.

Precautionary statement:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P308+P313: IF exposed or concerned: Get medical attention.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sodium borate, decahydrate	1303-96-4	100%	215-540-4

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: This product is an inherent fire retardant. There are no unusual fire and explosion hazards.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Borate compounds, inorganic	TWA: 2 mg/m ³ STEL: 6 mg/m ³ (A4)	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: White, crystalline powder	Evaporation rate (= 1): Data not available	Partition coefficient: Data not available
Odor: No odor	Flammability (solid/gas): Not flammable	Auto-ignition temperature: Data not available
Odor threshold: Data not available	Explosion limits: Lower / Upper: Data not available	Decomposition temperature: Data not available
pH: Data not available	Vapor pressure (mm Hg): Data not available	Viscosity: Data not available
Melting / Freezing point: 62°C (144°F)	Vapor density (Air = 1): Data not available	Molecular formula: Na ₂ B ₄ O ₇ •10H ₂ O
Boiling point: Data not available	Relative density (Specific gravity): 1.73	Molecular weight: 381.37
Flash point: Data not available	Solubility(ies): Soluble in water	

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: When heated, loses water, eventually forming anhydrous borax.

Incompatible materials: Strong acids, oxidizers and reducing agents.

Hazardous decomposition products: Boron oxide and sodium oxides.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 2,600 mg/kg ; Inhalation-rat LC50: >2.0 mg/l ; Dermal-rabbit LD50: >10,000 g/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion: Ingestion may cause gastrointestinal irritation. Symptoms of over-exposure may include nausea, vomiting and diarrhea.

Skin: Contact may cause irritation.

Eyes: Contact may cause irritation.

Signs and symptoms of exposure: Animal feeding studies in rat, mouse and dog, at high doses, have demonstrated effects on fertility and testes. Studies with the chemically related boric acid in the rat, mouse and rabbit, at high doses, demonstrate developmental effects on the fetus, including fetal weight loss and minor skeletal variations. The doses administered were many times in excess of those to which humans would normally be exposed. Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid dust and sodium borate dust. A recent epidemiological study under the conditions of normal occupational exposure to borate dusts indicated no effect on fertility..

Additional information: RTECS #: VZ2275000

Section 12 Ecological Information

Toxicity to fish: LC50 - Carassius auratus (goldfish) - 178 mg/l - 72 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 1,085 - 1,402 mg/l - 48 h

Toxicity to algae: LC50 - Desmodesmus subspicatus (green algae) - 158 mg/l - 96 h

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium borate, decahydrate	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



Woeber **MUSTARD** Manufacturing Company

P.O. Box 388 • 1966 Commerce Circle • Springfield, Ohio 45501

Phone 937/323-6281 • 1-800/548-2929 • FAX 937/323-1679

Section 1: Identification

Product Identifier: Vinegar (5% acidity)
Chemical Name: Acetic Acid (CH₃COOH)
CAS #: 64-19-7
Recommended Use: Food
Manufacturer Name: Woeber Mustard Mfg. Company
Address: 1966 Commerce Circle
Springfield, OH 45501
Telephone: 1-800-548-2929
Emergency Number: CHEMTREC: 1-800-424-9300

Section 2: Hazard(s) Identification

GHS Classification: Skin Corrosive 2, Eye Irritant 2A, Hazardous to aquatic environment



Signal Word : WARNING

Hazard Statements

H320: Causes eye irritation
H315: Causes skin irritation
H332: Harmful if inhaled
H402: Harmful to aquatic life

Precautionary Statements

P261: Avoid breathing fumes/mist/vapors/spray
P264: Wash exposed skin thoroughly after handling.
P280: Wear protective gloves to avoid prolonged exposure.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P273: Avoid release into the environment

Concentrated vapors irritating to eyes and respiratory tract, avoid inhalation. May cause minor skin irritation.

NFPA Scale-



NFPA SCALE (0-4)

HMIS Rating-

Health	2
Flammability	1
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

Section 3: Composition/Information on Ingredients

<u>Chemical Name</u>	<u>Amount</u>	<u>CAS Number</u>
Acetic Acid	5%	64-19-7
Water	95%	7732-18-5

Section 4: First Aid Measures

Inhalation:	If exposed to excessive levels of fumes, remove to fresh air.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
Skin Contact:	If on skin; wash with plenty of soap and water. If skin irritation occurs, seek medical advice/attention. If on clothes; remove/take off all contaminated clothing. Rinse skin with soap and water.
Ingestion:	Intended for ingestion, however if swallowed in large quantities, water may be consumed to dilute. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Section 5: Fire Fighting Measures

Flash Point:	40° C (104° F) closed cup (Acetic Acid)
Auto Ignition Temp.:	427° C (800° F) (Acetic Acid)
Flammable Limits in Air:	4.0% - 16% (Acetic Acid)
Extinguishing Media:	Water spray, foam CO2 or dry chemical. Water may be used to dilute spills and reduce flammability.
Hazards from Fire:	Toxic gasses and vapors may be released in a fire involving concentrated vinegars.

Section 6: Accidental Release Measures

Small Spill Procedure:	Treat or dispose of waste material as a weak acid in accordance with all local, state/provincial, and national requirements. Water may be used to dilute.
Large Spill Procedure:	Contain spilled material. Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime. Avoid runoff into storm sewers and ditches that lead to waterways. Treat or dispose of waste material as a weak acid in accordance with all local, state/provincial, and national requirements.
Personal Protection:	Protect skin and eyes from exposure. Avoid breathing vapor.
Environmental Precautions:	Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Section 7: Handling and Storage

Precautions for Handling:

Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Wash contaminated clothing before reusing.

Conditions for safe Storage:

Store in a cool, well ventilated place.

Section 8: Exposure Controls/Personal Protection

Permissible Exposure Limit (PEL): 10 ppm acetic acid

Threshold Limit Value (TLV): 10 ppm acetic acid

Short Term Exposure Limit (STEL): 15 ppm acetic acid

Recommended Exposure Limit (REL): 10 ppm acetic acid

Engineering Controls:

Local exhaust ventilation may be necessary to control any air contaminants to within their TLV during the use of the product. Emergency shower and eye wash stations should be readily available.

Eye/Face Protection:

Wear safety glasses and/or face shield.

Skin Protection:

Rubber/neoprene gloves recommended. Rubber apron or other protective equipment as needed to reduce direct contact. (Concentrated vinegars only)

Respiratory Protection:

As required to prevent exposure to concentrations which exceed the PEL.

Thermal Hazards: None known

General Hygiene considerations:

Section 9: Physical and Chemical Properties

Physical State and Appearance:	Liquid
Odor:	Pungent, Vinegar-like
Color:	Colorless, Clear
Boiling Point:	100°C (212°F)
Freezing Point:	-2.22°C (28 °F)
PH:	2.6
Specific Gravity:	1.049 (Water = 1)
Vapor Pressure:	1.5 kPa @ 20°C
Solubility in Water:	Complete

Section 10: Stability and Reactivity

Reactivity/Stability:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Incompatibilities:	Avoid strong oxidizing agents / bases
Polymerization:	Will not occur

Section 11: Toxicological Information

Routes of entry	Inhalation, ingestion and skin contact
Symptoms (acute)	Respiratory irritation
Delayed effects	No data available
Carcinogenicity	No evidence of a carcinogenic effect
Mutagenicity	No evidence of a mutagenicity effect
Teratogenicity	No evidence of a teratogenicity effect
Sensitization	No evidence of a sensitization effect
Reproductive	No evidence of a Reproductive effect

Section 12: Ecological Information

Ecotoxicity:	Will biodegrade readily under aerobic and anaerobic conditions.
---------------------	---

Section 13: Disposal Considerations

Treat or dispose of waste material as a weak acid in accordance with all local, state/provincial, and national requirements.

Section 14: Transportation Information

Product Label:	Vinegar.
DOT Shipping Name:	Not applicable
Technical Shipping Name:	Not applicable
DOT Hazard Class:	Not applicable
UN Number:	Not applicable for vinegar containing less than 25% acetic acid, provided packaging complies with ADR Special Provision 647; UN2790 for vinegar containing more than 25% acetic acid
Product RQ (lbs):	Quantity containing the equivalent of 5000 lb of 100% acetic acid, (16,667 lb of vinegar containing 30% acetic acid)
DOT Label:	Not applicable

Section 15: Regulatory Information

Canadian Disclosure List:

Acetic Acid (64-19-7)

Comprehensive Environmental Response, Compensation, & Liability Act (CERCLA):

Acetic Acid (64-19-7)

Food & Drug Administration (FDA)

Product is a GRAS (Generally Recognized as Safe) food ingredient.

Section 16: Other Information

Not Available

Woeber Mustard Co.	Revision Date 6/19/17	Revision Number – 3
---------------------------	-----------------------	------------------------

Section 1 Chemical Product and Company Information

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product BRICK CHIPS - RED

Synonyms Aggregate

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: WARNING

Pictograms: GHS08

Target organs: Respiratory system



GHS Classification:

*STOT-RE (Category 2)

GHS Label information: Hazard statement:

*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* The dust generated from dry sawing brick may contain silica and may be a potential health problem for the lungs although we are aware of no scientific evidence of a health problem in the form of brick.

Precautionary statement:

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Aluminum silicates	Various	75-85%	310-194-1 (as kaolin)
Calcium compounds	Various	0-12%	231-179-5 (as calcium)
Iron compounds	Various	0-5%	231-096-4 (as iron)
Barium compounds	Various	0-3%	231-149-1 (as barium)
Iron chromite	1308-31-2	0-3%	215-159-3
Manganese compounds	Various	0-3%	231-105-1 (as manganese)
Quartz (crystalline silica)	14808-60-7	Varies	238-878-4

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

Specific Hazards: None known.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particles not otherwise classified	TWA: 5 mg/m ³ respirable fraction	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Red, angular pieces. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Data not available Boiling point: Data not available Flash point: Not flammable	Evaporation rate (= 1): Not applicable Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Not flammable Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): Data not available Solubility(ies): Insoluble in water.	Partition coefficient: Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
---	---	---

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: None known.

Incompatible materials: None known.

Hazardous decomposition products: None known.

Section 11 Toxicological Information

Acute toxicity: Data not available
Skin corrosion/irritation: Data not available
Serious eye damage/irritation: Data not available
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
NTP: Known to be a human carcinogen (respirable). [crystalline silica]
IARC classified: Group 1: Carcinogenic to humans. [crystalline silica]
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Inhalation - May cause damage to organs through prolonged or repeated exposure. [crystalline silica]
Aspiration hazard: Data not available
Potential health effects:
Inhalation: Brick dust may cause congestion and irritation in nasal and respiratory passages.
Ingestion: Expected to be practically non-toxic. Ingestion of large amounts may cause gastrointestinal irritation and blockage.
Skin: May cause abrasions.
Eyes: May cause mild to severe irritation by abrasion with dust or chips.
Signs and symptoms of exposure: Prolonged inhalation of particulate dust, may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.
Additional information: RTECS #: None listed

Section 12 Ecological Information

Toxicity to fish: No data available
Toxicity to daphnia and other aquatic invertebrates: No data available
Toxicity to algae: No data available
Persistence and degradability: No data available **Bioaccumulative potential:** No data available
Mobility in soil: No data available **PBT and vPvB assessment:** No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: Not applicable **Shipping name:** Not Regulated
Hazard class: Not applicable **Packing group:** Not applicable **Reportable Quantity:** No **Marine pollutant:** No
Exceptions: Not applicable **2012 ERG Guide #** Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Brick	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: September 3, 2013

Supersedes: December 5, 2012

Section 1 L'information de produit chimique et de compagnie

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

**CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300**
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit MORCEAUX DE BRIQUE - ROUGE

Synonymes Agrégat

Section 2 Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS08

Les organes cibles: Le système respiratoire



Classification par le GHS:

*STOT-RE (Catégorie 2)

Renseignements sur l'étiquette GHS: Mention de danger:

*H373: Risque présumé d'effets graves pour les organes (*les poumons*) à la suite d'expositions répétées ou d'une exposition prolongée (*l'inhalation*).

* La poussière générée à partir de briques sciage à sec peut contenir de la silice et peut-être un problème potentiel pour la santé des poumons, bien que nous ne connaissions aucune preuve scientifique d'un problème de santé sous la forme de briques.

Déclarations de précaution:

P260: Ne pas respirer les poussières.

P314: Consulter un médecin / médecin si vous vous sentez mal.

P501: Éliminer le contenu / le conteneur dans une agence élimination des produits chimiques agréé, conformément aux réglementations locales / régionales / nationales.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la [reproduction](#).

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Silicates d'aluminium	Divers	75-85%	310-194-1 (comme le kaolin)
Composés de calcium	Divers	0-12%	231-179-5 (comme le calcium)
Composés de fer	Divers	0-5%	231-096-4 (comme le iron)
Composés de baryum	Divers	0-3%	231-149-1 (comme le baryum)
Chromite de fer	1308-31-2	0-3%	215-159-3
Composés de manganese	Divers	0-3%	231-105-1 (comme le manganese)
Quartz (silice cristalline)	14808-60-7	Divers	238-878-4

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: L'INHALATION PROLONGÉE DE POUSSIÈRES DE PARTICULES PEUT ÊTRE NOCIF. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT CAUSER DES ABRASIONS. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Le produit ne brûle pas ou appuyer feu. Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés..

Dangers spécifiques: Aucun connu.

Section 6 Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Ne pas inhaler les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particules non classées ailleurs	TWA: 5 mg/m ³ fraction respirable	Aucun établi	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Rouges, pièces angulaires Odeur: Aucun odeur. Seuil de l'odeur: Données non disponibles. pH: Données non disponibles. Point de fusion / congélation: Données non disponibles Point d'ébullition: Données non disponibles Point d'éclair: Ininflammable	Taux d'évaporation (= 1): Non applicable Inflammabilité (solide / gaz): Données non disponibles. Limites d'explosivité: Bas / Max: Ininflammable Pression de vapeur (mm Hg): Données non disponibles Densité de vapeur (Air = 1): Données non disponibles Densité relative (gravité spécifique): Données non disponibles Solubilité (s): Insoluble dans l'eau.	Coefficient de partage: Non applicable Auto-inflammation: Non applicable Température de décomposition: Données non disponibles. Viscosité: Données non disponibles. Formule moléculaire: Mélange Poids moléculaire: Mélange
--	--	--

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Aucun connu.

Matières incompatibles: Aucun connu.

Produits dangereux de décomposition: Aucun connu.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Connu pour être cancérogène pour l'homme (respirable). [silice cristalline]

IARC classés: Group 1: L'agent est cancérogène pour l'homme. [silice cristalline]

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Inhalation - Peut causer des lésions aux organes à une exposition prolongée ou répétée. [silice cristalline]

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: La poussière de brique peut causer de la congestion et l'irritation des voies nasales et respiratoires.

Ingestion: Estimé pratiquement non toxique. L'ingestion de grandes quantités peut provoquer une irritation gastro-intestinale et de blocage.

Peau: Peut causer des abrasions.

Yeux: Peut causer une légère irritation sévère à l'abrasion par la poussière ou des copeaux.

Les signes et les symptômes de l'exposition: L'inhalation prolongée de poussières de particules, une fibrose pulmonaire invalidante caractérisée par des modifications fibreuses et des nodules miliaires dans les poumons, une toux sèche, essoufflement, emphysème, une diminution de l'ampliation thoracique, et une susceptibilité accrue à la tuberculose. **Informations complémentaires:** RTECS #: Aucun listé

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Brique	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Date de révision: 3 septembre, 2013

Remplace: 5 decembre, 2012

Section 1 Chemical Product and Company Information

Page E1 of E2

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product	CALCIUM CARBONATE
Synonyms	Marble Chips / Boiling Chips / Marble Rocks / Limestone

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: WARNING

Pictograms: GHS08

Target organs: None known



GHS Classification:

*STOT-RE (Category 2)

GHS Label information: Hazard statement:

*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* *Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.*

Precautionary statement:

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - WARNING! This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Calcium carbonate	1317-65-3	≥ 99%	215-279-6
Quartz	14808-60-7	0.1-1.0%	238-878-4

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: Limestone reacts with acids to release carbon dioxide.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise classified	TWA: 5 mg/m ³ respirable fraction	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. White stone chips. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Data not available Boiling point: Data not available Flash point: Not flammable	Evaporation rate (= 1): Not applicable Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Not flammable Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): 2.85 Solubility(ies): 0.001% @ 0°C in water	Partition coefficient: Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: 826°C (1520°F) Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
---	---	--

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Avoid contact with acids.

Incompatible materials: Reacts with acids to liberate carbon dioxide.

Hazardous decomposition products: Carbon dioxide.

Section 11 Toxicological Information

Acute toxicity: Data not available
Skin corrosion/irritation: Data not available
Serious eye damage/irritation: Data not available
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
NTP: Known to be a human carcinogen (respirable). [crystalline silica]*
IARC classified: Group 1: Carcinogenic to humans. [crystalline silica]*
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Inhalation - May cause damage to organs through prolonged or repeated exposure. [crystalline silica]*
Aspiration hazard: Data not available
Potential health effects:
Inhalation: Dust may cause congestion and irritation in nasal and respiratory passages.
Ingestion: Ingestion may cause gastrointestinal irritation and blockage.
Skin: May cause abrasions.
Eyes: May cause mild to severe irritation by abrasion with dust or chips.
Signs and symptoms of exposure: Prolonged inhalation of particulate dust, may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.
Additional information: RTECS #: FF9335000
** Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.*

Section 12 Ecological Information

Toxicity to fish: No data available
Toxicity to daphnia and other aquatic invertebrates: No data available
Toxicity to algae: No data available
Persistence and degradability: No data available **Bioaccumulative potential:** No data available
Mobility in soil: No data available **PBT and vPvB assessment:** No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: Not applicable **Shipping name:** Not Regulated
Hazard class: Not applicable **Packing group:** Not applicable **Reportable Quantity:** No **Marine pollutant:** No
Exceptions: Not applicable **2012 ERG Guide #** Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Calcium carbonate	Listed	Not listed	Not listed	Not listed	Listed	 D2A

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'information de produit chimique et de compagnie

Page F1 of F2

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

**CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300**
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit	CARBONATE DE CALCIUM
Synonymes	Éclat de marbre / Éclat bouillonnement / Marble Rocks / Calcaire

Section 2 Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS08

Les organes cibles: Aucun connu



Classification par le GHS:

*STOT-RE (Catégorie 2)

Renseignements sur l'étiquette GHS: Mention de danger:

*H373: Risque présumé d'effets graves pour les organes (*les poumons*) à la suite d'expositions répétées ou d'une exposition prolongée (*l'inhalation*).

*Particules respirables contenant du silice cristalline peut être généré par l'écrasement de grès. Il n'y a pas de dangers connus associés avec ce produit lorsqu'il est utilisé selon les recommandations

Déclarations de précaution:

P260: Ne pas respirer les poussières.

P314: Consulter un médecin / médecin si vous vous sentez mal.

P501: Éliminer le contenu / le conteneur dans une agence élimination des produits chimiques agréé, conformément aux réglementations locales / régionales / nationales.

Ca Prop 65 - AVERTISSEMENT! Ce produit contient un produit chimique connu de l'Etat de Californie pour causer le cancer, des malformations congénitales ou autres anomalies [de reproduction](#).

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Carbonate de calcium	1317-65-3	≥ 99%	215-279-6
Silice cristalline	14808-60-7	0.1-1.0%	238-878-4

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: L'INHALATION PROLONGÉE DE POUSSIÈRES DE PARTICULES PEUT ÊTRE NOCIF. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT CAUSER DES ABRASIONS. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Le produit ne brûle pas ou appuyer feu. Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés..

Dangers spécifiques: Calcaire réagit avec les acides pour libérer le dioxyde de carbone.

Section 6 Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Ne pas inhaler les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particules non classées ailleurs	TWA: 5 mg/m ³ fraction respirable	Aucun établi	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Gravillons blancs Odeur: Aucun odeur. Seuil de l'odeur: Données non disponibles. pH: Données non disponibles. Point de fusion / congélation: Données non disponibles Point d'ébullition: Données non disponibles Point d'éclair: Ininflammable	Taux d'évaporation (= 1): Non applicable Inflammabilité (solide / gaz): Données non disponibles. Limites d'explosivité: Bas / Max: Ininflammable Pression de vapeur (mm Hg): Données non disponibles Densité de vapeur (Air = 1): Données non disponibles Densité relative (gravité spécifique): 2,85 Solubilité(s): 0.001% @ 0°C dans l'eau	Coefficient de partage: Non applicable Auto-inflammation: Non applicable Température de décomposition: 826°C (1520°F) Viscosité: Données non disponibles. Formule moléculaire: Mélange Poids moléculaire: Mélange
--	--	--

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Eviter le contact avec les acides.

Matières incompatibles: Réagit avec les acides pour libérer le dioxyde de carbone.

Produits dangereux de décomposition: Dioxyde de carbone.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Connu pour être cancérigène pour l'homme (respirable). [silice cristalline]*

IARC classés: Group 1: L'agent est cancérigène pour l'homme. [silice cristalline]*

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérigène ni comme cancérigène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Inhalation - Peut causer des lésions aux organes à une exposition prolongée ou répétée. [silice cristalline]*

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: La poussière peut causer de la congestion et l'irritation des voies nasales et respiratoires.

Ingestion: L'ingestion peut provoquer une irritation gastro-intestinale et de blocage.

Peau: Peut causer des abrasions.

Yeux: Peut causer une légère irritation sévère à l'abrasion par la poussière ou des copeaux.

Les signes et les symptômes de l'exposition: L'inhalation prolongée de poussières de particules, une fibrose pulmonaire invalidante caractérisée par des modifications fibreuses et des nodules miliaires dans les poumons, une toux sèche, essoufflement, emphysème, une diminution de l'ampliation thoracique, et une susceptibilité accrue à la tuberculose. **Informations complémentaires: RTECS #: FF9335000**

*Particules respirables contenant de la silice cristalline peuvent être générées par écrasement. Il n'y a pas de dangers connus associés à ce produit lorsqu'il est utilisé selon les recommandations.

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Carbonate de calcium	Listed	Not listed	Not listed	Not listed	Listed	 D2A

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Chemical Product and Company Information

Page E1 of E2

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product	COPPER METAL
Synonyms	Copper Metal Shot / Copper Shot / Copper

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None
Pictograms: None
Target organs: Liver, Kidneys

GHS Classification:
Not classified

GHS Label information: Hazard statement(s):
None

Precautionary statement(s):

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Nommé Chimique	# CAS	%	EINECS
Copper shot	7440-50-8	100%	231-159-6

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Red-brown, lustrous metal.

Turns green on exposure to moist air.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: 1083°C (1981°F)

Boiling point: 2595°C (4703°F)

Flash point: Not applicable

Evaporation rate (= 1): Not applicable

Flammability (solid/gas): Not applicable

Explosion limits: Lower / Upper: Not applicable

Vapor pressure (mm Hg): 1 mm @ 1628°C

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 8.92 @ 20°C

Solubility(ies): Insoluble

Partition coefficient: Data not available

Auto-ignition temperature: Not applicable

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Cu

Molecular weight: 63.55

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures and heat.

Incompatibilities with other materials: Strong oxidizers may cause a violent reaction.

Hazardous decomposition products: At temperatures above melting point, toxic fumes or vapors may be emitted.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of dust or fumes may irritate respiratory system.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation.

Eyes: Contact with eyes may cause irritation.

Signs and symptoms of exposure: Over-heating of alloy can produce metal fumes and oxides. Fumes of copper may cause metal fume fever with flu-like symptoms and skin and hair discolorization. Copper dust and fume cause irritation of the upper respiratory tract, metallic taste in the mouth, and nausea. Chronic poisoning results in Wilson's disease characterized by a hepatic cirrhosis, brain damage, demyelination, renal disease and copper deposition in the cornea.

Additional information: RTECS #: GL5325000

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: None assigned

Shipping name: Not Regulated.

Hazard class: None assigned **Packing group:** None assigned **Reportable Quantity:** No **Marine pollutant:** No **Exceptions:** No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Copper	Listed	Not listed	Not listed	Listed	Not listed	Uncontrolled product

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

Revision Date: September 3, 2013

Supersedes: December 6, 2012

Section 1

L'information de produit chimique et de compagnie

Page F1 of F2

Innovating Science[®]

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street

Avon, NY 14414-9409

(585) 226-6177

CHEMTREC 24 Numéros De Téléphone

De Secours D'Heure (800) 424-9300

Pour l'usage de laboratoire seulement.

Pas pour l'usage de drogue, de nourriture

ou de ménage.

Produit	MÉTAL DE CUIVRE
Synonymes	Shot de métal de cuivre / Shot de cuivre / Cuivre

Section 2

Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: Aucun

Pictogrammes: Aucun

Les organes cibles: Le foie, les reins

Classification par le GHS:
Non classé

Renseignements sur l'étiquette GHS: Mention de danger(s):
Aucun

Déclarations de précaution(s):
Ne pas respirer les poussières. Éviter tout contact avec les yeux, la peau ou les vêtements. Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage. Se laver les mains soigneusement après manipulation. Consulter un médecin en cas de malaise.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3

Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Shot de cuivre	7440-50-8	100%	231-159-6

Section 4

Mesures De Premiers Soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: NOCIF EN CAS D'INHALATION FUME . Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT CAUSER UNE IRRITATION. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5

Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Employez les triclass, extincteur chimique sec. N'employez pas l'eau sur le feu où le métal fondu est présent.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les métaux fondus produisent la vapeur, la vapeur et/ou la poussière qui peuvent être toxiques et/ou un irritant respiratoire. Le métal réagit avec les oxydants.

Section 6

Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Conserver le récipient bien fermé. Tenir hors de portée des enfants. Utiliser avec une ventilation adéquate. Bien se laver après la manipulation.

Manipulation: Utiliser avec une ventilation adéquate. Éviter tout contact avec les yeux, la peau et les vêtements. Éviter l'ingestion. Ne pas inhaler les vapeurs de métaux en fusion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Stockage: Conserver dans un endroit frais, sec et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Cuivre, poussières et brouillards, que Cu	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucune ne devrait être nécessaire dans la gestion normale de laboratoire à température ambiante. Si les conditions poussiéreuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Rouge-brun, métal brillant. S'allume en vert sur l'exposition à l'air humide. Odeur: Aucune odeur Seuil de l'odeur: Données non disponibles. pH: Données non disponibles. Point de fusion / congélation: 1083°C (1981°F) Point d'ébullition: 2595°C (4703°F) Point d'éclair: Non applicable	Taux d'évaporation (= 1): Non applicable Inflammabilité (solide / gaz): Non applicable Limites d'explosivité: Bas / Max: Non applicable Pression de vapeur (mm Hg): 1 mm @ 1628°C Densité de vapeur (Air = 1): Données non disponibles Densité relative (gravité spécifique): 8.92 @ 20°C Solubilité (s): Insoluble	Coefficient de partage: Données non disponibles Auto-inflammation: Non applicable Température de décomposition: Données non disponibles. Viscosité: Données non disponibles. Formule moléculaire: Cu Poids moléculaire: 63.55
---	---	--

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives et la chaleur.

Incompatibilités avec d'autres matériaux: Combustibles forts peut provoquer une réaction violente.

Produits de décomposition dangereux: A des températures supérieures au point de fusion, fumées ou vapeurs toxiques peuvent être émis.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles.

Des lésions oculaires graves / irritation: Données non disponibles.

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation de poussières ou de vapeurs peut irriter l'appareil respiratoire.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Peut cause une irritation.

Yeux: Le contact avec des yeux peut causer l'irritation.

Les signes et les symptômes de l'exposition: Surchauffe de l'alliage peut produire des vapeurs de métaux et d'oxydes. Les fumées de cuivre peut causer la fièvre des fondeurs avec des symptômes grippaux et de la peau et des cheveux discolorization. Les poussières de cuivre et causer une irritation des fumées de l'appareil respiratoire supérieur, goût métallique dans la bouche, et des nausées. L'intoxication chronique dans la maladie de Wilson caractérisé par une cirrhose hépatique, des lésions cérébrales, denyelination, la maladie rénale et depostion cuivre dans la corneé.

Informations complémentaires: RTECS #: GL5325000

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponibles

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponibles

Toxicité pour les algues: Pas de données disponibles

Persistance et dégradabilité: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Potentiel de bioaccumulation: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport

Numéro UN / NA: Non attribué

Nom d'expédition: Non réglé

Classe de danger: Non attribué

Groupe d'emballage: Non attribué

Quantité à déclarer: No

Polluant marin: No

Exceptions: No

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Cuivre	Listed	Pas listed	Pas listed	Pas listed	Pas listed	Produit non contrôlé

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

Section 1 Chemical Product and Company Information

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product	GRANITE
Synonyms	Crushed Stone

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: WARNING

Pictograms: GHS08

Target organs: Central nervous system, Respiratory system, Eyes, Skin



GHS Classification:
*STOT-RE (Category 2)

GHS Label information: Hazard statement:
*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* Respirable dust particles containing silicon dioxide may be generated by crushing. There are no known hazards associated with this material when used as recommended.

Precautionary statement:

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - WARNING! This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Silicon dioxide	14808-60-7	70-72%	231-545-4
Aluminum oxide	1344-28-1	13-15%	None assigned
Potassium oxide	12136-45-7	4-5%	None assigned
Sodium oxide	1313-59-3	3-4%	235-641-7
Ferric oxide	1309-37-1	1-2%	None assigned
Ferrous oxide	1345-25-1	1-2%	None assigned
Calcium oxide	1305-78-8	1-2%	215-138-9
Magnesium oxide	1309-48-4	<1%	215-171-9

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

Specific Hazards: None known.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particles not otherwise classified	TWA: 5 mg/m ³ respirable fraction	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Red, white, black, tan angular pieces. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Data not available Boiling point: Data not available Flash point: Not flammable	Evaporation rate (= 1): Not applicable Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Not flammable Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): 2.6-2.81 Solubility(ies): Insoluble in water.	Partition coefficient: Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
---	---	---

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Contact with incompatible materials.

Incompatible materials: Strong oxidizing agents such as fluorine, boron trifluoride, chlorine trifluoride, manganese trifluoride and oxygen difluoride may cause fire and/or explosion. Silica dissolves in hydrofluoric acid producing a corrosive gas, silicon tetrafluoride.

Hazardous decomposition products: Silica containing respirable dust particles may be generated by handling. When heated, quartz is slowly transformed into tridymite (>860°C/1580°F) and cristobalite (>1470°/2678°F).

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: Known to be a human carcinogen (respirable). [crystalline silica]

IARC classified: Group 1: Carcinogenic to humans. [crystalline silica]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Inhalation - May cause damage to organs through prolonged or repeated exposure. [crystalline silica]

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Brick dust may cause congestion and irritation in nasal and respiratory passages.

Ingestion: Expected to be practically non-toxic. Ingestion of large amounts may cause gastrointestinal irritation and blockage.

Skin: May cause abrasions.

Eyes: May cause mild to severe irritation by abrasion with dust or chips.

Signs and symptoms of exposure: Prolonged inhalation of particulate dust, may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.

Additional information: RTECS #: None listed

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Granite	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: September 3, 2013

Supersedes: December 5, 2012

Section 1 L'information de produit chimique et de compagnie

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

**CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300**
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit	GRANIT
Synonymes	Écrasée pierre

Section 2 Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS08

Les organes cibles: Le système respiratoire



Classification par le GHS:

*STOT-RE (Catégorie 2)

Renseignements sur l'étiquette GHS: Mention de danger:

*H373: Risque présumé d'effets graves pour les organes (*les poumons*) à la suite d'expositions répétées ou d'une exposition prolongée (*l'inhalation*).

**Particules respirables contenant du dioxyde de silicium peut être généré par l'écrasement. Il n'y a pas de dangers connus associés avec ce produit lorsqu'il est utilisé selon les recommandations*

Déclarations de précaution:

P260: Ne pas respirer les poussières.

P314: Consulter un médecin / médecin si vous vous sentez mal.

P501: Éliminer le contenu / le conteneur dans une agence élimination des produits chimiques agréé, conformément aux réglementations locales / régionales / nationales.

Ca Prop 65 - AVERTISSEMENT! Ce produit contient un produit chimique connu de l'Etat de Californie pour causer le cancer, des malformations congénitales ou autres anomalies [de reproduction](#).

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Dioxyde de silicium	14808-60-7	70-72%	231-545-4
Oxyde d'aluminium	1344-28-1	13-15%	Non attribué
Oxyde de potassium	12136-45-7	4-5%	Non attribué
Oxyde de sodium	1313-59-3	3-4%	235-641-7
Oxyde de ferrique	1309-37-1	1-2%	Non attribué
Oxyde de ferreux	1345-25-1	1-2%	Non attribué
Oxyde de calcium	1305-78-8	1-2%	215-138-9
Oxyde de magnésium	1309-48-4	<1%	215-171-9

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: L'INHALATION PROLONGÉE DE POUSSIÈRES DE PARTICULES PEUT ÊTRE NOCIF. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT CAUSER DES ABRASIONS. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Le produit ne brûle pas ou appuyer feu. Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés..

Dangers spécifiques: Aucun connu.

Section 6 Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Ne pas inhaler les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particules non classées ailleurs	TWA: 5 mg/m ³ fraction respirable	Aucun établi	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Rouge, blanc, noir, beige pièces angulaires Odeur: Aucun odeur. Seuil de l'odeur: Données non disponibles. pH: Données non disponibles. Point de fusion / congélation: Données non disponibles Point d'ébullition: Données non disponibles Point d'éclair: Ininflammable	Taux d'évaporation (= 1): Non applicable Inflammabilité (solide / gaz): Données non disponibles. Limites d'explosivité: Bas / Max: Ininflammable Pression de vapeur (mm Hg): Données non disponibles Densité de vapeur (Air = 1): Données non disponibles Densité relative (gravité spécifique): 2.6-2.81 Solubilité (s): Insoluble dans l'eau.	Coefficient de partage: Non applicable Auto-inflammation: Non applicable Température de décomposition: Données non disponibles. Viscosité: Données non disponibles. Formule moléculaire: Mélange Poids moléculaire: Mélange
--	---	--

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Contact avec les matériaux incompatibles.

Matières incompatibles: Les oxydants forts tels que le fluor, le trifluorure de bore, le trifluorure de chlore, le trifluorure de manganèse et le difluorure de l'oxygène peuvent causer l'incendie et/ou l'explosion. La silice dissout dans producteur d'acide fluorhydrique un gaz corrosif, tétrafluorure de silicium.

Produits dangereux de décomposition: La silice contenant des particules de poussière respirables peut être produite par la manipulation. Une fois de chauffage, le quartz est lentement transformé en tridymite (>860°C/1580°F) et cristobalite (>1470°/2678°F).

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Connue pour être cancérogène pour l'homme (respirable). [silice cristalline]

IARC classés: Group 1: L'agent est cancérogène pour l'homme. [silice cristalline]

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Inhalation - Peut causer des lésions aux organes à une exposition prolongée ou répétée. [silice cristalline]

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: La poussière de brique peut causer de la congestion et l'irritation des voies nasales et respiratoires.

Ingestion: Estimé pratiquement non toxique. L'ingestion de grandes quantités peut provoquer une irritation gastro-intestinale et de blocage.

Peau: Peut causer des abrasions.

Yeux: Peut causer une légère irritation sévère à l'abrasion par la poussière ou des copeaux.

Les signes et les symptômes de l'exposition: L'inhalation prolongée de poussières de particules, une fibrose pulmonaire invalidante caractérisée par des modifications fibreuses et des nodules miliaires dans les poumons, une toux sèche, essoufflement, emphysème, une diminution de l'ampliation thoracique, et une susceptibilité accrue à la tuberculose. **Informations complémentaires:** RTECS #: Aucun listé

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Granite	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Date de révision: 3 septembre, 2013

Remplace: 5 decembre, 2012

Section 1 Chemical Product and Company Information

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product	LIMESTONE
Synonyms	Calcium Carbonate

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: WARNING

Pictograms: GHS08

Target organs: None known



GHS Classification:

*STOT-RE (Category 2)

GHS Label information: Hazard statement:

*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.

Precautionary statement:

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - WARNING! This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Limestone (Calcium carbonate)	1317-65-3	≥99%	215-279-6
Quartz	14808-60-7	0.1-1.0%	238-878-4

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

Specific Hazards: Limestone reacts with acids to release carbon dioxide.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Silica, crystalline, α -quartz	TWA: 0.025 mg/m ³ respirable (A2)	TWA: 10 mg/m ³ respirable dust	TWA: 0.05 mg/m ³ respirable dust

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Tan to light brown round particles. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Data not available Boiling point: Data not available Flash point: Not flammable	Evaporation rate (= 1): Not applicable Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Not flammable Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): 2.6 - 2.75 Solubility(ies): Insoluble in water.	Partition coefficient: Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
--	---	---

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Avoid contact with incompatible materials.

Incompatible materials: Contact with powerful oxidizing agents such as fluorine, chlorine trifluoride, manganese trioxide and oxygen difluoride may cause fire.

Hazardous decomposition products: Will dissolve in hydrofluoric acid and produce silicon tetrafluoride, a corrosive gas.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: Known to be a human carcinogen (respirable). [crystalline silica]*

IARC classified: Group 1: Carcinogenic to humans. [crystalline silica]*

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Inhalation - May cause damage to organs through prolonged or repeated exposure. [crystalline silica]*

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Dust may cause congestion and irritation in nasal and respiratory passages.

Ingestion: Ingestion may cause gastrointestinal irritation and blockage.

Skin: May cause abrasions.

Eyes: May cause mild to severe irritation by abrasion with dust or chips.

Signs and symptoms of exposure: Prolonged inhalation of particulate dust, may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.

Additional information: RTECS #: FF9335000

* Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Limestone	Listed	Not listed	Not listed	Listed	Not listed	 D2A

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: September 3, 2013

Supersedes: December 10, 2012

Section 1 L'information de produit chimique et de compagnie

Innovating Science[®]
"cutting edge science for the classroom"

by Aldon Corporation
221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit	PIERRE À CHAUX
Synonymes	Carbonate de calcium

Section 2 Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: AVERTISSEMENT
Pictogrammes: GHS08
Les organes cibles: Les yeux, la peau et le système respiratoire



Classification par le GHS:
*STOT-RE (Catégorie 2)
Renseignements sur l'étiquette GHS: Mention de danger:
*H373: Risque présumé d'effets graves pour les organes (*les poumons*) à la suite d'expositions répétées ou d'une exposition prolongée (*l'inhalation*).

*Particules respirables contenant du silice cristalline peut être généré par l'écrasement de grès. Il n'y a pas de dangers connus associés wtih ce produit lorsqu'il est utilisé selon les recommandations

Déclarations de précaution:
P260: Ne pas respirer les poussières.
P314: Consulter un médecin / médecin si vous vous sentez mal.
P501: Éliminer le contenu / le conteneur dans une agence élimination des produits chimiques agréé, conformément aux réglementations locales / régionales / nationales.

Ca Prop 65 - AVERTISSEMENT! Ce produit contient un produit chimique connu de l'Etat de Californie pour causer le cancer, des malformations congénitales ou autres anomalies de reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Calcaire (Carbonate de calcium)	1317-65-3	≥99%	215-279-6
Quartz	14808-60-7	0.1-1.0%	238-878-4

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: L'INHALATION PROLONGÉE DE POUSSIÈRES DE PARTICULES PEUT ÊTRE NOCIF. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Le produit ne brûle pas ou appuyer feu. Utilisez des supports adaptés pour éteindre le feu à l'appui.
Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés..
Dangers spécifiques: Calcaire réagit avec les acides pour libérer le dioxyde de carbone.

Section 6 Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.
Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.
Confinement et de nettoyage: Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Ne pas inhaler les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Silica, cristalline, α -quartz	TWA: 0.025 mg/m ³ respirable (A2)	TWA: 10 mg/m ³ respirable dust	TWA: 0.05 mg/m ³ respirable dust

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Tan brun pâle à particules rondes Odeur: Aucun odeur. Seuil de l'odeur: Données non disponibles. pH: Données non disponibles. Point de fusion / congélation: Données non disponibles Point d'ébullition: Données non disponibles Point d'éclair: Ininflammable	Taux d'évaporation (= 1): Non applicable Inflammabilité (solide / gaz): Données non disponibles. Limites d'explosivité: Bas / Max: Ininflammable Pression de vapeur (mm Hg): Données non disponibles Densité de vapeur (Air = 1): Données non disponibles Densité relative (gravité spécifique): 2,6 - 2,75 Solubilité (s): Insoluble dans l'eau.	Coefficient de partage: Non applicable Auto-inflammation: Non applicable Température de décomposition: Données non disponibles. Viscosité: Données non disponibles. Formule moléculaire: Mélange Poids moléculaire: Mélange
--	---	--

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Eviter tout contact avec des matériaux incompatibles.

Matières incompatibles: Le contact avec les oxydants puissants tels que le fluor, trifluorure de chlore, trioxyde de manganèse et le difluorure de l'oxygène peut causer le feu.

Produits dangereux de décomposition: Se dissoudra en tétrafluorure de silicium d'acide fluorhydrique et de produit, un gaz corrosif.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Connue pour être cancérogène pour l'homme (respirable). [silice cristalline]*

IARC classés: Group 1: L'agent est cancérogène pour l'homme. [silice cristalline]*

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Inhalation - Peut causer des lésions aux organes à une exposition prolongée ou répétée. [silice cristalline]*

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: La poussière peut causer de la congestion et l'irritation des voies nasales et respiratoires.

Ingestion: L'ingestion peut provoquer une irritation gastro-intestinale et de blocage.

Peau: Peut causer des abrasions.

Yeux: Peut causer une légère irritation sévère à l'abrasion par la poussière ou des copeaux.

Les signes et les symptômes de l'exposition: L'inhalation prolongée de poussières de particules, une fibrose pulmonaire invalidante caractérisée par des modifications fibreuses et des nodules miliars dans les poumons, une toux sèche, essoufflement, emphysème, une diminution de l'augmentation thoracique, et une susceptibilité accrue à la tuberculose. **Informations complémentaires: RTECS #: FF9335000**

*Particules respirables contenant de la silice cristalline peuvent être générées par écrasement. Il n'y a pas de dangers connus associés à ce produit lorsqu'il est utilisé selon les recommandations.

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Calcaire	Listed	Not listed	Not listed	Listed	Not listed	 D2A

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Date de révision: 3 septembre, 2013

Remplace: 10 decembre, 2012

Section 1 Chemical Product and Company Information

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product SANDSTONE

Synonyms Aggregate

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: WARNING

Pictograms: GHS08

Target organs: Central nervous system, Respiratory system, Eyes, Skin



GHS Classification:

*STOT-RE (Category 2)

GHS Label information: Hazard statement:

*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* *Respirable dust particles containing silicon dioxide may be generated by crushing. There are no known hazards associated with this material when used as recommended.*

Precautionary statement:

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - WARNING! This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Silicon dioxide	14808-60-7	77-79%	231-545-4
Calcium oxide	1305-78-8	5-6%	215-138-9
Aluminum oxide	1344-28-1	4-5%	None assigned
Potassium oxide	12136-45-7	1-2%	None assigned
Ferric oxide	1309-37-1	1-2%	None assigned
Ferrous oxide	1345-25-1	1-2%	None assigned
Magnesium oxide	1309-48-4	1-2%	215-171-9
Sodium oxide	1313-59-3	<1%	235-641-7

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

Specific Hazards: None known.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particles not otherwise classified	TWA: 5 mg/m ³ respirable fraction	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Multi-colored angular pieces. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Data not available Boiling point: Data not available Flash point: Not flammable	Evaporation rate (= 1): Not applicable Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Not flammable Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): 2.5-2.7 Solubility(ies): Insoluble in water.	Partition coefficient: Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
--	--	---

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Contact with incompatible materials.

Incompatible materials: Strong oxidizing agents such as fluorine, boron trifluoride, chlorine trifluoride, manganese trifluoride and oxygen difluoride may cause fire and/or explosion. Silica dissolves in hydrofluoric acid producing a corrosive gas, silicon tetrafluoride.

Hazardous decomposition products: Silica containing respirable dust particles may be generated by handling. When heated, quartz is slowly transformed into tridymite (>860°C/1580°F) and cristobalite (>1470°/2678°F).

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: Known to be a human carcinogen (respirable). [crystalline silica]

IARC classified: Group 1: Carcinogenic to humans. [crystalline silica]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Inhalation - May cause damage to organs through prolonged or repeated exposure. [crystalline silica]

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Brick dust may cause congestion and irritation in nasal and respiratory passages.

Ingestion: Expected to be practically non-toxic. Ingestion of large amounts may cause gastrointestinal irritation and blockage.

Skin: May cause abrasions.

Eyes: May cause mild to severe irritation by abrasion with dust or chips.

Signs and symptoms of exposure: Prolonged inhalation of particulate dust, may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.

Additional information: RTECS #: None listed

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Sandstone	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: September 3, 2013

Supersedes: December 5, 2012

Section 1 L'information de produit chimique et de compagnie

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

**CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300**
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit	GRÈS
Synonymes	Agrégat

Section 2 Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS08

Les organes cibles: Le système respiratoire



Classification par le GHS:

*STOT-RE (Catégorie 2)

Renseignements sur l'étiquette GHS: Mention de danger:

*H373: Risque présumé d'effets graves pour les organes (*les poumons*) à la suite d'expositions répétées ou d'une exposition prolongée (*l'inhalation*).

**Particules respirables contenant du dioxyde de silicium peut être généré par l'écrasement. Il n'y a pas de dangers connus associés avec ce produit lorsqu'il est utilisé selon les recommandations*

Déclarations de précaution:

P260: Ne pas respirer les poussières.

P314: Consulter un médecin / médecin si vous vous sentez mal.

P501: Éliminer le contenu / le conteneur dans une agence élimination des produits chimiques agréé, conformément aux réglementations locales / régionales / nationales.

Ca Prop 65 - AVERTISSEMENT! Ce produit contient un produit chimique connu de l'Etat de Californie pour causer le cancer, des malformations congénitales ou autres anomalies [de reproduction](#).

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Dioxyde de silicium	14808-60-7	77-79%	231-545-4
Oxyde de calcium	1305-78-8	5-6%	215-138-9
Oxyde d'aluminium	1344-28-1	4-5%	Non attribué
Oxyde de potassium	12136-45-7	1-2%	Non attribué
Oxyde de ferrique	1309-37-1	1-2%	Non attribué
Oxyde de ferreux	1345-25-1	1-2%	Non attribué
Oxyde de magnésium	1309-48-4	1-2%	215-171-9
Oxyde de sodium	1313-59-3	<1%	235-641-7

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: L'INHALATION PROLONGÉE DE POUSSIÈRES DE PARTICULES PEUT ÊTRE NOCIF. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT CAUSER DES ABRASIONS. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Le produit ne brûle pas ou appuyer feu. Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés..

Dangers spécifiques: Aucun connu.

Section 6 Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Ne pas inhaler les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particules non classées ailleurs	TWA: 5 mg/m ³ fraction respirable	Aucun établi	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Multicolores pièces angulaires Odeur: Aucun odeur. Seuil de l'odeur: Données non disponibles. pH: Données non disponibles. Point de fusion / congélation: Données non disponibles Point d'ébullition: Données non disponibles Point d'éclair: Ininflammable	Taux d'évaporation (= 1): Non applicable Inflammabilité (solide / gaz): Données non disponibles. Limites d'explosivité: Bas / Max: Ininflammable Pression de vapeur (mm Hg): Données non disponibles Densité de vapeur (Air = 1): Données non disponibles Densité relative (gravité spécifique): 2.5-2.7 Solubilité (s): Insoluble dans l'eau.	Coefficient de partage: Non applicable Auto-inflammation: Non applicable Température de décomposition: Données non disponibles. Viscosité: Données non disponibles. Formule moléculaire: Mélange Poids moléculaire: Mélange
---	--	--

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Contact avec les matériaux incompatibles.

Matières incompatibles: Les oxydants forts tels que le fluor, le trifluorure de bore, le trifluorure de chlore, le trifluorure de manganèse et le difluorure de l'oxygène peuvent causer l'incendie et/ou l'explosion. La silice dissout dans producteur d'acide fluorhydrique un gaz corrosif, tétrafluorure de silicium.

Produits dangereux de décomposition: La silice contenant des particules de poussière respirables peut être produite par la manipulation. Une fois de chauffage, le quartz est lentement transformé en tridymite (>860°C/1580°F) et cristobalite (>1470°/2678°F).

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Connus pour être cancérogène pour l'homme (respirable). [silice cristalline]

IARC classés: Group 1: L'agent est cancérogène pour l'homme. [silice cristalline]

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Inhalation - Peut causer des lésions aux organes à une exposition prolongée ou répétée. [silice cristalline]

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: La poussière de brique peut causer de la congestion et l'irritation des voies nasales et respiratoires.

Ingestion: Estimé pratiquement non toxique. L'ingestion de grandes quantités peut provoquer une irritation gastro-intestinale et de blocage.

Peau: Peut causer des abrasions.

Yeux: Peut causer une légère irritation sévère à l'abrasion par la poussière ou des copeaux.

Les signes et les symptômes de l'exposition: L'inhalation prolongée de poussières de particules, une fibrose pulmonaire invalidante caractérisée par des modifications fibreuses et des nodules miliaires dans les poumons, une toux sèche, essoufflement, emphysème, une diminution de l'ampliation thoracique, et une susceptibilité accrue à la tuberculose. **Informations complémentaires:** RTECS #: Aucun listé

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Grès	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Date de révision: 3 septembre, 2013

Remplace: 5 decembre, 2012

Section 1 Chemical Product and Company Information

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product STEEL SHOT 2MM

Synonyms Steel Shot #6

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None

Pictograms: None

Target organs: None known

GHS Classification:

Not classified

GHS Label information: Hazard statement(s):

None

Precautionary statement(s):

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Nommé Chimique	# CAS	%	EINECS
Steel shot	None assigned	100%	None assigned

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise classified	None established	TWA: 5 mg/m ³ respirable fraction	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Metallic gray pellets

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: 1371-1483°C (2499-2701°F)

Boiling point: 2850-3150°C (5162-5702°F)

Flash point: Not applicable

Evaporation rate (= 1): Not applicable

Flammability (solid/gas): Not applicable

Explosion limits: Lower / Upper: Not applicable

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): >7.6

Solubility(ies): Insoluble

Partition coefficient: Data not available

Auto-ignition temperature: Not applicable

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Data not available

Molecular weight: Data not available

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Oxidizes readily in moist air.

Incompatibilities with other materials: Strong oxidizers, organic acids, mineral acids, water.

Hazardous decomposition products: None.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of dust or fumes may irritate respiratory system.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation.

Eyes: Contact with eyes may cause irritation.

Signs and symptoms of exposure: Over-heating of alloy can produce metal fumes and oxides. Over-exposure to dust and fumes may cause mouth, eye, and nose irritation.

Prolonged over-exposure can cause siderosis, or 'iron pigmentation' of the lung. It can be seen on a chest x-ray but causes little or no disability.

Additional information: RTECS #: None assigned

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: None assigned

Shipping name: Not Regulated.

Hazard class: None assigned **Packing group:** None assigned **Reportable Quantity:** No **Marine pollutant:** No **Exceptions:** No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Steel	Listed	Not listed	Not listed	Not listed	Not listed	Not listed

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

Section 1L'information de produit chimique et de compagnie

Innovating Science[®]
"cutting edge science for the classroom"

by Aldon Corporation
221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit	SHOT D'ACIER 2MM
Synonymes	Shot d'acier #6

Section 2Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: Aucun
Pictogrammes: Aucun
Les organes cibles: Aucun connu

Classification par le GHS:
Non classé

Déclarations de précaution(s):
Ne pas respirer les poussières. Éviter tout contact avec les yeux, la peau ou les vêtements. Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage. Se laver les mains soigneusement après manipulation. Consulter un médecin en cas de malaise.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Shot d'acier	Non attribué	100%	Non attribué

Section 4Mesures De Premiers Soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: NOCIF EN CAS D'INHALATION FUME . Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT CAUSER UNE IRRITATION. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Employez les triclass, extincteur chimique sec. N'employez pas l'eau sur le feu où le métal fondu est présent.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les métaux fondus produisent la vapeur, la vapeur et/ou la poussière qui peuvent être toxiques et/ou un irritant respiratoire. Le métal réagit avec les oxydants.

Section 6Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Conserver le récipient bien fermé. Tenir hors de portée des enfants. Utiliser avec une ventilation adéquate. Bien se laver après la manipulation.

Manipulation: Utiliser avec une ventilation adéquate. Éviter tout contact avec les yeux, la peau et les vêtements. Éviter l'ingestion. Ne pas inhaler les vapeurs de métaux en fusion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Stockage: Conserver dans un endroit frais, sec et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise classified	Aucun établi	TWA: 5 mg/m ³ fraction respirable	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucune ne devrait être nécessaire dans la gestion normale de laboratoire à température ambiante. Si les conditions poussiéreuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Gris métallisé pellets

Odeur: Aucune odeur

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: 1371-1483°C (2499-2701°F)

Point d'ébullition: 2850-3150°C (5162-5702°F)

Point d'éclair: Non applicable

Taux d'évaporation (= 1): Non applicable

Inflammabilité (solide / gaz): Non applicable

Limites d'explosivité: Bas / Max: Non applicable

Pression de vapeur (mm Hg): Données non disponibles

Densité de vapeur (Air = 1): Données non disponibles

Densité relative (gravité spécifique): >7,6

Solubilité (s): Insoluble

Coefficient de partage: Données non disponibles

Auto-inflammation: Non applicable

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Données non disponibles

Poids moléculaire: Données non disponibles

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: S'oxyde aisément en air moite.

Incompatibilités avec d'autres matériaux: Comburent forte, acides organique, acides minéraux, l'eau.

Produits de décomposition dangereux: Aucun connu.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles.

Des lésions oculaires graves / irritation: Données non disponibles.

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation de poussières ou de vapeurs peut irriter l'appareil respiratoire.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Peut cause une irritation.

Yeux: Le contact avec des yeux peut causer l'irritation.

Les signes et les symptômes de l'exposition: Surchauffe de l'alliage peut produire des vapeurs de métaux et d'oxydes. La surexposition aux poussières et des fumées peut causer la bouche, des yeux et une irritation du nez. Prolongée surexposition peut causer une sidérose, ou «la pigmentation de fer» du poulmon. On peut voir sur une radiographie de la poitrine, mais provoque une incapacité peu ou pas.

Informations complémentaires: RTECS #: Non attribué

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponibles

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponibles

Toxicité pour les algues: Pas de données disponibles

Persistance et dégradabilité: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Potentiel de bioaccumulation: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport

Numéro UN / NA: Non attribué

Nom d'expédition: Non réglé

Classe de danger: Non attribué

Groupe d'emballage: Non attribué

Quantité à déclarer: No

Polluant marin: No

Exceptions: No

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Acier	Listed	Pas listed	Pas listed	Pas listed	Pas listed	Pas listed

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

Section 1 Chemical Product and Company Information

Innovating Science® by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SULFURIC ACID, CONCENTRATE, 95-98%
Synonyms	Sulfuric Acid / Hydrogen Sulfate / Battery Acid

Section 2 Hazards Identification

Signal word: DANGER

Pictograms: GHS05

Target organs: Respiratory system, skin, eyes, teeth.



GHS Classification:

Skin corr. (Category 1A)

GHS Label information: Hazard statement(s):

H314: Causes severe skin burns and eye damage.

Precautionary statement(s):

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sulfuric acid	7664-93-9	95-98%	231-639-5

Section 4 First Aid Measures

INGESTION: Harmful or fatal if swallowed. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Harmful or fatal if inhaled. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Causes severe burns. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Causes severe burns. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Product is a water reactive material, DO NOT USE WATER! Use dry chemicals only for extinguishing.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water on combustibles burning in vicinity of acid but use care as water applied to the acid results in severe generation of heat and may cause boiling and splattering. Sulfuric acid will not burn, but is capable of igniting finely divided combustible materials on contact. May react violently with organic materials and water with the evolution of heat. Contact with reactive metals, e.g. aluminum, may result in the generation of flammable hydrogen gas.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Hygroscopic material. Never add water to this solution, always add acid, slowly and in small amounts to water to avoid splattering.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sulfuric acid	TWA: 0.2 mg/m ³ (A2)	TWA: 1 mg/m ³	TWA: 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, oily liquid. Odor: Slightly pungent odor. Odor threshold: Data not available. pH: <1.5 acidic, in solution. Melting / Freezing point: <11°C (52°F) Boiling point: Approximately 275-325°C (527-617°F) Flash point: Not flammable.	Evaporation rate (= 1): Data not available. Flammability (solid/gas): Data not available. Explosion limits: Upper/Lower: Data not available. Vapor pressure (mm Hg): Variable Vapor density (Air = 1): Data not available. Relative density (Specific gravity): 1.84 Solubility(ies): Complete in water.	Partition coefficient: (n-octanol / water): Data not available. Auto-ignition temperature: Data not available. Decomposition temperature: 340°C (644°F) Viscosity: Data not available. Molecular formula: H ₂ SO ₄ Molecular weight: 98.01
---	--	---

Section 10 Stability & Reactivity

Chemical stability: Stable
Hazardous polymerization: Will not occur.
Conditions to avoid: Avoid contact with water and heat. Avoid temperatures above 250°C (482°F).
Incompatible materials: Alkalies, amines, anhydrides, combustibles, organics, oxidizers, powdered metals.
Hazardous decomposition products: Sulfur trioxide and/or sulfur dioxide. Hydrogen gas by reaction with metals.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 2140 mg/kg ; Inhalation-rat LC50: 510 mg/m³/2 hours
Skin corrosion/irritation: Skin-rabbit - causes burns
Serious eye damage/irritation: Eyes-rabbit - causes burns
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
NTP: This product contains a chemical known to be a human carcinogen.
IARC classified: Group 1: Carcinogenic to humans. [Acid mists, strong inorganic]
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
Inhalation: Inhalation of this material is irritating and/or corrosive to the nose, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations may result in permanent lung damage. Repeated inhalation may cause bronchitis, and also etching of dental enamel followed by the erosion of the enamel and dentine with loss of tooth substance.
Ingestion: Ingestion may cause irritation and/or burns to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.
Skin: Skin contact can cause severe irritation and/or burns characterized by redness, swelling and scab formation.
Eyes: Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.
Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.
Additional information: RTECS #: WS5600000

Section 12 Ecological Information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (sulfuric acid)
Toxicity to daphnia and other aquatic invertebrates: Crangon crangon (crustacea) 70-80 mg/l/48 hours
Toxicity to algae: No data available
Persistence and degradability: No data available
Bioaccumulative potential: No data available
Mobility in soil: No data available
PBT and vPvB assessment: No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: UN1830
Shipping name: Sulfuric acid
Hazard class: 8
Packing group: II
Reportable Quantity: 1,000 lbs (454 kg)
Marine pollutant: No
Exceptions: Limited quantity equal to or less than 1 L
2012 ERG Guide # 137

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Sulfuric acid	Listed	1000 lbs (454 kg)	D002	Listed	Not listed	E; D1A 

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

Section 1 L'information de produit chimique et de compagnie

Innovating Science® by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Numéros De Téléphone
 De Secours D'Heure (800) 424-9300**
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	ACIDE SULFURIQUE, CONCENTRÉ, 95-98%
Synonymes	Acide sulfurique / Sulfate d'hydrogène / Acide de batterie

Section 2 Identification De Risques

Mention d'avertissement: DANGER

Pictogrammes: GHS05

Les organes cibles: Le système respiratoire, la peau, les yeux et les dents.



Classification par le GHS:

Skin corr. (Catégorie 1A)

Renseignements sur l'étiquette GHS: Mention de danger(s):

H314: Provoque des brûlures de la peau et des lésions oculaires graves.

Déclarations de précaution(s):

P260: Ne pas respirer les brouillards/vapeurs/aérosols.

P264: Se laver les mains soigneusement après manipulation.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P301+P330+P331: EN CAS D'INGESTION: Rincer la bouche. Ne PAS faire vomir.

P303+P361+P353: EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux):

Enlever immédiatement tout vêtement souillé ou éclaboussé. Rincer la peau à l'eau/se doucher.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P310: Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.

P363: Laver les vêtements contaminés avant réutilisation.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Acide sulfurique	7664-93-9	95-98%	231-639-5

Section 4 Mesures De Premiers Soins

INGESTION: Nocif ou mortel en cas d'ingestion. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: Nocif ou mortel en cas d'inhalation. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: Cause de graves brûlures. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: Cause de graves brûlures. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Le produit est un matériau réactif de l'eau, NE PAS UTILISER D'EAU! Utiliser des produits chimiques secs seulement pour éteindre!

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. L'eau d'utilisation sur des combustibles brûlant dans la proximité de l'acide mais prennent soin comme eau appliquée aux résultats acides dans la génération grave de la chaleur et peuvent causer l'ébullition et éclabousser. L'acide sulfurique ne brûlera pas, mais est capable de mettre à feu les matériaux combustibles finement divisés sur le contact. Peut réagir violemment avec de l'eau les matériaux et organiques avec l'évolution de la chaleur. Entrez en contact avec les métaux réactifs, par exemple l'aluminium, peut avoir comme conséquence la génération du gaz d'hydrogène inflammable.

Section 6 Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorbent avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhaler les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Matériel hygroscopique. N'ajoutez jamais l'eau à cette solution, ajoutez toujours l'acide, lentement et dans un peu de l'eau pour éviter d'éclabousser.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acide sulfurique	TWA: 0.2 mg/m ³ (A2)	TWA: 1 mg/m ³	TWA: 1 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Utiliser une hotte et / ou porter un respirateur NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Clear, oily liquid. Odeur: Slightly pungent odor. Seuil de l'odeur: Données non disponibles pH: Données non disponibles Point de fusion / congélation: <11°C (52°F) Point d'ébullition: Approximately 275-325°C (527-617°F) Point d'éclair: Non inflammable.	Taux d'évaporation (= 1): Données non disponibles Inflammabilité (solide / gaz): Données non disponibles Limites d'explosivité: Max: / Bas: Données non disponibles Pression de vapeur (mm Hg): Variable Densité de vapeur (Air = 1): Données non disponibles Densité relative (gravité spécifique): 1.84 Solubilité (s): Complet dans l'eau.	Coefficient de partage: Données non disponibles Auto-inflammation: Données non disponibles Température de décomposition: 340°C (644°F) Viscosité: Données non disponibles Formule moléculaire: H ₂ SO ₄ Poids moléculaire: 98.01
--	--	---

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Évitez tout contact avec de l'eau et de la chaleur. Éviter les températures supérieures à 250 ° C (482 ° F).

Matières incompatibles: Les alcalis, amines, anhydrides, combustibles, produits organiques, oxydants, ont saupoudré des métaux.

Produits dangereux de décomposition: Anhydride de trioxyde de soufre et/ou sulfureux. Gaz d'hydrogène par la réaction aux métaux.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 2140 mg/kg ; Inhalation-rat LC50: 510 mg/m³/2 hours

La corrosion de la peau et l'irritation: Peau-lapin - cause des brûlures

Des lésions oculaires graves / irritation: Yeux-lapin - cause des brûlures

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Ce produit contient un produit chimique connu pour être cancérogène pour l'homme.

IARC: IARC classés: Group 1: L'agent est cancérogène pour l'homme. [Brouillards d'acides inorganiques forts]

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par le OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation de ce matériel est irritante et/ou corrosif au nez, à la gorge et aux poumons. Il peut également causer des brûlures à la région respiratoire avec la production de l'œdème de poumon qui peut avoir comme conséquence la brièveté du souffle, de wheezing, d'obstruer, de la douleur de coffre et de l'affaiblissement de la fonction de poumon. L'inhalation des concentrations élevées peut avoir comme conséquence des dommages de poumon permanents. L'inhalation répétée peut causer la bronchite, et également graver à l'eau-forte de l'email dentaire suivie de l'érosion de l'email et de l'ivoire avec la perte de substance de dent.

Ingestion: L'ingestion peut causer l'irritation et/ou les brûlures à l'appareil gastro-intestinal entier, y compris l'estomac et les intestins, caractérisés par nausée, le vomissement, diarrhée, douleur abdominale, saignement et/ou ulcération de tissu.

Peau: Le contact de peau peut causer l'irritation grave et/ou les brûlures caractérisées par la rougeur, le gonflement et la formation de croûte.

Yeux: L'irritation grave et/ou les brûlures peuvent se produire après exposition d'oeil. Le contact peut causer l'affaiblissement de la vision et des dommages cornéens.

Les signes et les symptômes de l'exposition: Sensation de brûlure, toux, respiration sifflante, laryngite, essoufflement, spasmes, une inflammation et un œdème du larynx, des spasmes, une inflammation et un œdème des bronches, une pneumonite, un œdème pulmonaire. Le produit est extrêmement destructeur des tissus des muqueuses et des voies respiratoires supérieures, des yeux et la peau.

Informations complémentaires: RTECS #: WS5600000

Section 12 L'Information Écologique

Toxicité pour les poissons: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (acide sulfurique)

Toxicité pour les daphnies et autres invertébrés aquatiques: Crangon crangon (crustacea) 70-80 mg/l/48 hours

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport

Numéro UN / NA: UN1830

Nom d'expédition: Acide sulfurique

Classe de danger: 8

Groupe d'emballage: II

Quantité à déclarer: 1,000 lbs. (454 kg)

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 1 L

2012 ERG Guide #: 137

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Acide sulfurique	Listed	1,000 lbs (454 kg)	D002	Listed	Non listed.	E: D1A 

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

Date de révision: 3 septembre, 2013

Remplace: 15 octobre, 2012

Section 1 Chemical Product and Company Information

Page E1 of E2

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product	ZINC SHOT
Synonyms	Zinc / Zinc Metal / Zinc Metal Shot

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None
Pictograms: None
Target organs: None known

GHS Classification: Not classified
GHS Label information: Hazard statement(s): Not classified
Precautionary statement(s): Not classified

Supplemental information:

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Nommé Chimique	# CAS	%	EINECS
Zinc shot	7440-66-6	100%	231-175-3

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE MECHANICAL IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE DERMATITIS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents. Small chips, turnings, and dust with ignite readily. Dust cloud may be explosive.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise classified	None established	TWA: 5 mg/m ³ respirable fraction	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Metallic silver-gray pellets

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: 419°C (787°F)

Boiling point: 907°C (1665°F)

Flash point: Not applicable

Evaporation rate (= 1): Not applicable

Flammability (solid/gas): Not applicable

Explosion limits: Lower / Upper: Not applicable

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 7.12

Solubility(ies): Insoluble

Partition coefficient: Data not available

Auto-ignition temperature: Not applicable

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Zn

Molecular weight: 65.38

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures.

Incompatibilities with other materials: Strong acids, halogens.

Hazardous decomposition products: Zinc oxides and zinc fumes.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of dust or fume may cause irritation to eyes, nose, throat, and cause a metallic taste in the mouth. May cause metal fume fever or produce flu-like symptoms.

Ingestion: May be harmful if swallowed.

Skin: May cause dermatitis.

Eyes: Contact with eyes may cause mechanical irritation.

Signs and symptoms of exposure: Over-heating of alloy can produce metal fumes and oxides. Over-exposure to dust and fumes may cause mouth, eye, and nose irritation.

Additional information: RTECS #: None assigned

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: None assigned

Shipping name: Not Regulated.

Hazard class: None assigned **Packing group:** None assigned **Reportable Quantity:** No **Marine pollutant:** No **Exceptions:** No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Zinc	Listed	Not listed	Not listed	Listed	Not listed	Not listed

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

Revision Date: September 3, 2013

Supersedes: January 10, 2012

Section 1

L'information de produit chimique et de compagnie

Page F1 of F2

Innovating Science[®]

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street

Avon, NY 14414-9409

(585) 226-6177

CHEMTREC 24 Numéros De Téléphone

De Secours D'Heure (800) 424-9300

Pour l'usage de laboratoire seulement.

Pas pour l'usage de drogue, de nourriture

ou de ménage.

Produit	ZINC SHOT
Synonymes	Zinc / Métal de zinc / Métal de zinc shot

Section 2

Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: Aucun

Pictogrammes: Aucun

Les organes cibles: Aucun connu

Classification par le GHS: Non classé

Renseignements sur l'étiquette GHS: Mention de danger(s): Non classé

Déclarations de précaution(s): Non classé

Informations supplémentaires:

Ne pas respirer les poussières. Ne pas mettre dans les yeux, la peau ou les vêtements. Porter des gants de protection / des vêtements de protection / protection des yeux / du visage. Se laver les mains après avoir manipulé. Consulter un médecin en cas de malaise.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3

Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Zinc shot	7440-66-6	100%	231-175-3

Section 4

Mesures De Premiers Soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: NOCIF EN CAS D'INHALATION FUME . Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION MÉCANIQUE. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT CAUSER UNE DERMATITE. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5

Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Employez les triclass, extincteur chimique sec. N'employez pas l'eau sur le feu où le métal fondu est présent.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les métaux fondus produisent la vapeur, la vapeur et/ou la poussière qui peuvent être toxiques et/ou un irritant respiratoire. Le métal réagit avec les oxydants. Petits éclats, copeaux et de la poussière avec s'enflamme pas facilement. Nuage de poussière peut être explosive.

Section 6

Mesures De Déchargement Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Conserver le récipient bien fermé. Tenir hors de portée des enfants. Utiliser avec une ventilation adéquate. Bien se laver après la manipulation.

Manipulation: Utiliser avec une ventilation adéquate. Éviter tout contact avec les yeux, la peau et les vêtements. Éviter l'ingestion. Ne pas inhaler les vapeurs de métaux en fusion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Stockage: Conserver dans un endroit frais, sec et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise classified	Aucun établi	TWA: 5 mg/m ³ fraction respirable	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucune ne devrait être nécessaire dans la gestion normale de laboratoire à température ambiante. Si les conditions poussiéreuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Métalliques, gris argenté pellets	Taux d'évaporation (= 1): Non applicable	Coefficient de partage: Données non disponibles
Odeur: Aucune odeur	Inflammabilité (solide / gaz): Non applicable	Auto-inflammation: Non applicable
Seuil de l'odeur: Données non disponibles.	Limites d'explosivité: Bas / Max: Non applicable	Température de décomposition: Données non disponibles.
pH: Données non disponibles.	Pression de vapeur (mm Hg): Données non disponibles	Viscosité: Données non disponibles.
Point de fusion / congélation: 419°C (787°F)	Densité de vapeur (Air = 1): Données non disponibles	Formule moléculaire: Zn
Point d'ébullition: 907°C (1665°F)	Densité relative (gravité spécifique): 7,12	Poids moléculaire: 65.38
Point d'éclair: Non applicable	Solubilité (s): Insoluble	

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable **Polymérisation dangereuse:** N'aura pas lieu.

Conditions à éviter: Des températures excessives.

Incompatibilités avec d'autres matériaux: Les acides forts, des halogènes.

Produits de décomposition dangereux: Les oxydes de zinc et de fumées zinc.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles.

Des lésions oculaires graves / irritation: Données non disponibles.

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérigène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérigène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérigène ni comme cancérigène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation de la poussière ou des fumées peut causer une irritation des yeux, du nez, de la gorge et causer un goût métallique dans la bouche. Peut causer la fièvre des fondeurs ou de produire des symptômes pseudo-grippaux.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Peut causer une dermatite.

Yeux: Contact avec les yeux peut provoquer une irritation mécanique.

Les signes et les symptômes de l'exposition: Surchauffe de l'alliage peut produire des vapeurs de métaux et d'oxydes. La surexposition aux poussières et des fumées peut causer la bouche, des yeux et une irritation du nez.

Informations complémentaires: RTECS #: Non attribué

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponibles

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponibles

Toxicité pour les algues: Pas de données disponibles

Persistence et dégradabilité: Pas de données disponibles

Mobilité dans le sol: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Potentiel de bioaccumulation: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport

Numéro UN / NA: Non attribué

Nom d'expédition: Non réglé

Classe de danger: Non attribué **Groupe d'emballage:** Non attribué **Quantité à déclarer:** No **Polluant marin:** No **Exceptions:** No

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	Classification SIMDUT
Zinc	Listed	Pas listed	Pas listed	Listed	Pas listed	Pas listed

Section 16 L'Information Additionnelle

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.



American Scientific, LLC

Safety Data Sheet

Section 1

Product Description

2010-20 Hand Boiler (Dichlorofluoroethane)

Product Name:	Dichlorofluoroethane
Recommended Use:	Science education applications
Synonyms:	Dichloromethane
Manufacturer:	American Scientific, LLC 6420 Fiesta Drive, Columbus, OH 43235
Chemical Information:	800-227-1150 (8am-5pm (ET) M-F)
Chemtrec for Emergency:	800-424-9300 (Transportation Spill Response 24 hours)
Phone Number for Information:	(614) 764-9002
Fax Number for Information:	(614) 764-9043

Section 2

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



EMERGENCY OVERVIEW: This product is a clear liquid. Has a sweet, mild odor. Not flammable. The product causes irritation of eyes, skin and mucous membranes. Harmful by inhalation, in contact with skin and if swallowed. May be fatal if inhaled. Causes headache, drowsiness or other effects to the central nervous system. Limited evidence of a carcinogenic effect. Do not allow product to contact skin, eyes and clothing. Do not breathe vapors.

Potential Acute Health Effects: Very hazardous in case of eye contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (irritant, permeator). Inflammation of the eye is characterized by redness, watering, and itching.

GHS Classification:

Flammable Solid Category 1, Substance or mixture which in contact with water emits flammable gas Category 1

Potential Chronic Health Effects: **Carcinogenic Effects:** Classified + (proven.) by OSHA. Classified of 2B (Possible for human.) by IARC. **Mutagenic Effects:** Not available. **Teratogenic Effects:** Not available. **Developmental Toxicity:** Not available. The substance is toxic to lungs, the nervous system, liver, mucous membranes, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage.

Section 3

Composition / Information on Ingredients

Chemical Name: Methylene chloride

CAS # 75-09-2

% by Weight: 100

Toxicological Data on Ingredients: Methylene chloride: ORAL (LD50): Acute: 1600 mg/kg (Rat)

Component Information/Information on Non-Hazardous Components

This product is considered to be hazardous according to the criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard) and the Canadian Controlled Product Regulations.

Trace impurities and additional material names not listed above may also appear in Section 15 toward the end of the MSDS. These materials may be listed for local "Right-To-Know" compliance and for other reasons.

Section 4

First Aid Measures

Emergency and First Aid Procedures



Inhalation: In case of accident by inhalation: Move to area with fresh air. If not breathing, Give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.

Eyes: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as collar, tie, belt, or waistband.

Section 5

Firefighting Procedures

Extinguishing Media: Use alcohol-resistant foam, carbon dioxide (CO₂) or dry chemical.

Fire Fighting Methods and Protection:

Water may be ineffective. Fire-fighters should wear self-contained, NIOSH-approved breathing apparatus and in the event of fire, cool tanks with water spray. Do not use a solid water stream as it may scatter and spread fire. After fire, Flush area with water to prevent re-ignition. Do not allow run-off from firefighting to enter drains or water courses.

Flammable Properties

Flash Point: Would not flash

Flash Point Method: Closed Cup

Autoignition Temperature: 1033°F (556°C)

Upper Flame Limit (volume % in air): 19

Lower Flame Limit (volume % in air): 12

Flame Propagation Rate (solids): Not applicable

OSHA Flammability Class: Not applicable

Hazardous Combustion Products:

Not flammable. Irritating and/or toxic gases may be emitted upon the product's decomposition. Hazardous combustion products may include carbon monoxide, carbon dioxide (CO₂) phosgene, hydrogen chloride gas and chlorine gas.

Spill or Leak Procedures

Steps to Take in Case Material is Released or Spilled:



Containment Procedures: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Stop flow of material, if this is without risk.

Cleanup Procedures: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Shovel into suitable container for disposal. Do not allow product to enter sewer or waterways.

Evacuation Procedures: Keep unnecessary people away. Isolate area.

Special procedures: Use personal protective equipment.

Spills and releases may have to be reported to Federal and/or local authorities. See section 15 regarding reporting requirements.

Section 7

Handling and Storage

Handling: (always wear recommended personal protective equipment.)

Ensure adequate ventilation. DO not allow product to contact skin, eyes, and clothing. Do not breathe vapors. Keep away from fire, sparks, and heated surfaces. Keep container tightly closed in a dry and well-ventilated place.



Storage Recommendations:

Keep in a well ventilated place. Empty containers may retain product residue. Store away from incompatible substances. Re-open used containers with caution. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Protect from extremes of temperature and direct sunlight.

Section 8

Protection Information

Engineering Controls:

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product in closed system. Local exhaust ventilation is preferred. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

Personal Protective Equipment

Skin Protection:

Wear impervious gloves and impervious clothing. Gloves must be inspected prior to use. For leak, spills, or other emergency, use full protective equipment.

Eye Protection:

For handling in closed ventilation system, wear safety glasses with side-shields. For situations where splashing is likely or for leak, spill or other emergency, use chemical goggles and face-shield. Remove contact lenses.

Respiratory Protection:

When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators.

Additional Recommendations:

Provide eyewash stations and quick-drench shower facilities.

Exposure Guidelines

Component Exposure Limits Dichloromethane (75-09-2)

ACGIH: 50ppm TWA

OSHA: 25 ppm TWA (8hr) (Skin); 125 ppm STEL (15 min)(skin); 12.5 ppm Action Level (See 29 CFR 1910.1052)

OSHA (Vacated): 500 ppm TWA; 2000 ppm STEL (5 min in any 3 hrs); 1000 ppm Ceiling

Alberta: 50 ppm TWA; 174 mg/m3 TWA

British Columbia:	IARC Category 2B – Possible Human Carcinogen; 25 ppm TWA
Manitoba:	100 ppm TWA; 350 mg/m ³ TWA; 500 ppm STEL; 1740 mg/3 STEL
New Brunswick:	50 ppm TWA; 174 mg/m ³ STEL
Northwest Territories:	100 ppm TWA; 347 mg/m ³ TWA
Nova Scotia:	50 ppm TWA
Nunavut:	100 ppm TWA; 347 mg/m ³ TWA
Ontario:	50 ppm TWAEV; 174 mg/m ³ TWAEV
Quebec:	50 ppm TWAEV; 174mg/m ³ TWAEV
Saskatchewan:	174 mg/m ³ TWA; 50 ppm TWA
Yukon:	200 ppm TWA; 700 mg/m ³ TWA (listed as Dichloromethane)

Section 9

Physical Data

APPEARANCE: Clear, colorless liquid

PHYSICAL STATE: Liquid

MOLECULAR WEIGHT: 84.94

CHEMICAL FORMULA: CH₂Cl₂

ODOR: Mild, sweet (similar to Chloroform)

SPECIFIC GRAVITY (water = 1.0): 1.33

SOLUBILITY IN WATER (weight %): 1.32 gm/ 100gm @ 77°F (25°C)

pH: Not applicable

BOILING POINT: 140°F (40°C)

MELTING POINT: -139°F (-95°C)

VAPOUR PRESSURE: 350 mm Hg at 68°F (20°C)

VAPOUR DENSITY (air = 1.0): 2.9

EVAPORATION RATE: 0.7 COMPARED TO: Ethyl Ether = 1

% VOLATILES: 100

FLASH POINT: Would not flash

(Flash point method and additional flammability data are found in Section 5.)

Section 10

Reactivity Data

Normally Stable? (Conditions to Avoid)

Stable under recommended storage conditions.

Avoid: Incompatible products

Incompatibilities:

Keep away from oxidizing agents, strongly alkaline and strongly acid materials, metals, aluminum, and magnesium.

Hazardous Decomposition Products:

Hazardous decomposition products include carbon monoxide, carbon dioxide (CO₂) phosgene, hydrogen chloride gas and chlorine gas.

Hazardous Polymerization:

Hazardous polymerization does not occur.

Section 11

Toxicity Data

Dichloromethane Component analysis – LD50/LC50

Dichloromethane (75-09-2)

Rat: LD50 – Route: Oral; Dose: 1410 mg/kg
 LD50 – Route: Dermal; Dose: >2000mg/kg

Immediate (Acute) Effects:

The product causes irritation of eyes, skin and mucous membranes. Harmful by inhalation, in contact with skin and if swallowed. Causes headache, drowsiness or other effects to the central nervous system.

Exposure to high concentrations can lead to increased carboxyhemoglobin levels in the blood. Carboxyhemoglobin can lead to respiratory failure and central nervous system depression by decreasing the oxygen carrying capacity of blood. Persons who smoke tobacco products will experience an intensified elevation of carboxyhemoglobin levels. Memory loss, central nervous and psychomotor disturbances, headaches, and other effects are also possible related to carboxyhemoglobin levels.

Delayed (Sub chronic and chronic) Effects:

Repeated or prolonged exposure may cause damage to the heart, liver and kidney. Chronic exposure may cause headache, mental confusion, depression, bronchitis, loss of appetite, nausea, lack of balance, and visual disturbances.

Mutagenicity: Mutagenic in salmonella typhimurium Ames assay

- : Gene mutation in hamster ovary cells (3,000 ppm)
- : DNA damage in mouse liver cells (400 u mol/L)

Other Data:

Limited evidence of a carcinogenic effect.

Component Carcinogenicity

Dichloromethane (75-09-2)

ACGIH: A4 – Confirmed animal carcinogen with unknown relevance to humans
 OSHA: Suspect Carcinogen
 NIOSH: Potential occupational carcinogen
 NTP: Reasonably Anticipated to Be a Carcinogen (possible select carcinogen)
 IARC: Monograph 71, 1999 (Group 2B (possibly carcinogenic to humans))

Section 12

Ecological Data

Overview: Prevent from entering sewer or waterway. This material is not expected to be harmful to aquatic life.

Component Analysis – Eco toxicity – Aquatic Toxicity



Dichloromethane (75-09-2)

Test & Species

96 Hr LC50 fathead minnow 330 mg/L
 96 Hr LC50 rainbow trout 10.95 mg/L
 96 Hr LC50 bluegill 220 mg/L
 15 min EC50 Photobacterium phosphoreum 1000 mg/L
 48 Hr EC50 water flea 140 mg/L

Conditions

flow-through
 flow-through
 static

Static

Accumulation in terrestrial organisms is unlikely. Bioaccumulation is unlikely.

Section 13**Disposal Information****Disposal Methods:**

U080. Dispose of as special waste in compliance with local and national regulations. Waste codes should be assigned by the user based on the application for which the product was used. Incineration of waste material in an EPA-approved facility is recommended, allowing a solid, inert residue to form.

Other Disposal Considerations: Observe all Federal, State, and Local Environmental regulations.

The information offered here is for the product as shipped. Use and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

Section 14**Transport Information**

US DOT PROPER SHIPPING NAME: Dichloromethane
US DOT Hazard Class: 6.1 **Packing Group:** III
US DOT Id Number: UN1593

TDG Proper Shipping Name: Dichloromethane
TDG Hazard Class: 6.1 **Packing Group:** III

North American Emergency Response Guide (ERG) Number: 160

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

Section 15**Regulatory Information****TOXIC SUBSTANCES CONTROL ACT (TSCA)**

TSCA INVENTORY STATUS: All components are on the U.S. EPA TSCA Inventory List.

OTHER TSCA ISSUES: Additional TSCA information may exist. Contact VWR if you have questions regarding your application or use of this product.

SARA TITLE III/CERCLA

"Reportable Quantities" (RQs) and/or "Threshold Planning Quantities" (TPQs) exist for the following ingredients.

<u>INGREDIENT NAME</u>	<u>SARA/CERCLA RQ (lbs.)</u>	<u>SARA EHS TPQ (lbs.)</u>
Dichloromethane (75-09-2)	1000	None

Spills or releases resulting in the loss of any ingredient at or above its RQ requires immediate notification to the National Response Center [(800) 424-8802] and to your Local Emergency Planning Committee.

SECTION 311 HAZARD CLASS: Immediate. Delayed.

SARA 313 TOXIC CHEMICALS:

The following ingredients are SARA 313 "Toxic Chemicals". CAS numbers and weight percents are found in Section 2.

<u>INGREDIENT NAME</u>	<u>COMMENT</u>
Dichloromethane (75-09-2)	0.1 % de minimis concentration

STATE RIGHT-TO-KNOW

In addition to the ingredients found in Section 2, the following are listed for state right-to-know purposes.

INGREDIENT NAME	WEIGHT %	COMMENT
Dichloromethane (75-09-2)	100	CA, MA, MN, NJ, PA, RI

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer.

ADDITIONAL REGULATORY INFORMATION:

None.

WHMIS CLASSIFICATION (CANADA):

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all information required by CPR.

WHMIS Classification:

D1B- Very Toxic Material

D2A- Chronic Toxic Effects

D2B- Toxic Material

FOREIGN INVENTORY STATUS:

Component Analysis – Inventory

Component	CAS #	TSCA	CAN	EEC	AUST	PHIL	MITI	Korea	China
Methylene chloride	75-09-2	Yes	DSL	EINECS	Yes	Yes	Yes	Yes	Yes

Section 16**Additional Information**

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. American Scientific, LLC makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

OTHER INFORMATION: As per the OSHA Hazard Communication Standard, 1910.1200, the information contained within this MSDS must be given to those persons using this material. For educational use only. Not for food or drug use. Do not store with foodstuffs.

Glossary

ACGIH	American Conference of Governmental Industrial Hygienists	NTP	National Toxicology Program
CAS	Chemical Abstract Service Number	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
DOT	U.S. Department of Transportation	ppm	Parts per million
IARC	International Agency for Research on Cancer	RCRA	Resource Conservation and Recovery Act

Dichloromethane (As found in Hand Boiler)

Page 9 of 9

N/A

Not Available

SARA

Superfund Amendments and
Reauthorization Act

TLV
IDLH

Threshold Limit Value
Immediately dangerous to life
and health

MATERIAL SAFETY DATA SHEET

04/03/2018

1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER OR DISTRIBUTOR : Bangkit USA INC
10511 Valley Boulevard
El Monte, CA 91731

INFORMATION TELEPHONE NUMBER : 626-672-0888

EMERGENCY TELEPHONE NUMBER : Call Local Poison Control Center

PRODUCT NAME : BAZIC MODELING DOUGHS

2. COMPOSITION ON INGREDIENTS

INGREDIENT NAME	CAS#
Starch Soluble	9005-84-9
Water	7732-18-5
Sodium Chloride	7647-14-5
Glycerol	56-81-5
Pigment Colors	

3. HAZARD IDENTIFICATION

This product, when used under reasonable conditions and accordance with the normal use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's direction for use may affect the performance of the product and may present potential health and safety hazards.

POTENTIAL HEALTH EFFECTS

Eye Contact : is not expected to occur during normal use of the product.

Skin Contact : is not expected to result in significant irritation during product use.

Inhalation : is not expected to occur during normal use of the product.

Ingestion : no health effects are expected.

4. FIRST AID MEASURES

Skin contact : No effect of exposures expected.
Eye contact : No effect of exposure expected.
Inhalation : No effect of exposure expected.
Ingestion : If the product is swallowed, please contact physician immediately.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flammable : N/A
Flash point : 350° C

EXTINGUISHING MEDIA

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam)

PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures : water may be used to blanket the fire
Unusual Fire and Explosion Hazards : no unusual fire or explosion hazards are anticipated.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures : Not Applicable

7. HANDLING AND STORAGE

HANDLING

Use methods to minimize dust.

STORAGE

Store and handle in accordance with all current regulations and standards. See original containers for storage recommendations. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS

Not Applicable

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection	: Not Applicable.
Skin Protection	: Not applicable. Gloves not normally required. Avoid prolonged or repeated skin contact.
Respiratory Protection	: Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.
Prevention of Swallowing	: Not an expected route of exposure.

EXPOSURE GUIDELINES

None Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Solid	Flash Point	: N/A
Physical State	: Solid	Flammability	: N/A
Physical Form	: Solid	Vapor Pressure	: N/A
Color	: Assorted colors	Vapor Density (air=1)	: N/A
Odor	: Odorless	Evaporation Rate	: N/A
Odor Threshold	: N/A	Specific Gravity	: N/A
pH	: N/A	Density	: N/A
Melting Point	: N/A	Water Solubility	: N/A
Freezing Point	: N/A	Coeff. Water/Oil Dist	: N/A
Boiling Point	: N/A	Volatility	: N/A
Viscosity	: N/A		

10. STABILITY AND REACTIVITY

Chemical Stability	: Stable at normal temperatures and pressure.
Conditions to Avoid	: None reported.
Materials to Avoid	: Oxidizing materials.
Decomposition Products	: Oxides of carbon.
Possibility of Hazardous Reactions	: Will not polymerize.

11. TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not determined

CHEMICAL FATE INFORMATION

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method : Dispose in accordance with all applicable regulations

Since regulations vary, consult applicable regulations or authorities before disposal.

14. TRANSPORT INFORMATION

No special requirement

15. REGULATORY INFORMATION

Not available

16. OTHER INFORMATION

Not available

DISCLAIMER : the information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Bazic Products **MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.** User is responsible for determining whether the Bazic product is fit for particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Bazic product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Bazic product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.