



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00807390 S1

APPLICANT: TOYSMITH
5110 FRONTAGE ROAD AUBURN,
WA98001
ATTN: BURKE WILLIAMS

DATE: Jan 14, 2009

*THIS IS TO SUPERSEDE REPORT NO.
HKGH00807390 DATED Jan 02, 2009*

SAMPLE DESCRIPTION:

ONE (1) SUBMITTED SAMPLE SAID TO BE **FIZZY TINTS**.
COLOR : #10 RED.

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

FOR AND ON BEHALF OF :
INTERTEK TESTING SERVICES HK LTD.

KAREN S.C. NG
GENERAL MANAGER





Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00807390 S1

TESTS CONDUCTED

1 TOTAL LEAD (Pb) CONTENT

WITH REFERENCE TO US EPA METHOD 6010/6020, BY DRY ASHING AND ACID DIGESTION,
FOLLOWED BY INDUCTIVELY COUPLED PLASMA MASS SPECTROMETRY DETERMINATION.

RESULT : 0.082 ppm

LIMIT : 7.5 ppm

REMARK : ppm = PARTS PER MILLION OR MILLIGRAMS PER KILOGRAM

THE ABOVE LIMIT WAS QUOTED FROM THE CONSENT JUDGEMENT NO. BC-352903
FOR COSMETIC PRODUCT BASED ON THE CALIFORNIA PROPOSITION 65.

DATE SAMPLE RECEIVED : DEC 18, 2008

TESTING PERIOD : DEC 22, 2008 TO DEC 24, 2008

END OF REPORT





Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

To: FACE ART INDUSTRIAL LIMITED Ref: FC-090-0311
Attention: W.S. LAM. Date: Jan 14, 2009

Re : Report Revision Notification

Intertek Testing Services Report Number HKGH00807390 Dated
Jan 02, 2009

Please be informed that all the content recorded in the above captioned
report will be void. This captioned report is now supersede by a revised
Intertek Testing Services Report, HKGH00807390 S1

Thank you for your attention.

FOR AND ON BEHALF OF :
INTERTEK TESTING SERVICES HK LTD.

KAREN S.C. NG
GENERAL MANAGER

MSDS - Sodium Bicarbonate Baking Soda Tablets

Section 1. Product Identification

Synonyms: Sodium hydrogen carbonate; sodium acid carbonate; baking soda; bicarbonate of soda

Section 2. Product Identification

Sodium Bicarbonate Tablets

CAS Number: 144-55-8

Not hazardous under OSHA Standard CFR 1910.1200

Not a WHMIS controlled substance

Section 3. Hazards Identification

Tablets, can have residual dust

No odor

Not a fire hazard

No significant health or environmental effects associated with this material

WHMIS Rating: Health: 0 Fire: 0 Reactivity: 0

Potential Health Effects

Eye: Not an eye irritant

Skin Contact: Not a skin irritant

Ingestion: Material is practically non-toxic. Small amounts (1-2 tablespoons) swallowed during normal handling operations are not likely to cause injury as long as the stomach is not overly full; swallowing larger amounts may cause injury (see Note in Section 8).

Inhalation: Not known

Sub-chronic Effects/Carcinogenicity: Based on published studies on its effects in animals and humans, sodium bicarbonate is not teratogenic. Only known sub-chronic effect is that of a marked systemic alkalosis. The material is not listed as a carcinogen or potential carcinogen by IARC, OSHA, ACGIH, NTP or NIOSH.

Section 4. First Aid Measures

Eyes: Check for and remove contacts. Flood eyes with clean flowing water, low pressure and lukewarm (not hot) if possible, occasionally lifting eyelids.

Ingestion: If large amounts of this material are swallowed, do not induce vomiting. Administer water if person is conscious. Never give anything by mouth to an unconscious person.

Note to Physician: Large doses may produce systemic alkalosis and expansion in extra cellular fluid volume with oedema.

Section 5. Fire Fighting Measures

Flammable Properties

Flashpoint: Not combustible

Method Used: Not applicable

Flammable Limits

LFL: Not applicable

UFL: Not applicable

Extinguishing Media: Non- combustible material. Use extinguishing media appropriate for surrounding fire.

Fire Fighting Instructions: Carbon Dioxide may be generated making necessary the use of a self contained breathing apparatus (SCBA) and full protective equipment (Bunker Gear). Carbon dioxide is an asphyxiant at levels over 5% w/w. Sodium oxide, another thermal decomposition product existing at temperatures above 156F is a respiratory, eye and skin irritant. Avoid inhalation, eye and skin contact with sodium oxide dusts.

Unusual Fire and Explosion Hazards: Not known

Section 6. Accidental Release Measures

Scoop up into dry, clean containers. Wash away uncontaminated residue with water.

Section 7. Handling and Storage

Store in cool, dry areas and away from incompatible substances (see section 10).

Sodium Bicarbonate reacts with acids to yield carbon dioxide gas which can accumulate in confined spaces. Do not enter confined spaces until they have been well ventilated and carbon dioxide and oxygen levels have been determined to be safe.

Section 8. Exposure Controls/Personal Protection

Respiratory Protection: Dust mask required if total dust level exceeds 10 mg/m³

Protective Gloves: General purpose for handling dry product. Impervious gloves when working with solutions.

Eye Protection: Safety glasses when handling bulk material or when dusts are generated

Other Protective Clothing or Equipment: Full cover clothing. Apron where splashing may occur when working with solutions.

Section 9. Physical and Chemical Properties

Appearance: Tablets

Odor: None

Physical State: Solid

pH as is: Not applicable

pH (1% Soln. w/v): 8.2

Vapor Pressure: Not applicable

Vapor Density: Not applicable

Boiling Point: Not applicable

Freezing/Melting Point: Not applicable

Solubility in Water: 8.6 g/100 ml @ 68F

Specific Gravity (Water = 1): 2.2

Apparent Density: (g/cc): Approximately 1

% Volatile: Not applicable

Volatile Organic Compounds: Not applicable

Molecular Weight: 84.02

Section 10. Stability and Reactivity

Chemical Stability: Stable

Conditions to Avoid: Temperatures above 65C (150F)

Incompatibility with Other Materials: Reacts with acids to yield carbon dioxide. Also may yield free caustic in presence of lime dust. (CaO) and moisture (i.e. water, perspiration).

Hazardous Decomposition Products: Heating above 100C may cause dangerous levels of carbon dioxide gas to be present in confined spaces. Avoid inhalation, eye and skin contact with sodium oxide.

Hazardous Polymerization: Not applicable

Section 11. Toxicological Information

Eye Effects: The material was minimally irritating to unwashed eyes and practically non irritating to washed eyes (rabbit).

Skin Effects: Not a skin irritant or dermally toxic. Not a contact sensitizer

Acute Oral Effects: Acute Oral- rat LD = 7.3 g/kg

Acute Inhalation: Lc50 (rat) > 4.74 mg/l

Section 12. Ecological Information

Aquatic Toxicity: Daphids - EC50 = 4100 mg/l Bluegill - LC50 = 7100 mg/l Rainbow Trout - LC50 = mg/l

Persistence: This product is not expected to persist in the environment

Bio Accumulation: This product is not expected to bio-accumulate

Section 13. Disposal Considerations

Bury in a secured landfill in accordance with all local, state and federal environmental regulations.

Empty containers may be incinerated or discarded as general trash.

Section 14 Transportation Information

D.O.T. Shipping Name: Not regulated

Technical Shipping Name: Sodium Bicarbonate

D.O.T. Hazard Class: None

Section 15. Regulatory Information

Clean Air Act Section 611: Material neither contains nor is it manufactured with ozone depleting substances (ODS).

Federal Water Pollution Control Act (40 CDR 401,15): Material contains no intentionally added or detectable (contaminant) levels of EPA priority toxic pollutants.

Food and Drug Administration: Generally Recognized As Safe (GRAS) direct food additive (21 CFR 184.1736)

OSHA: Not hazardous under 29 CFR 1910.1200

RCRA: Not a hazardous material or a hazardous waste by listing or characteristic

Disclaimer

This information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. We make no warranty of any kind, expressed or implied, concerning the safe use of this material in your process or combination with any other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

MATERIAL SAFETY DATA SHEET

04/03/2018

1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER OR DISTRIBUTOR : Bangkit USA INC
10511 Valley Boulevard
El Monte, CA 91731

INFORMATION TELEPHONE NUMBER : 626-672-0888

EMERGENCY TELEPHONE NUMBER : Call Local Poison Control Center

PRODUCT NAME : BAZIC MODELING DOUGHS

2. COMPOSITION ON INGREDIENTS

INGREDIENT NAME	CAS#
Starch Soluble	9005-84-9
Water	7732-18-5
Sodium Chloride	7647-14-5
Glycerol	56-81-5
Pigment Colors	

3. HAZARD IDENTIFICATION

This product, when used under reasonable conditions and accordance with the normal use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's direction for use may affect the performance of the product and may present potential health and safety hazards.

POTENTIAL HEALTH EFFECTS

Eye Contact : is not expected to occur during normal use of the product.
Skin Contact : is not expected to result in significant irritation during product use.
Inhalation : is not expected to occur during normal use of the product.
Ingestion : no health effects are expected.

4. FIRST AID MEASURES

Skin contact : No effect of exposures expected.
Eye contact : No effect of exposure expected.
Inhalation : No effect of exposure expected.
Ingestion : If the product is swallowed, please contact physician immediately.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flammable : N/A
Flash point : 350° C

EXTINGUISHING MEDIA

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam)

PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures : water may be used to blanket the fire
Unusual Fire and Explosion Hazards : no unusual fire or explosion hazards are anticipated.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures : Not Applicable

7. HANDLING AND STORAGE

HANDLING

Use methods to minimize dust.

STORAGE

Store and handle in accordance with all current regulations and standards. See original containers for storage recommendations. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS

Not Applicable

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection : Not Applicable.
Skin Protection : Not applicable. Gloves not normally required. Avoid prolonged or repeated skin contact.
Respiratory Protection : Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.
Prevention of Swallowing : Not an expected route of exposure.

EXPOSURE GUIDELINES

None Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Solid	Flash Point	: N/A
Physical State	: Solid	Flammability	: N/A
Physical Form	: Solid	Vapor Pressure	: N/A
Color	: Assorted colors	Vapor Density (air=1)	: N/A
Odor	: Odorless	Evaporation Rate	: N/A
Odor Threshold	: N/A	Specific Gravity	: N/A
pH	: N/A	Density	: N/A
Melting Point	: N/A	Water Solubility	: N/A
Freezing Point	: N/A	Coeff. Water/Oli Dist	: N/A
Boiling Point	: N/A	Volatility	: N/A
Viscosity	: N/A		

10. STABILITY AND REACTIVITY

Chemical Stability : Stable at normal temperatures and pressure.
Conditions to Avoid : None reported.
Materials to Avoid : Oxidizing materials.
Decomposition Products : Oxides of carbon.
Possibility of Hazardous Reactions : Will not polymerize.

11. TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not determined

CHEMICAL FATE INFORMATION

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method : Dispose in accordance with all applicable regulations

Since regulations vary, consult applicable regulations or authorities before disposal.

14. TRANSPORT INFORMATION

No special requirement

15. REGULATORY INFORMATION

Not available

16. OTHER INFORMATION

Not available

DISCLAIMER : the information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Bazic Products **MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.** User is responsible for determining whether the Bazic product is fit for particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Bazic product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Bazic product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 13-May-2015

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name permanent marker black ink

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Pens

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Wenzhou Aihao Pen Trade Co., Ltd

Supplier Address No.128, Wenchang Road, Longwan Zone
Wenzhou
Zhejiang
325011
CN

Supplier Phone Number Phone:86-13524536325
Contact Phone86-021-68622126

Supplier Email 732314056@qq.com

Emergency telephone number

2. HAZARDS IDENTIFICATION


Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3



GHS Label elements, including precautionary statements**Emergency Overview**

Signal word	Danger	
Hazard Statements Causes skin irritation Causes serious eye damage Suspected of causing genetic defects May cause drowsiness or dizziness		
		
Appearance Black	Physical state Solid containing liquid	Odor Alcohol

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF EXPOSED OR CONCERNED: Get medical advice/attention
Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

10.6% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May be harmful if swallowed
Toxic to aquatic life with long lasting effects

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1196598)	Proprietary	30 - 60	*
Third Party Formulation (TP # 1196598)	Proprietary	15 - 40	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures**General Advice**

Show this safety data sheet to the doctor in attendance.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Seek immediate medical attention/advice.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed**Most Important Symptoms and Effects**

Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Uniform Fire Code

Irritant: Solid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1196598)	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m ³	TWA: 100 ppm TWA: 360 mg/m ³ STEL: 150 ppm STEL: 540 mg/m ³
Third Party Formulation (TP # 1196598)	TWA: 100 ppm	TWA: 200 ppm TWA: 500 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 500 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 625 mg/m ³	IDLH: 800 ppm TWA: 200 ppm TWA: 500 mg/m ³ STEL: 250 ppm STEL: 625 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection None required for consumer use. If there is a risk of contact: Tight sealing safety goggles.

Skin and body protection None required for consumer use. Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Solid containing liquid	Odor	Alcohol
Appearance	Black	Odor Threshold	No information available
Color	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Difficult solubility	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness and dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1196598)	= 5200 mg/kg (Rat)	= 13 g/kg (Rabbit)	= 54.6 mg/L (Rat) 4 h > 24 mg/L (Rat) 1 h
Third Party Formulation (TP # 1196598)	= 1870 mg/kg (Rat)	-	> 13548 ppm (Rat) 4 h
Third Party Formulation (TP # 1196598)	= 1219 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

Erythema (skin redness). May cause redness and tearing of the eyes. May cause blindness. Burning. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic Effects	There is no data available for this product. Contains a known or suspected mutagen.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1196598)		Group 3		

*IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans*

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	Contains a known or suspected mutagen. Possible risk of irreversible effects. Carcinogenic potential is unknown.
Target Organ Effects	Respiratory system. Eyes. Skin. May affect the genetic material in germ cells (sperm and eggs). Central Nervous System (CNS). Gastrointestinal tract (GI).
Aspiration Hazard	No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
2,458.00 mg/kg
ATEmix (dermal)
23,718.00 mg/kg (ATE)
ATEmix (inhalation-dust/mist)
99.60 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1196598)		96h LC50: = 20.8 g/L (Pimephales promelas) 96h LC50: 4600 - 10000 mg/L (Leuciscus idus)		48h EC50: = 23300 mg/L
Third Party Formulation (TP # 1196598)		96h LC50: = 4480 mg/L (Pimephales promelas)	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	48h EC50: 3339 - 3977 mg/L 48h EC50: = 3642 mg/L
Third Party Formulation (TP # 1196598)	72h EC50: = 36 mg/L (Desmodesmus subspicatus)	96h LC50: = 5.6 mg/L (Cyprinus carpio)		48h EC50: = 5.2 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Third Party Formulation (TP # 1196598)	-0.437
Third Party Formulation (TP # 1196598)	0.34
Third Party Formulation (TP # 1196598)	2

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Third Party Formulation (TP # 1196598)	Toxic Ignitable



14. TRANSPORT INFORMATION

<u>DOT</u>	NOT REGULATED
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO</u>	Not regulated
<u>IATA</u>	Not regulated
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
<u>IMDG/IMO</u>	Not regulated
Hazard Class	N/A
Marine Pollutant	Product is a marine pollutant according to the criteria set by IMDG/IMO
<u>RID</u>	Not regulated
<u>ADR</u>	Not regulated
<u>ADN</u>	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1196598)	X	X	X		
Third Party Formulation (TP # 1196598)	X	X	X		

International Regulations**Mexico****National occupational exposure limits**

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1196598) (15 - 40)		Mexico: TWA 200 ppm Mexico: TWA 500 mg/m ³ Mexico: STEL 250 ppm Mexico: STEL 625 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada**WHMIS Hazard Class**

Not determined

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Physical and Chemical Hazards - Personal Protection X
HMIS	Health Hazards 3 *	Flammability 0	Physical Hazard 0	

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Revision Date	13-May-2015
Revision Note	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet