SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND IDENTIFICATION

Chemical product name: ACRYL GOUACHE Jet Black Name of manufacturer: Turner Colour Works Ltd.

of manufacturer. Turner Golour Works Ltd.

Address: 2-15-7, Mitsuyakita, Osaka Shi Yodogawa Ku, Osaka Fu, 532-0032, Japan

Name of section: R&D

Phone number: :+81-(0)6-6308-1216 Emergency call: :+81-(0)6-6308-1216 Fax number: :+81-(0)6-6305-3018

E-MAIL: kenkyuu@turner.co.jp

Revised Date / Issued Data: Apr. 09. 2019

Form No.: 1338-04

2. HAZARDS IDENTIFICATION

GHS Classification

Health Hazard:

Reproductive toxicity: category 2

Environmental Hazards:

Not applicable.

hazard pictograms:



silhouette

Signal word: Warning

Hazard statements: H361 Suspected of damaging fertility or the unborn child.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280f Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

Other hazards:

P405 Store locked up.

P501 Dispose of contents/container in accordace with local/regional/national/international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

General product description: Acrylic emulsion paints

		(%)	CAS No.	Remarks
Ingredients and composition:	acrylic emulsion	22%	_	
	Aniline Black	27%	13007-86-8	
	included [chromium(iii) oxide]		1308-38-9	PRTR Law
	included [water-soluble copper salts]			PRTR Law
	Thickener	3. 58%	secret	
	1, 2-Propanediol	1.42%	57-55-6	
	3-Hydroxy-2,2,4-trimethylpentyl Isobutyrate	1.16%	25265-77-4	
	olyethyleneglycol octylphenyl ether	0.51%	9036-19-5	
	2-Amino-2-methyl-1-propanol	0. 47%	124-68-5	
	Hydroxyethyl Cellulose	0. 37%	9004-62-0	
	Antifoaming Agent	0. 31%	secret	
	Sodium alkyl naphthalene sulfonate	0. 27%	secret	
	2, 4, 7, 9-Tetramethyl-5-decyne-4, 7-diol	0. 21%	126-86-3	
	Phthalocyanine	0.11%	secret	
	2-Butylbenzo[d]isothiazol-3(2H)-one	0. 10%	4299-07-4	
	1, 2-Benzisothiazol-3 (2H)-one	0.09%	2634-33-5	
	Dispersible polymer	0.07%	secret	
	Polyether	0. 03%	secret	
	2-Chloroacetamide	0.02%	79-07-2	
	Water	42. 55%	7732-18-5	

	4. FIRST - AID MEASURES
Eye contact: Remove any	contact lenses at once.
Flush eyes	well with flooding amounts of running water for at least 15minutes.
assure ade	quate flushing be separating the eyelids with sterile fingers.
If irritat	ion oersists,consult a physician.
Skin contact: Remove all	contaminated clothing
Washthe af	fected area with plenty of water with mild soap
If irritat	ion is continued, refer to medical attention.
Inhalation: Remove the	victim from the contamination immediately to fresh air.
If breathi	ng is weak,irregular or has stopped,open his airway,loosen his and belt
and admini	siter artificial respiration.And refer for medical attention.

100%

Ingestion: Do not induce vomiting and refer to medical attention. never give anything to someone who is unconscious.

Specific hazards regarding with fire fighting measure:

TOTAL

Apply water from a safe distance to cool and project surrounding area.

5. FIRE - FIGHTING MEASURES

Firefighters should wear proper protective equipment and self-breathing apparatus.

Suitable extinguishing Water/Dry chemical powder/Carbon dioxide/Foam and dry sand.

zardous combustion products: Carbon monoxide, smoke, fumes and oxides of carbon.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear proper protective equipment.

In case of insufficient ventilation, wear suitable respiratory equipment.

Shut off all sources of ignition. Avoid contact with skin and eyes.

Remove ignition sources and ventilate the area.

Evacuate personnel to safe area evacuate non-essential personnel.

Environmental precautions: Do not wash away into sewer, watercourse or river.

Prevent spills from entaering a lot of outflow, watercourses or low areas.

In oder to prevent a lot of outflow, it shoulds with the ground etc.

Methods for cleaning up: Take up spilled material with ashes or other absorbents.

After material is completely picked up, wash the spill site with soap and water

and ventilate the area.

Put all wastes in a plastic bag for disposal and seal it tightly.

Remove, clean, or dispose of contaminated clothing.

7. HANDLING AND STORAGE

Handling: Keep away from sources of ignition. - No smoking. Avoid contact with eyes.

Avoid contact withskin. Do not swallow. Do not breathe gas/fumes/vapour/spray.

Use only in well-ventilated areas. When using do not eat or drink.

Wash hands before breaks and immediately after handling the product.

Storage: Keep out of the reach of children. Keep container in a well-ventilated place.

Keep away from food, drink and animal feedingstuffs.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient (s)	Exposure Limits (ACGIH-TLV)
chromium(iii) oxide	0.5mg/m3,as Cr
water-soluble copper salts	1mg∕m3, as Cu

Exposure controls:

Occupational exposure controls: Provide adequate local exhaust ventilation to maintainworker exposure below exposure limits.

Personal protective equipment:

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection: Wear suitable gloves.

Eye protection: Wear safety glasses with side shields. Skin protection: Wear suitable protective clothing.

Environmental exposure controls:

Maintain levels below Community environmental protection thresholds.

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid.

Colour: Black Odour: Slight

pH: 8.0 - 9.0

Boiling point / boiling range: 100°C (water)

Melting point / melting range: No information available.

Flash point: No information available.

Flammability (solid, gas): No information available.

Explosive properties: No information available.

Oxidising properties: No information available.

Vapour pressure: No information available.

Relative density (of concentrate): 1.134

Solutility (in water) (of concentrate): Complete.

Solutility (in oil) (of concentrate): Impossible

Partition coefficient: n-octanol/water: No information available.

Viscosity (of concentrate): No information available.

Miscibility: No information available.

Vapor density: No information available.

Evaporation rate: No information available. Auto-ignition temperature: No information available.

Lower Flammability Limit: No information available.

Upper Flammability Limit: No information available.

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions. Contents under pressure.

Container may explode if heated. Do not puncture. Do not burn.

Conditions to avoid: No dangerous reaction known under conditions of normal use.

Materials to avoid: Acids. Bases. Oxidizers. Reducing agents.

Hazardous decomposition products: No information available.

11. TOXICOLOGICAL INFORMATION

■chromium(iii) oxide

No information available.

■water-soluble copper salts

No information available.

12. ECOLOGICAL INFORMATION

Toxicity: No further relevant information available.

Aquatic toxicity:

■chromium(iii) oxide

Hazardous to the aquatic environment (acute) : category 1 Hazardous to the aquatic environment (chronic) : category 1

Persistence and degradability: No further relevant information available.

Behavior in environmental systems: No further relevant information available.

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

Do not dump sewers, on the ground or into any of water.

Consult an expert on the disposal of recovered material.

Be sure to mention name, catalog number quantity of the material.

Disposal must be made according to official regulations.

14. TRANSPORT INFORMATION

■Land transport

Not classified as a dangerous good under transport regulations.

■ Inland waterway transport

Not classified as a dangerous good under transport regulations.

■Sea transport

Not classified as a dangerous good under transport regulations.

■Air transport

Not classified as a dangerous good under transport regulations.

■UN No.

Not applicable

It does not fall under the dangerous goods under the UN Recommendation.

15. REGULATORY INFORMATION

Regulatory information with regard to this substance in your country or in your region be examined by your own responsibility.

■Law concerning Pollutant Release and Transfer Register / PRTR Law chromium(iii) oxide(Class1 No. 87), water-soluble copper salts(class1 No. 272)

16. OTHER INFORMATION

Disclaimer: JET BLACK carry CL mark.

The information contained in this document applies to this specific material as supplied.

It may not be valid for this material if it is used in combination with any other materials.

It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Section 1 Chemical Product and Company Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com CHEMTREC 24 Hour Emergency USA
Phone Number (800) 424-9300
1 703-741-5500 (from anywhere in the world).
For laboratory and industrial use only.
Not for drug, food or household use.

Product ISOPROPYL ALCOHOL, 90%
Synonyms Isopropanol, 90% Solution

Section 2 Hazards Identification

Signal word: DANGER Pictograms: GHS02 / GHS07

Target organs: Central nervous system, Liver, Kidneys.





GHS Classification:

Flammable liquid (Category 2) Eye irritation (Category 2) STOT-SE (Category 3)

GHS Label information: Hazard statement(s):

H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

Precautionary statement(s):

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing mist/vapours/spray.
P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P337+P313: If eye irritation persists: Get medical attention.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on Ingredients					
Chemical Name		CAS#	%	EINECS	
Isopropyl alcohol Water		67-63-0 7732-18-5	90%	200-661-7 231-791-2	

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL. IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E1 of E2

Page E2 of E2 Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Section 8 Exposure Controls / Personal Protection				
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	
Exposure Limits.	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m ³	TWA: 400 ppm / STEL: 500 ppm	

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Physical & Chemical Properties Section 9

Appearance: Clear, colorless liquid. Odor: Aromatic odor Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: -90°C (-130°F)* Boiling point: 82°C (179.6°F)* Flash point: 18.3°C (65°F) CC *

Evaporation rate (Butyl acetate = 1): >1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 2% / 12% * Vapor pressure (mm Hg): 33 mm @20°C ' Vapor density (Air = 1): 2.1 *

Relative density (Specific gravity): 0.786-0.79 @ 20°C

Solubility(ies): Complete in water.

Partition coefficient: (n-octanol / water): Data not available Auto-ignition temperature: 399°C (750°F) ASTM-E659-78 Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

*Pure Isopropanol

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizing materials, caustics, aluminums, metals, nitroform, oleum, chlorinated compounds can react vigorously with this alcohol.

Hazardous decomposition products: Oxides of carbon.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 4396 mg/kg; Inhalation-rat LC50: 72.6 mg/L/4 hours; Dermal-rat LD50: 12,000 mg/kg

Skin corrosion/irritation: Skin-rabbit - Slight irritant. Serious eye damage/irritation: Eyes-rabbit - Irritating. Respiratory or skin sensitization: Not sensitizing Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Yes Potential health effects:

Inhalation: Inhalation of high vapor concentrations may cause central nervous system depression resulting in dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat. Continued inhalation may result in unconsciousness and death.

Ingestion: Aspiration hazard. Liquid can directly enter the lungs (aspirated) when swallowed or vomited. Serious lung damage and possible fatal chemical pneumonia can develop if this occurs

Skin: Prolonged or repeated contact may cause irritation and drying, cracking and defatting of the skin which can lead to dermatitis.

Eyes: Contact causes burning sensation, redness, swelling, and/or blurred vision. Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: NT8050000 [Isopropanol]

Section 12 **Ecological Information**

Toxicity to fish: Pimephales promelas (Fish, fresh water) LC50: 9640 mg/L/96 hours [Isopropanol]

Toxicity to daphnia and other aquatic invertebrates: Artemia salina (Crustacea), EC50 = >10,000 mg/L/24 hours [Isopropanol]

Toxicity to algae: Scenedesmus quadricauda (Algae), LOEC50 = 1,800 mg/L/7 days [Isopropanol] Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1219 Shipping name: Isopropanol solution

Hazard class: 3 Packing group: || Reportable Quantity: No Marine pollutant: No

2016 ERG Guide # 129 **Exceptions:** Limited quantity equal to or less than 1 L

Section 15 **Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list

	· · · · · · · · · · · · · · · · · · ·					
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Isopropyl alcohol	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or
						reproductive toxicity

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: August 24, 2018 Supercedes: September 13, 2017 Form 06/2015

Issuing Date No data available

Revision Date 13-May-2015

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name permanent marker black ink

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Pens

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Wenzhou Aihao Pen Trade Co., Ltd

Supplier Address No.128, Wenchang Road, Longwan Zone

Wenzhou Zhejiang 325011 CN

Supplier Phone Number Phone:86-13524536325

Contact Phone86-021-68622126

Supplier Email 732314056@qq.com

Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3



GHS Label elements, including precautionary statements

Emergency Overview

Hazard Statements
Causes skin irritation
Causes serious eye damage
Suspected of causing genetic defects
May cause drowsiness or dizziness

Appearance Black

Physical state Solid containing liquid

Odor Alcohol

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable



Unknown Toxicity

10.6% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May be harmful if swallowed

Toxic to aquatic life with long lasting effects

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1196598)	Proprietary	30 - 60	*
Third Party Formulation (TP # 1196598)	Proprietary	15 - 40	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Seek immediate medical

attention/advice.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get

medical attention if irritation develops and persists.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Use personal protective equipment as

required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Burning sensation. Inhalation of high vapor concentrations may cause symptoms

like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.



Effects

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Uniform Fire Code Irritant: Solid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.



Page 4/11

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1196598)	STEL: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
	TWA: 50 ppm	(vacated) TWA: 360 mg/m ³	TWA: 360 mg/m ³
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m ³	STEL: 540 mg/m ³
Third Party Formulation (TP # 1196598)	TWA: 100 ppm	TWA: 200 ppm	IDLH: 800 ppm
		TWA: 500 mg/m ³	TWA: 200 ppm
		(vacated) TWA: 200 ppm	TWA: 500 mg/m ³
		(vacated) TWA: 500 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 625 mg/m ³
		(vacated) STEL: 625 mg/m ³	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protectionNone required for consumer use. If there is a risk of contact:. Tight sealing safety goggles.

Skin and body protectionNone required for consumer use. Wear protective gloves and protective clothing. Long

sleeved clothing. Impervious gloves.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or



Page 5/11

smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state

yo.ou. otato	Cond containing inquite		
Appearance	Black	Odor	Alcohol
Color	No information available	Odor Threshold	No information available

Property	Values	Remarks Method
pH	No data available	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Difficult solubility	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wat	erNo data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing properties	No data available	

Solid containing liquid

Other Information

Softening PointNo data availableVOC Content (%)No data availableParticle SizeNo data available

Particle Size Distribution



Page 6/11

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness and dizziness.

Eye contact Specific test data for the substance or mixture is not available. Expected to be an irritant

based on components. Severely irritating to eyes. Causes serious eye damage. May cause

burns. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Expected to be an irritant

based on components. Irritating to skin. Prolonged contact may cause redness and

irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1196598)	= 5200 mg/kg(Rat)	= 13 g/kg (Rabbit)	= 54.6 mg/L(Rat)4 h > 24 mg/L(Rat)1 h
Third Party Formulation (TP # 1196598)	= 1870 mg/kg (Rat)	-	> 13548 ppm (Rat)4 h
Third Party Formulation (TP # 1196598)	= 1219 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms Erythema (skin redness). May cause redness and tearing of the eyes. May cause

blindness. Burning. Inhalation of high vapor concentrations may cause symptoms like



Page 7/11

headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic EffectsThere is no data available for this product. Contains a known or suspected mutagen.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1196598)		Group 3		

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity Contains a known or suspected mutagen. Possible risk of irreversible effects. Carcinogenic

potential is unknown.

Target Organ Effects Respiratory system. Eyes. Skin. May affect the genetic material in germ cells (sperm and

eggs). Central Nervous System (CNS). Gastrointestinal tract (GI).

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 2,458.00 mg/kg ATEmix (dermal) 23,718.00 mg/kg (ATE) ATEmix (inhalation-dust/mist) 99.60 mg/l



12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1196598)		96h LC50: = 20.8 g/L (Pimephales promelas) 96h LC50: 4600 - 10000 mg/L (Leuciscus idus)		48h EC50: = 23300 mg/L
Third Party Formulation (TP # 1196598)		96h LC50: = 4480 mg/L (Pimephales promelas)	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	48h EC50: 3339 - 3977 mg/L 48h EC50: = 3642 mg/L
Third Party Formulation (TP # 1196598)	72h EC50: = 36 mg/L (Desmodesmus subspicatus)	96h LC50: = 5.6 mg/L (Cyprinus carpio)		48h EC50: = 5.2 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow	
Third Party Formulation (TP # 1196598)	-0.437	
Third Party Formulation (TP # 1196598)	0.34	
Third Party Formulation (TP # 1196598)	2	

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste	
Third Party Formulation (TP # 1196598)	Toxic	
	Ignitable	



14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

Marine Pollutant Product is a marine pollutant according to the criteria set by IMDG/IMO

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1196598)	Х	X	X		
Third Party Formulation (TP # 1196598)	X	X	Х		

International Regulations

Mexico

National occupational exposure limits

Component		Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1196598)			Mexico: TWA 200 ppm
	(15 - 40)		Mexico: TWA 500 mg/m ³
			Mexico: STEL 250 ppm
			Mexico: STEL 625 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

WHMIS Hazard Class

Not determined

Health Hazards 2 Instability 0 **NFPA** Flammability 0 Physical and Chemical Hazards -**HMIS Health Hazards** 3 * Flammability 0 Physical Hazard 0

Personal Protection Χ

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

13-May-2015 **Revision Date**

No information available **Revision Note**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

