



KARLIN FOODS
CORP
Always Something Cooking.

SAFETY DATA SHEET

Section 1, Identification	
<i>Product:</i>	Karlin Foods Baking Soda, KF ID# S24BS
<i>Manufacturer:</i>	Karlin Foods Corp 1845 Oak St. Suite 19 Northfield, IL 60093
<i>Emergency Phone Number:</i>	Karlin Foods: 847-441-8330 Chemtrec: 800-424-9300
<i>Recommended Use:</i>	Leavening agent, cleaner ingredient, bath salt ingredient, water softener, diaper rinse ingredient, direct food additive
<i>Restrictions on Use:</i>	None
Section 2, Hazard(s) Identification	
<i>Classification:</i>	OSHA Regulatory Status. This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)
<i>Required Label:</i>	The product contains no substances which at their given concentration, are considered to be hazardous to health
<i>Other Information:</i>	Product dust may cause mechanical eye irritation.
Section 3, Composition/Information on Ingredients	
<i>Formula:</i>	NaHCO ₃
<i>Chemical Name:</i>	Sodium Bicarbonate
Section 4, First Aid Measures	
<i>Eye Contact:</i>	Flush eyes with water as a precaution. Get Medical attention if irritation develops and persists.
<i>Skin Contact:</i>	Wash skin with soap and water. Get medical attention if irritation develops and persists.
<i>Inhalation:</i>	Remove person to fresh air. If signs/symptoms continue, get medical attention.
<i>Ingestions:</i>	Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur
<i>Most important symptoms and effects, both acute and delayed:</i>	None known.
<i>Indication of immediate medical attention and special treatment needed, if necessary</i>	Treat symptomatically.
Section 5, Fire-Fighting Measures	
<i>Suitable Extinguishing Media:</i>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
<i>Specific Hazards Arising from the Chemical:</i>	None in particular. Not flammable
<i>Hazardous Combustion Products:</i>	None
<i>Explosion data</i>	

<i>Sensitivity to Mechanical Impact:</i>	Not sensitive
<i>Sensitivity to Static Discharge:</i>	Not sensitive
<i>Protective equipment and precautions for firefighters</i>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Section 6, Accidental Release Measures	
<i>Personal Precautions:</i>	Avoid dust formation.
<i>Other:</i>	For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
<i>Environmental Precautions:</i>	Prevent material from entering into soil, ditches, sewers, waterways, and/or groundwater. See Section 12, Ecological Information for more detailed information.
<i>Methods for Containment:</i>	Vacuum or shovel waste into a drum and label contents for disposal.
<i>Methods for cleaning up:</i>	Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal. Dispose of waste as indications in Section 13.
Section 7, Handling and Storage	
<i>Handling:</i>	Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected.
<i>Storage:</i>	Keep in a dry place. Keep away from incompatible products (acids). Do not store with strong smelling materials.
<i>Incompatible Products:</i>	Except under controlled conditions: Acids
Sections 8, Exposure Controls/Personal Protection	
<i>Control Parameters:</i>	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. Local nuisance dust standards apply.
<i>Appropriate Engineering Controls:</i>	Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
<i>Individual protection measures, such as personal protective equipment.</i>	
<i>Eye/Face Protection:</i>	Safety glasses with side shields
<i>Skin and Body Protection:</i>	Wear suitable protective clothing. Protective shoes or boots.
<i>Hand Protection:</i>	Protective gloves.
<i>Respiratory Protection:</i>	In case of inadequate ventilation, wear respiratory protection.
<i>Hygiene Measures:</i>	Handle in accordance with good industrial hygiene and safety practice.

<i>General Information:</i>	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.
Section 9, Physical and Chemical Properties	
<i>Appearance:</i>	Crystalline, Powder
<i>Physical State:</i>	Solid
<i>Color:</i>	White
<i>Odor:</i>	Odorless
<i>Odor Threshold:</i>	Not applicable
<i>pH:</i>	8.3 (1% solution) @ 25 degrees Celsius
<i>Melting Point/freezing point:</i>	Not applicable
<i>Boiling Point/Range:</i>	No information available
<i>Flash point:</i>	Not applicable
<i>Evaporation Rate:</i>	No information available
<i>Flammability (solid, gas):</i>	No information available
<i>Flammability Limit in Air:</i>	No information available
<i>Vapor pressure:</i>	Negligible
<i>Vapor density:</i>	No information available
<i>Density:</i>	No information available
<i>Specific gravity:</i>	2.22
<i>Water solubility:</i>	96g/L @ 20 degrees Celsius
<i>Solubility in other solvents:</i>	No information available
<i>Partition coefficient:</i>	Not applicable
<i>Autoignition temperature:</i>	No information available
<i>Decomposition temperature:</i>	No information available
<i>Viscosity, kinematic:</i>	No information available
<i>Viscosity, dynamic:</i>	No information available
<i>Explosive properties:</i>	No information available
<i>Oxidizing properties:</i>	Non-oxidizing
<i>Molecular weight:</i>	84.01
<i>Bulk Density:</i>	66 lb/cu ft
Section 10, Stability and Reactivity	
<i>Reactivity:</i>	None under normal use conditions
<i>Chemical Stability:</i>	Stable
<i>Possibility of Hazardous Reactions:</i>	None under normal processing/
<i>Hazardous polymerization:</i>	Hazardous polymerization does not occur
<i>Conditions to avoid:</i>	Heat. Humid air. Avoid contact with acids except under controlled conditions. Keep away from strong odor.
<i>Incompatible materials:</i>	Except under controlled conditions: Acids.
<i>Hazardous Decomposition Products:</i>	Reacts with acids to release carbon dioxide gas and heat.
Section 11, Toxicological Information	
<i>LD50 Oral:</i>	>5,000 mg/kg (rat)
<i>LD50 Dermal:</i>	No information available
<i>LC50 Inhalation:</i>	>4.74 mg/L (rat) 4.5 hr
<i>Eye Contact:</i>	Non-irritating

<i>Skin Contact:</i>	Non-irritating			
<i>Sensitization:</i>	Non-sensitizing			
<i>Info on toxicological effects: Symptoms</i>	No information available.			
<i>Chronic Toxicity:</i>	No known effect			
<i>Mutagenicity:</i>	Not mutagenic			
<i>Carcinogenicity:</i>	Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH)			
<i>Reproductive toxicity:</i>	No information available			
<i>STOT – single exposure:</i>	No information available			
<i>STOT – repeated exposure:</i>	No information available			
<i>Aspiration hazard:</i>	No information available			
Section 12, Ecological Information				
<u>Ecotoxicity</u>				
Sodium Bicarbonate (144-55-8)				
Active Ingredient(s)	Duration	Species	Value	Units
Sodium bicarbonate	96 hr.	<i>Lepomis macrochirus</i> (Bluefill sunfish)	NOEC: 5,200 LC50: 7,100	mg/L
Sodium bicarbonate	48 hr. immobilization test	<i>Daphnia magna</i>	NOEC: 3,100 EC50: 4,100	mg/L
Sodium bicarbonate	96 hr.	<i>Oncorhynchus mykiss</i> (rainbow trout)	NOEC: 2,300 LC50: 7,700	mg/L
<i>Persistence and degradability:</i>	Biodegradability does not pertain to inorganic substances.			
<i>Bioaccumulation:</i>	Does not bio-accumulate			
<i>Mobility:</i>	Dissociates into ions.			
<i>Other Adverse Effects:</i>	None known.			
Section 13, Disposal Considerations				
<i>Waste disposal methods:</i>	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of in accordance with local regulations.			
<i>Contaminated Packaging:</i>	Dispose of in accordance with local regulations			
Section 14, Transport Information				
<i>DOT</i>	Not Regulated			
Section 15, Regulatory Information				
<i>U.S. Federal Regulations</i>				
<i>SARA313</i>	Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372			
<i>SARA 311/312 Hazard Categories</i>				
<i>Acute health hazard</i>	No			
<i>Chronic health hazard</i>	No			
<i>Fire hazard</i>	No			
<i>Sudden release of pressure hazard</i>	No			
<i>Reactive Hazard</i>	No			

<i>Clean Water Act</i>	This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)
<i>CERCLA</i>	This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.
<i>California Proposition 65</i>	This product does not contain any Proposition 65 Chemicals
<i>U.S. State Right-to-Know Regulations</i>	This product does not contain any substances regulated by state right-to-know regulations.

<i>International Inventories</i>								
Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium Bicarbonate 144-55-8 (100)	X	X	X	X	X	X	X	X

Section 16, Other Information

NFPA	Health Hazards 0	Flammability 0	Instability 0	Special Hazards -
HMIS	Health Hazards 0	Flammability 0	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Product Certifications
This product meets the chemical testing specifications defined in the USP and Food Chemicals Codex (FCC), 9th Edition and is manufactured under GMP and in compliance with FSMA. The MUL (maximum use level) for sodium bicarbonate is 100 mg/L under NSF/ANSI Standard 60.

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 1

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

SECTION 1. IDENTIFICATION

Identification of the company:

Uline, Inc.
12575 Uline Drive
Pleasant Prarie, WI 53158
Telephone No.: 800-295-5510

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name:

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Material number:

299037

CAS number:

7631-86-9

Chemical family:

approx. 94 - 96 % silica, approx. 4 - 6 % water of constitution and approx. 0,3 % water-soluble components

Primary product use:

Adsorbing medium for technical applications

Primary product use:

Packaging

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

This product is considered an "Article" by the US Department of Labor, Occupational Safety & Health Administration (OSHA) under OSHA 29 CFR 1910.1200(c) and is exempt from the requirements of a Safety Data Sheet (SDS) found in the Hazard Communication Standard, 29 CFR 1910.1200(b)(v).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : approx. 94 - 96 % silica, approx. 4 - 6 % water of constitution and approx. 0,3 % water-soluble components

Components

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 2

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

- General advice : none
- If inhaled : No special precautions required.
In case of irritation when dust is inhaled, provide for plenty of fresh air.
- In case of skin contact : Wash off immediately with soap and plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : No special precautions required.
If large quantities of this material are swallowed, call a physician immediately.
Call your local Poison Control Center (In the U.S. call 1-800-222-1222).
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : None known.
- Further information : Wear full protective clothing and NIOSH/MSHA-approved positive pressure, self-contained breathing apparatus.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Do not breathe dust.
No special precautions required.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Take up uncontaminated material and pass on for further processing.
Take up contaminated material by mechanical means, load

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 3

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

into clean containers, and dispose of in accordance with legal regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : No special precautions required.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
- Conditions for safe storage : Keep container tightly closed and dry.
- Further information on storage conditions : Store in a dry place.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : Stable under recommended storage conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is 5 mg/m³ for respirable fraction and 15 mg/m³ for total dust. ACGIH exposure guidelines of less than 3 mg/m³ (respirable) and 10 mg/m³ (inhalable) have been established for particles (insoluble/poorly soluble) not otherwise specified (PNOS).

- Engineering measures** : Use ventilation adequate to keep exposures below recommended exposure limits. See the safety datasheet.

Personal protective equipment

- Respiratory protection : Use local exhaust if dusting occurs. Good general ventilation is adequate in the absence of dusts.
- Hand protection
Remarks : Impervious rubber such as neoprene, nitrile, natural rubber, butyl rubber, PVC, or teflon.
- Eye protection : Follow facility guidelines in the absence of dusts.
- Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact. Thoroughly wash clothing before reuse.
- Hygiene measures : Wash off with warm water and soap.

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 4

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Solid form
Colour	:	various
Odour	:	none
Odour Threshold	:	not available
pH	:	not determined
Melting point	:	not determined
Boiling point	:	not determined
Flash point	:	does not flash
Evaporation rate	:	Non-Volatile
Flammability (solid, gas)	:	not determined
Self-ignition	:	not tested.
Burning number	:	not determined
Upper explosion limit / upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not tested.
Density	:	not determined
Bulk density	:	not determined
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	not tested.
Partition coefficient: n-octanol/water	:	no data available

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 5

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

Auto-ignition temperature : Not applicable

Decomposition temperature : no data available

Viscosity

 Viscosity, dynamic : Not applicable

 Viscosity, kinematic : Not applicable

Flow time : Not applicable

Explosive properties : no data available

Oxidizing properties : not tested.

Sublimation point : not determined

Minimum ignition energy : not tested.

Particle size : not tested.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Stable

Conditions to avoid : None known.

Incompatible materials : Water

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

None known.

Acute toxicity

Product:

Acute oral toxicity : Remarks: Not applicable

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.08 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 6

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: Other
GLP: no

Skin corrosion/irritation

Product:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

Serious eye damage/eye irritation

Product:

Species: Rabbit
Result: No eye irritation
Exposure time: 24 h
Method: OECD Test Guideline 405
GLP: yes

Respiratory or skin sensitisation

Product:

Remarks: no data available

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 667 - 10000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells
Test system: Chinese hamster ovary cells
Concentration: 10 - 500 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 7

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

Concentration: 38 - 1000 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat (male)
Strain: Fischer F344
Application Route: Inhalation
Exposure time: 13 w, 6 h/d, 5 d/wk
Dose: ca. 50 mg/m³
Method: Other
Result: negative
GLP: No information available.

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

Carcinogenicity

Product:

Species: Rat, (male and female)
Application Route: oral (feed)
Exposure time: 103 w
Dose: 1,25 - 2,5 - 5 % in diet
Group: yes
Frequency of Treatment: daily
NOAEL: ca. 1,800 - 3,000 mg/kg bw/day
Method: OECD Test Guideline 453
Result: negative
GLP: No information available.

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Effects on fertility : Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (feed)

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 8

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

Dose: 497 (m), 509 (f) mg/kg
General Toxicity - Parent: NOAEL: 497 mg/kg body weight
General Toxicity F1: NOAEL: 497 mg/kg body weight
Method: OECD Test Guideline 415
GLP: no

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Strain: wistar
Application Route: oral (gavage)
Dose: 13,5 - 62,7 - 292 - 1350mg/kg
General Toxicity Maternal: NOAEL: 1,350 mg/kg body weight
Teratogenicity: NOAEL: 1,350 mg/kg body weight
Method: OECD Test Guideline 414
GLP: no

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
No teratogenic effects to be expected.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Species: Rat, male and female
NOAEL: 4000 - 4500 mg/kg bw/day
Application Route: oral (feed)
Exposure time: 13 w
Number of exposures: continuously
Dose: 0,5 - 2 - 6,7 % SI in diet
Group: yes
Method: OECD Test Guideline 408
GLP: yes

Species: Rat, male and female
NOAEL: 1,3 mg/m³
LOAEL: 0.0059 mg/l
Application Route: Inhalation
Exposure time: 13 w
Number of exposures: 6 hr/day; 5 days a week
Dose: 1,3 - 5,9 - 31 mg/m³
Group: yes

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 9

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

Method: OECD Test Guideline 413
GLP: yes

Application Route: Skin contact
Remarks: This information is not available.

Aspiration toxicity

Product:

No aspiration toxicity classification

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the labelling (see section 2).

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LL0 (Brachydanio rerio (zebrafish)): 10,000 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
End point: Immobilization
Exposure time: 24 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: yes
Remarks: By analogy with a product of similar composition
The details of the toxic effect relate to the nominal

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 10

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

concentration.

Toxicity to fish (Chronic toxicity) : NOEC: 86.03 mg/l
Exposure time: 30 d
Method: Other
GLP: no
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 34.223 mg/l
Exposure time: 30 d
Method: Other
GLP: no
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Sediment toxicity : LC50: 148.41 mg/l
Duration: 14 d
Method: Other
GLP: no
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Persistence and degradability

Product:

Biodegradability : Remarks: Not applicable

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

Product:

Environmental fate and pathways : Remarks: not available

Additional ecological information : According to experience and to the information currently available, the product has no harmful effects on the environment if used correctly as intended.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery : This product, if discarded as sold, is not a Federal RCRA hazardous waste.

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 11

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

Authorization Act

Waste Code : NONE

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 12


Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

NFPA 704:



Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EmS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations

SAFETY DATA SHEET

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Page 13

Substance key: SC0000901386

Revision Date: 04/20/2021

Version : 4 - 3 / USA

Date of printing :06/08/2021

Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/20/2021

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. We make no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of our products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of our General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing our products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact us.

US / EN

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 1

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

SECCIÓN 1. IDENTIFICACIÓN

Identificación de la compañía:	Uline, Inc. 12575 Uline Drive Pleasant Prairie, WI 53158 Núm. Teléfono: 800-295-5510
Nº telf. de emergencia: +1 800-424-9300 CHEMTREC	

Nombre comercial:	PKT SILICA GEL5G G2 27X70 1250/P S-3905
Número de material:	299037
Número CAS:	7631-86-9
Familia química:	aprox. 94 - 96% dióxido de silicio, aprox. 4 - 6% agua de constitución y un 0,3% partes hidrosolubles
Uso primario del producto:	Agente de adsorción para aplicaciones técnicas
Uso primario del producto:	Envases

SECCIÓN 2. IDENTIFICACIÓN DE LOS PELIGROS

Clasificación GHS de acuerdo con Norma de Comunicación de Riesgos de OSHA (29 CFR 1910.1200)

No es una sustancia o mezcla peligrosa.

Elementos de etiquetado GHS

No es una sustancia o mezcla peligrosa.

Otros peligros

Este producto es considerado un "Artículo" por el Departamento de trabajo de los EE.UU., Administración de Seguridad y Salud Ocupacional (OSHA según OSHA 29 CFR 1910. 1200(c) y esta exento de los requisitos de la hoja de datos de seguridad (SDS) que se encuentra en la Comunicación de Peligros Estándar, 29 CFR 1910. 1200(b)(v).

SECCIÓN 3. COMPOSICIÓN/INFORMACIÓN SOBRE LOS COMPONENTES

Sustancia / Mezcla	:	Sustancia
Naturaleza química	:	aprox. 94 - 96% dióxido de silicio, aprox. 4 - 6% agua de constitución y un 0,3% partes hidrosolubles

Componentes

Este material no está considerado como peligroso por el Estándar de Comunicación de Riesgos de OSHA (29 CFR 1910.1200).

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 2

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

SECCIÓN 4. PRIMEROS AUXILIOS

- Recomendaciones generales : ninguno(a)
- Si es inhalado : No se requieren precauciones especiales.
Si al respirar el polvo se presentan irritaciones, proporcionar al afectado aire fresco.
- En caso de contacto con la piel : Lávese inmediatamente con jabón y agua abundante.
- En caso de contacto con los ojos : Enjuagar inmediatamente con abundante agua, también debajo de los párpados, al menos durante 15 minutos.
- Por ingestión : No se requieren precauciones especiales.
Si una grande cantidad de este material se ha tragado, llamar inmediatamente un médico.
Llame al Centro de Control de Envenenamientos local (En los EE.UU., llame al 1-800-222-1222).
- Principales síntomas y efectos, agudos y retardados : Los posibles síntomas conocidos son los derivados del etiquetado (ver apartado 2).
No se conocen síntomas adicionales.
- Notas para el médico : Tratar sintomáticamente.

SECCIÓN 5. MEDIDAS DE LUCHA CONTRA INCENDIOS

- Medios de extinción apropiados : Usar medidas de extinción que sean apropiadas a las circunstancias del local y a sus alrededores.
- Medios de extinción no apropiados : Chorro de agua de gran volumen
- Peligros específicos en la lucha contra incendios : Ninguna conocida.
- Otros datos : Usar ropa de protección completa y equipo de respiración autónomo de presión positiva aprobado por NIOSH/MSHA.
- Equipo de protección especial para el personal de lucha contra incendios : Utilice un aparato respiratorio autónomo de presión positiva aprobado además del equipo de lucha contra incendios estándar.

SECCIÓN 6. MEDIDAS EN CASO DE VERTIDO ACCIDENTAL

- Precauciones personales, equipo de protección y procedimientos de : No respirar el polvo.
No se requieren precauciones especiales.

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 3

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

emergencia

Precauciones relativas al medio ambiente : No se requieren precauciones especiales medioambientales.

Métodos y material de contención y de limpieza : Recoger material no ensuciado y aportarlo para su utilización. Recoger el material contaminado por medios mecánicos (>, <) depositarlo en contenedores limpios y eliminar de acuerdo con la normativa legal.

SECCIÓN 7. MANIPULACIÓN Y ALMACENAMIENTO

Indicaciones para la protección contra incendio y explosión : No se requieren precauciones especiales.

Consejos para una manipulación segura : Manipular con las precauciones de higiene industrial adecuadas, y respetar las prácticas de seguridad.

Condiciones para el almacenaje seguro : Manténgase el recipiente bien cerrado y en lugar seco.

Información complementaria sobre las condiciones de almacenamiento : Almacenar en un lugar seco.

Materias que deben evitarse : Ningún material a mencionar especialmente.

Más información acerca de la estabilidad durante el almacenamiento : Estable bajo las condiciones de almacenamiento recomendadas.

SECCIÓN 8. CONTROLES DE EXPOSICIÓN/ PROTECCIÓN INDIVIDUAL

Componentes con valores límite ambientales de exposición profesional.

Todo polvo inerte o molesto ya sea mineral, inorgánico u orgánico y no listados específicamente por su nombre de sustancia, están cubiertos por Particulates Not Otherwise Regulated (PNOR) cuyo límite es de 5 mg/m³ para la fracción respirable y 15 mg/m³ para el polvo total. Se han establecido Directrices de exposición ACGIH de menos de 3 mg/m³ (respirable) y de 10 mg/m³ (inhalable) para Particulates (insolubles / poco solubles) Not Otherwise Specified (PNOS).

Medidas de ingeniería : Utilizar una ventilación adecuada para mantener las exposiciones bajo los límites de exposición recomendados. Vea la ficha de datos de seguridad.

Protección personal

Protección respiratoria : Utilizar ventilación local en caso de formación de polvos. Una buena ventilación general es adecuada en ausencia de polvos.

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 4

Código del material: SC0000901386

Ultima revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión:06/08/2021

Protección de las manos	:	
Observaciones	:	Caucho impermeable como neopreno, nitrilo, caucho natural, caucho de butilo, PVC o teflón.
Protección de los ojos	:	Siga las directrices de las Compañía en ausencia de polvo.
Protección de la piel y del cuerpo	:	Use ropa protectora, incluyendo camisas de manga larga y guantes, para evitar el contacto de la piel. Lave bien la ropa antes de volverla a usar.
Medidas de higiene	:	Lavar con agua caliente y jabón.

SECCIÓN 9. PROPIEDADES FÍSICAS Y QUÍMICAS

Aspecto	:	Forma sólida
Color	:	varios
Olor	:	ninguno(a)
Umbral olfativo	:	No disponible
pH	:	no determinado
Punto de fusión	:	no determinado
Punto de ebullición	:	no determinado
Punto de inflamación	:	no se inflama
Tasa de evaporación	:	No volátil
Inflamabilidad (sólido, gas)	:	no determinado
Autoencendido	:	No determinado
Índice de combustibilidad	:	no determinado
Límite superior de explosividad / Límites de inflamabilidad superior	:	No aplicable
Límites inferior de explosividad / Límites de inflamabilidad inferior	:	No aplicable
Presión de vapor	:	No aplicable

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 5

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

Densidad relativa del vapor	:	No aplicable
Densidad relativa	:	No determinado
Densidad	:	no determinado
Densidad aparente	:	no determinado
Solubilidad(es)		
Solubilidad en agua	:	insoluble
Solubilidad en otros disolventes	:	No determinado
Coefficiente de reparto n-octanol/agua	:	sin datos disponibles
Temperatura de auto-inflamación	:	No aplicable
Temperatura de descomposición	:	sin datos disponibles
Viscosidad		
Viscosidad, dinámica	:	No aplicable
Viscosidad, cinemática	:	No aplicable
Tiempo de escorrientía	:	No aplicable
Propiedades explosivas	:	sin datos disponibles
Propiedades comburentes	:	No determinado
Punto de sublimación	:	no determinado
Energía mínima de ignición	:	No determinado
Tamaño de partícula	:	No determinado

SECCIÓN 10. ESTABILIDAD Y REACTIVIDAD

Reactividad	:	No se conoce reacciones peligrosas bajo condiciones de uso normales.
Estabilidad química	:	Estable
Posibilidad de reacciones peligrosas	:	No se conoce reacciones peligrosas bajo condiciones de uso normales. Estable

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 6

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

Condiciones que deben evitarse : Ninguna conocida.

Materiales incompatibles : Agua

Productos de descomposición peligrosos : No se descompone si se almacena y aplica como se indica.

SECCIÓN 11. INFORMACIÓN TOXICOLÓGICA

Información sobre posibles vías de exposición

Ninguna conocida.

Toxicidad aguda

Producto:

Toxicidad oral aguda : Observaciones: No aplicable

Toxicidad aguda por inhalación : CL50 (Rata, machos y hembras): > 2.08 mg/l
Tiempo de exposición: 4 h
Prueba de atmosfera: polvo/niebla
Método: Directrices de ensayo 403 del OECD
BPL: si
Valoración: La sustancia o mezcla no presenta toxicidad aguda por inhalación

Toxicidad cutánea aguda : DL50 (Conejo): > 5,000 mg/kg
Método: Otro
BPL: no

Corrosión o irritación cutáneas

Producto:

Especies: Conejo
Tiempo de exposición: 4 h
Método: Directrices de ensayo 404 del OECD
Resultado: No irrita la piel
BPL: si

Lesiones o irritación ocular graves

Producto:

Especies: Conejo
Resultado: No irrita los ojos
Tiempo de exposición: 24 h
Método: Directrices de ensayo 405 del OECD
BPL: si

Sensibilización respiratoria o cutánea

Producto:

Observaciones: sin datos disponibles

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 7

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

Mutagenicidad en células germinales

Producto:

- Genotoxicidad in vitro : Tipo de Prueba: Prueba de Ames
Sistema experimental: Salmonella typhimurium
Concentración: 667 - 10000 µg/plate
Activación metabólica: con o sin activación metabólica
Método: Directrices de ensayo 471 del OECD
Resultado: negativo
BPL: si
- Tipo de Prueba: Estudio in vitro de la mutación génica en células de mamífero
Sistema experimental: células del ovario del hámster chino
Concentración: 10 - 500 µg/ml
Activación metabólica: con o sin activación metabólica
Método: Directrices de ensayo 476 del OECD
Resultado: negativo
BPL: si
- Tipo de Prueba: Prueba de aberración cromosomal in vitro
Sistema experimental: células del ovario del hámster chino
Concentración: 38 - 1000 µg/ml
Activación metabólica: con o sin activación metabólica
Método: Directrices de ensayo 473 del OECD
Resultado: negativo
BPL: si
- Genotoxicidad in vivo : Tipo de Prueba: Ensayo citogenético
Especies: Rata (macho)
Cepa: Fischer F344
Vía de aplicación: Inhalación
Tiempo de exposición: 13 w, 6 h/d, 5 d/wk
Dosis: ca. 50 mg/m³
Método: Otro
Resultado: negativo
BPL: No hay información disponible.
- Mutagenicidad en células germinales - Valoración : Las pruebas in vitro no mostraron efectos mutágenos, Las pruebas in vivo no demostraron efectos mutágenos

Carcinogenicidad

Producto:

- Especies: Rata, (machos y hembras)
Vía de aplicación: oral (alimento)
Tiempo de exposición: 103 w
Dosis: 1,25 - 2,5 - 5 % in diet
Grupo: si
Frecuencia del tratamiento: daily
NOAEL: aprox. 1,800 - 3,000 mg/kg pc/día
Método: Directrices de ensayo 453 del OECD

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 8

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

Resultado: negativo
BPL: No hay información disponible.

Carcinogenicidad - Valoración : No clasificable como agente carcinógeno para el humano.

IARC No se identifica ningún componente de este producto, que presente niveles mayores que o igual a 0,1% como agente carcinógeno humano probable, posible o confirmado por la (IARC) Agencia Internacional de Investigaciones sobre Carcinógenos.

OSHA Ningún componente de este producto está presente en niveles superiores o iguales al 0,1 % por lo que no se encuentra en la lista de OSHA de carcinógenos regulados.

NTP En este producto no se identifica ningún componente, que presente niveles mayores que o iguales a 0.1%, como agente carcinógeno conocido o anticipado por el (NTP) Programa Nacional de Toxicología.

Toxicidad para la reproducción

Producto:

Efectos en la fertilidad : Especies: Rata, machos y hembras
Cepa: Sprague-Dawley
Vía de aplicación: oral (alimento)
Dosis: 497 (m), 509 (f) mg/kg
Toxicidad general padres: NOAEL: 497 peso corporal en mg/kg
Toxicidad general F1: NOAEL: 497 peso corporal en mg/kg
Método: Directrices de ensayo 415 del OECD
BPL: no

Efectos en el desarrollo fetal : Tipo de Prueba: Pre-natal
Especies: Rata
Cepa: Wistar
Vía de aplicación: oral (sonda)
Dosis: 13,5 - 62,7 - 292 - 1350mg/kg
Toxicidad general materna: NOAEL: 1,350 peso corporal en mg/kg
Teratogenicidad: NOAEL: 1,350 peso corporal en mg/kg
Método: Directrices de ensayo 414 del OECD
BPL: no

Toxicidad para la reproducción - Valoración : No hay evidencia de efectos adversos sobre la función sexual y la fertilidad, o sobre el desarrollo, basado en experimentos con animales.
No se esperan efectos teratogénicos.

Toxicidad específica en determinados órganos (stot) - exposición única

Producto:

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 9

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

Valoración: La sustancia o mezcla no se clasifica como tóxica específica de órganos diana, exposición única.

Toxicidad específica en determinados órganos (stot) - exposiciones repetidas

Producto:

Valoración: La sustancia o mezcla no se clasifica como tóxica específica de órganos diana, exposición repetida.

Toxicidad por dosis repetidas

Producto:

Especies: Rata, machos y hembras
NOAEL: 4000 - 4500 mg/kg pc/día
Vía de aplicación: oral (alimento)
Tiempo de exposición: 13 w
Nombre de exposiciones: continuously
Dosis: 0,5 - 2 - 6,7 % SI in diet
Grupo: si
Método: Directrices de ensayo 408 del OECD
BPL: si

Especies: Rata, machos y hembras
NOAEL: 1,3 mg/m³
LOAEL: 0.0059 mg/l
Vía de aplicación: Inhalación
Tiempo de exposición: 13 w
Nombre de exposiciones: 6 hr/day; 5 days a week
Dosis: 1,3 - 5,9 - 31 mg/m³
Grupo: si
Método: Directrices de ensayo 413 del OECD
BPL: si

Vía de aplicación: Contacto con la piel
Observaciones: Esta información no está disponible.

Toxicidad por aspiración

Producto:

Ninguna clasificación de toxicidad por aspiración

Experiencia con exposición de seres humanos

Producto:

Información general : Los posibles síntomas conocidos son los derivados del etiquetado (ver apartado 2).

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 10

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

SECCIÓN 12. INFORMACIÓN ECOLÓGICA

Ecotoxicidad

Producto:

- Toxicidad para los peces : LL0 (Brachydanio rerio (pez cebra)): 10,000 mg/l
Punto final: mortalidad
Tiempo de exposición: 96 h
Tipo de Prueba: Ensayo estático
Controlo analítico: no
Método: Directrices de ensayo 203 del OECD
BPL: si
Observaciones: La indicación del efecto tóxico se refiere a la concentración nominal.
- Toxicidad para las dafnias y otros invertebrados acuáticos : EL50 (Daphnia magna (Pulga de mar grande)): > 1,000 mg/l
Punto final: Inmovilización
Tiempo de exposición: 24 h
Tipo de Prueba: Ensayo estático
Controlo analítico: no
Método: Directrices de ensayo 202 del OECD
BPL: si
Observaciones: La indicación del efecto tóxico se refiere a la concentración nominal.
- Toxicidad para las algas/plantas acuáticas : EL50 (Desmodesmus subspicatus (alga verde)): > 10,000 mg/l
Punto final: Tasa de crecimiento
Tiempo de exposición: 72 h
Tipo de Prueba: Ensayo estático
Controlo analítico: no
Método: Directrices de ensayo 201 del OECD
BPL: si
Observaciones: Los datos han sido establecidos por analogía a un producto de composición similar.
La indicación del efecto tóxico se refiere a la concentración nominal.
- Toxicidad para los peces (Toxicidad crónica) : NOEC: 86.03 mg/l
Tiempo de exposición: 30 d
Método: Otro
BPL: no
Observaciones: El resultado viene dado basándose en un enfoque SAR/AAR utilizando los modelos OECD Toolbox, DEREK, VEGA QSAR (modelos CAESAR), etc.
- Toxicidad para las dafnias y otros invertebrados acuáticos (Toxicidad crónica) : NOEC: 34.223 mg/l
Tiempo de exposición: 30 d
Método: Otro
BPL: no
Observaciones: El resultado viene dado basándose en un enfoque SAR/AAR utilizando los modelos OECD Toolbox, DEREK, VEGA QSAR (modelos CAESAR), etc.

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 11

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión:06/08/2021

Toxicidad del sedimento : CL50: 148.41 mg/l
Duración: 14 d
Método: Otro
BPL: no
Observaciones: El resultado viene dado basándose en un enfoque SAR/AAR utilizando los modelos OECD Toolbox, DEREK, VEGA QSAR (modelos CAESAR), etc.

Persistencia y degradabilidad

Producto:

Biodegradabilidad : Observaciones: No aplicable

Potencial de bioacumulación

sin datos disponibles

Movilidad en el suelo

sin datos disponibles

Otros efectos adversos

Producto:

Vías de propagación en el medio ambiente y destino final de la sustancia : Observaciones: No disponible

Información ecológica complementaria : Utilizando el producto adecuadamente y conforme a las aplicaciones previstas, según nuestros conocimientos actuales y nuestras experiencias, no son de esperar efectos perjudiciales para el medio ambiente.

SECCIÓN 13. CONSIDERACIONES RELATIVAS A LA ELIMINACIÓN

Métodos de eliminación.

RCRA - Acta de Autorización de la Conservación y Recuperación de los Recursos : Este producto, si se desecha tal como se vende no es un desecho peligros Federal RCRA.

Número de identificación de residuo : NONE

Residuos : Deseche este producto de acuerdo con todas las reglamentaciones locales, estatales y federales aplicables.

Envases contaminados : Eliminar como producto no usado.

SECCIÓN 14. INFORMACIÓN RELATIVA AL TRANSPORTE

DOT

Mercancías no peligrosas

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 12

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

IATA Mercancías no peligrosas

IMDG Mercancías no peligrosas

SECCIÓN 15. INFORMACIÓN REGLAMENTARIA

CERCLA Cantidad Reportable

Este material no contiene ningún componente con una cantidad reportada (RQ) para CERCLA.

SARA 304 Sustancias extremadamente peligrosas Cantidad Reportable

Este material no contiene ningún componente en la sección 304 EHS RQ .

Cantidad de planeación de umbral SARA 302 Sustancias Extremadamente peligrosas

Este material no contiene componentes con una sección 302 EHS TPQ.

SARA 311/312 Peligros : No son peligros según la legislación americana SARA

SARA 313 : Este material no contiene ningún componente químico con los conocidos números CAS que exceden el umbral de los niveles reportados (De Minimis) establecidos por SARA título III, sección 313.

Ley del Agua Limpia

Este producto no contiene los siguientes contaminantes tóxicos enumerados en la sección 307 de la Ley de agua limpia de los EE.UU.

Los componentes de este producto están presentados en los inventarios siguientes:

TSCA : Todas las sustancias enumeradas como activas en el inventario TSCA

SECCIÓN 16. OTRA INFORMACIÓN

Otros datos

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 13


Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

NFPA 704:



Texto completo de otras abreviaturas

AIIC - Inventario de productos químicos industriales de Australia; ASTM - Sociedad Estadounidense para la Prueba de Materiales; bw - Peso corporal; CERCLA - Ley Integral de Respuesta, Compensación y Responsabilidad Civil Ambiental; CMR - Carcinógeno, mutágeno o tóxico para la reproducción; DIN - Norma del Instituto Alemán de Normalización; DOT - Departamento de Transporte; DSL - Lista de sustancias domésticas (Canadá); ECx - Concentración asociada con respuesta de tasa de crecimiento x%; EHS - Sustancia extremadamente peligrosa; ELx - Tasa de carga asociada con respuesta x%; EmS - Procedimiento de emergencia; ENCS - Sustancias Químicas Existentes y Nuevas (Japón); ErCx - Concentración asociada con respuesta de tasa de crecimiento x%; ERG - Guía de respuesta ante emergencias; GHS - Sistema Globalmente Armonizado; GLP - Buena práctica de laboratorio; HMIS - Sistema de Identificación de Materiales Peligrosos; IARC - Agencia Internacional para la investigación del cáncer; IATA - Asociación Internacional de Transporte Aéreo; IBC - Código internacional para la construcción y equipamiento de Embarcaciones que transportan químicos peligrosos a granel; IC50 - Concentración inhibitoria máxima media; ICAO - Organización de Aviación Civil Internacional; IECSC - Inventario de Sustancias Químicas en China; IMDG - Código Marítimo Internacional de Mercancías Peligrosas; IMO - Organización Marítima Internacional; ISHL - Ley de Seguridad e Higiene Industrial (Japón); ISO - Organización Internacional para la Normalización; KECL - Inventario de Químicos Existentes de Corea; LC50 - Concentración letal para 50% de una población de prueba; LD50 - Dosis letal para 50% de una población de prueba (Dosis letal mediana); MARPOL - Convenio Internacional para prevenir la Contaminación en el mar por los buques; MSHA - Administración de seguridad y salud minera; n.o.s. - N.E.P.: No especificado en otra parte; NFPA - Asociación Nacional de Protección contra el Fuego; NO(A)EC - Concentración de efecto (adverso) no observable; NO(A)EL - Nivel de efecto (adverso) no observable; NOELR - Tasa de carga de efecto no observable; NTP - Programa Toxicológico Nacional; NZIoC - Inventario de Químicos de Nueva Zelanda; OECD - Organización para la Cooperación y el Desarrollo Económico; OPPTS - Oficina para la Seguridad Química y Prevención de Contaminación; PBT - Sustancia persistente, bioacumulativa y tóxica; PICCS - Inventario Filipino de Químicos y Sustancias Químicas; (Q)SAR - Relación estructura-actividad (cuantitativa); RCRA - Ley de Conservación y Recuperación de Recursos; REACH - Reglamento (CE) n.º 1907/2006 del Parlamento Europeo y del Consejo relativo al registro, la evaluación, la autorización y la restricción de las sustancias químicas; RQ - Cantidad reportable;

FICHA DE DATOS DE SEGURIDAD

PKT SILICA GEL5G G2 27X70 1250/P S-3905

Página 14

Código del material: SC0000901386

Última revisión: 04/20/2021

Versión: 1 - 0 / USA

Fecha de impresión: 06/08/2021

SADT - Temperatura de descomposición autoacelerada; SARA - Ley de Enmiendas y Reautorización de Superfondos; SDS - Ficha de datos de seguridad; TCSI - Inventario de Sustancias Químicas de Taiwán; TSCA - Ley para el Control de Sustancias Tóxicas (Estados Unidos); UN - Naciones Unidas; UNRTDG - Recomendaciones de las Naciones Unidas sobre el transporte de mercancías peligrosas; vPvB - Muy persistente y muy bioacumulativo

Fecha de revisión : 04/20/2021

Esta información corresponde al estado actual de nuestros conocimientos y está destinada a facilitar una descripción general de nuestros productos y sus posibles aplicaciones. No ofrecemos ninguna garantía, expresa o implícita, en cuanto a la exactitud de la información, adecuación, suficiencia o exención de fallas, y no asume ninguna responsabilidad en relación con cualquier uso de dicha información.

Cualquier usuario de este producto es responsable de determinar la idoneidad para su aplicación particular. NO SE DA NINGUNA GARANTÍA EXPRESA O IMPLÍCITA DE NINGUN PRODUCTO O SERVICIO, SOBRE LA COMERCIALIZACIÓN, APTITUD, IDONEIDAD PARA UNA FINALIDAD ESPECÍFICA O DE OTRO TIPO. Lo incluido en esta información no representa renuncia alguna a ninguno de los Términos y Condiciones Generales de venta, a menos que se acuerde lo contrario por escrito. Deben respetarse los derechos de propiedad intelectual o industrial existentes. Debido a las posibles modificaciones en nuestros productos y a la aplicación de las Leyes y Reglamentos Nacionales e Internacionales, el estatus normativo de nuestros productos puede cambiar sin previo aviso. Las Fichas de Datos de Seguridad, proporcionan información sobre las medidas de seguridad que deberán ser observadas durante la manipulación o almacenamiento de nuestros productos. Estas se encuentran disponibles a petición del interesado, y serán proporcionadas en conformidad con la ley aplicable. Es obligación del usuario, obtener y consultar la información en la Ficha de Datos de Seguridad antes de manipular cualquiera de estos productos. Para cualquier información adicional, póngase en contacto con nosotros.

US / ES



Woeber **MUSTARD** Manufacturing Company

P.O. Box 388 • 1966 Commerce Circle • Springfield, Ohio 45501
Phone 937/323-6281 • 1-800/548-2929 • FAX 937/323-1679

Section 1: Identification

Product Identifier: Vinegar (5% acidity)
Chemical Name: Acetic Acid (CH₃COOH)
CAS #: 64-19-7
Recommended Use: Food
Manufacturer Name: Woeber Mustard Mfg. Company
Address: 1966 Commerce Circle
Springfield, OH 45501
Telephone: 1-800-548-2929
Emergency Number: CHEMTREC: 1-800-424-9300

Section 2: Hazard(s) Identification

GHS Classification: Skin Corrosive 2, Eye Irritant 2A, Hazardous to aquatic environment



Signal Word : WARNING

Hazard Statements
H320: Causes eye irritation
H315: Causes skin irritation
H332: Harmful if inhaled
H402: Harmful to aquatic life

Precautionary Statements
P261: Avoid breathing fumes/mist/vapors/spray
P264: Wash exposed skin thoroughly after handling.
P280: Wear protective gloves to avoid prolonged exposure.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P273: Avoid release into the environment

Concentrated vapors irritating to eyes and respiratory tract, avoid inhalation. May cause minor skin irritation.

NFPA Scale-



NFPA SCALE (0-4)

HMIS Rating-

Health	2
Flammability	1
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

Section 3: Composition/Information on Ingredients

<u>Chemical Name</u>	<u>Amount</u>	<u>CAS Number</u>
Acetic Acid	5%	64-19-7
Water	95%	7732-18-5

Section 4: First Aid Measures

Inhalation:	If exposed to excessive levels of fumes, remove to fresh air.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
Skin Contact:	If on skin; wash with plenty of soap and water. If skin irritation occurs, seek medical advice/attention. If on clothes; remove/take off all contaminated clothing. Rinse skin with soap and water.
Ingestion:	Intended for ingestion, however if swallowed in large quantities, water may be consumed to dilute. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Section 5: Fire Fighting Measures

Flash Point:	40° C (104° F) closed cup (Acetic Acid)
Auto Ignition Temp.:	427° C (800° F) (Acetic Acid)
Flammable Limits in Air:	4.0% - 16% (Acetic Acid)
Extinguishing Media:	Water spray, foam CO2 or dry chemical. Water may be used to dilute spills and reduce flammability.
Hazards from Fire:	Toxic gasses and vapors may be released in a fire involving concentrated vinegars.

Section 6: Accidental Release Measures

Small Spill Procedure:	Treat or dispose of waste material as a weak acid in accordance with all local, state/provincial, and national requirements. Water may be used to dilute.
Large Spill Procedure:	Contain spilled material. Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime. Avoid runoff into storm sewers and ditches that lead to waterways. Treat or dispose of waste material as a weak acid in accordance with all local, state/provincial, and national requirements.
Personal Protection:	Protect skin and eyes from exposure. Avoid breathing vapor.
Environmental Precautions:	Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Section 7: Handling and Storage

Precautions for Handling:

Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Wash contaminated clothing before reusing.

Conditions for safe Storage:

Store in a cool, well ventilated place.

Section 8: Exposure Controls/Personal Protection

Permissible Exposure Limit (PEL): 10 ppm acetic acid

Threshold Limit Value (TLV): 10 ppm acetic acid

Short Term Exposure Limit (STEL): 15 ppm acetic acid

Recommended Exposure Limit (REL): 10 ppm acetic acid

Engineering Controls:

Local exhaust ventilation may be necessary to control any air contaminants to within their TLV during the use of the product. Emergency shower and eye wash stations should be readily available.

Eye/Face Protection:

Wear safety glasses and/or face shield.

Skin Protection:

Rubber/neoprene gloves recommended. Rubber apron or other protective equipment as needed to reduce direct contact. (Concentrated vinegars only)

Respiratory Protection:

As required to prevent exposure to concentrations which exceed the PEL.

Thermal Hazards: None known

General Hygiene considerations:

Section 9: Physical and Chemical Properties

Physical State and Appearance:	Liquid
Odor:	Pungent, Vinegar-like
Color:	Colorless, Clear
Boiling Point:	100°C (212°F)
Freezing Point:	-2.22°C (28 °F)
PH:	2.6
Specific Gravity:	1.049 (Water = 1)
Vapor Pressure:	1.5 kPa @ 20°C
Solubility in Water:	Complete

Section 10: Stability and Reactivity

Reactivity/Stability:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Incompatibilities:	Avoid strong oxidizing agents / bases
Polymerization:	Will not occur

Section 11: Toxicological Information

Routes of entry	Inhalation, ingestion and skin contact
Symptoms (acute)	Respiratory irritation
Delayed effects	No data available
Carcinogenicity	No evidence of a carcinogenic effect
Mutagenicity	No evidence of a mutagenicity effect
Teratogenicity	No evidence of a teratogenicity effect
Sensitization	No evidence of a sensitization effect
Reproductive	No evidence of a Reproductive effect

Section 12: Ecological Information

Ecotoxicity:	Will biodegrade readily under aerobic and anaerobic conditions.
---------------------	---

Section 13: Disposal Considerations

Treat or dispose of waste material as a weak acid in accordance with all local, state/provincial, and national requirements.

Section 14: Transportation Information

Product Label:	Vinegar.
DOT Shipping Name:	Not applicable
Technical Shipping Name:	Not applicable
DOT Hazard Class:	Not applicable
UN Number:	Not applicable for vinegar containing less than 25% acetic acid, provided packaging complies with ADR Special Provision 647; UN2790 for vinegar containing more than 25% acetic acid
Product RQ (lbs):	Quantity containing the equivalent of 5000 lb of 100% acetic acid, (16,667 lb of vinegar containing 30% acetic acid)
DOT Label:	Not applicable

Section 15: Regulatory Information

Canadian Disclosure List:

Acetic Acid (64-19-7)

Comprehensive Environmental Response, Compensation, & Liability Act (CERCLA):

Acetic Acid (64-19-7)

Food & Drug Administration (FDA)

Product is a GRAS (Generally Recognized as Safe) food ingredient.

Section 16: Other Information

Not Available

Woeber Mustard Co.	Revision Date 6/19/17	Revision Number – 3
---------------------------	-----------------------	------------------------

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 13-May-2015

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name permanent marker black ink

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Pens

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Wenzhou Aihao Pen Trade Co., Ltd

Supplier Address No.128, Wenchang Road, Longwan Zone
Wenzhou
Zhejiang
325011
CN

Supplier Phone Number Phone:86-13524536325
Contact Phone86-021-68622126

Supplier Email 732314056@qq.com

Emergency telephone number

2. HAZARDS IDENTIFICATION


Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3



GHS Label elements, including precautionary statements**Emergency Overview**

Signal word	Danger	
Hazard Statements Causes skin irritation Causes serious eye damage Suspected of causing genetic defects May cause drowsiness or dizziness		
		
Appearance Black	Physical state Solid containing liquid	Odor Alcohol

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF EXPOSED OR CONCERNED: Get medical advice/attention
Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

10.6% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May be harmful if swallowed
Toxic to aquatic life with long lasting effects

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1196598)	Proprietary	30 - 60	*
Third Party Formulation (TP # 1196598)	Proprietary	15 - 40	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures**General Advice**

Show this safety data sheet to the doctor in attendance.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Seek immediate medical attention/advice.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed**Most Important Symptoms and Effects**

Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Uniform Fire Code

Irritant: Solid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1196598)	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m ³	TWA: 100 ppm TWA: 360 mg/m ³ STEL: 150 ppm STEL: 540 mg/m ³
Third Party Formulation (TP # 1196598)	TWA: 100 ppm	TWA: 200 ppm TWA: 500 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 500 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 625 mg/m ³	IDLH: 800 ppm TWA: 200 ppm TWA: 500 mg/m ³ STEL: 250 ppm STEL: 625 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection None required for consumer use. If there is a risk of contact: Tight sealing safety goggles.

Skin and body protection None required for consumer use. Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Solid containing liquid	Odor	Alcohol
Appearance	Black	Odor Threshold	No information available
Color	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Difficult solubility	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness and dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1196598)	= 5200 mg/kg (Rat)	= 13 g/kg (Rabbit)	= 54.6 mg/L (Rat) 4 h > 24 mg/L (Rat) 1 h
Third Party Formulation (TP # 1196598)	= 1870 mg/kg (Rat)	-	> 13548 ppm (Rat) 4 h
Third Party Formulation (TP # 1196598)	= 1219 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

Erythema (skin redness). May cause redness and tearing of the eyes. May cause blindness. Burning. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic Effects	There is no data available for this product. Contains a known or suspected mutagen.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1196598)		Group 3		

*IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans*

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	Contains a known or suspected mutagen. Possible risk of irreversible effects. Carcinogenic potential is unknown.
Target Organ Effects	Respiratory system. Eyes. Skin. May affect the genetic material in germ cells (sperm and eggs). Central Nervous System (CNS). Gastrointestinal tract (GI).
Aspiration Hazard	No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
2,458.00 mg/kg
ATEmix (dermal)
23,718.00 mg/kg (ATE)
ATEmix (inhalation-dust/mist)
99.60 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1196598)		96h LC50: = 20.8 g/L (Pimephales promelas) 96h LC50: 4600 - 10000 mg/L (Leuciscus idus)		48h EC50: = 23300 mg/L
Third Party Formulation (TP # 1196598)		96h LC50: = 4480 mg/L (Pimephales promelas)	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	48h EC50: 3339 - 3977 mg/L 48h EC50: = 3642 mg/L
Third Party Formulation (TP # 1196598)	72h EC50: = 36 mg/L (Desmodesmus subspicatus)	96h LC50: = 5.6 mg/L (Cyprinus carpio)		48h EC50: = 5.2 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Third Party Formulation (TP # 1196598)	-0.437
Third Party Formulation (TP # 1196598)	0.34
Third Party Formulation (TP # 1196598)	2

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Third Party Formulation (TP # 1196598)	Toxic Ignitable



14. TRANSPORT INFORMATION

DOT	NOT REGULATED
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA	Not regulated
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
IMDG/IMO	Not regulated
Hazard Class	N/A
Marine Pollutant	Product is a marine pollutant according to the criteria set by IMDG/IMO
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1196598)	X	X	X		
Third Party Formulation (TP # 1196598)	X	X	X		

International Regulations**Mexico****National occupational exposure limits**

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1196598) (15 - 40)		Mexico: TWA 200 ppm Mexico: TWA 500 mg/m ³ Mexico: STEL 250 ppm Mexico: STEL 625 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada**WHMIS Hazard Class**

Not determined

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Physical and Chemical Hazards - Personal Protection X
HMIS	Health Hazards 3 *	Flammability 0	Physical Hazard 0	

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Revision Date	13-May-2015
Revision Note	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

