Section 1 Chemical Product and Company Identification

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

HOME SCIENCE TOOLS

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world). For laboratory and industrial use only. Not for drug, food or household use.

Page E1 of E2

Product	IRON METAL FILINGS, DEGREASED
Synonyms	Iron Aggregate / Iron Filings / Iron / Iron Metal

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None assigned Pictograms: None assigned Target organs: None known

GHS Classification: None assigned

GHS Label information: Hazard statement:

None assigned

Precautionary statement:

None assigned

Supplemental information:

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on Ingredients				
Chemical Name	CAS#	%	EINECS	
Iron aggregate	65997-19-5	100%	266-048-1	
Contains:				
Iron	1309-37-1	Balance		
Carbon	7440-44-0	<3.0%		
Silicon	7440-21-3	<3.0%		
Manganese	7439-96-5	<1.0%		
Phosphorous	7723-14-0	<0.1%		
Sulfur	7704-34-9	<0.1%		

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. A fire hazard in the form of a fine dust dispersed in air or by chemical reaction with strong oxidizers can be an explosion hazard, especially when heated.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Protection			
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Particulates not otherwise specified	TWA: 15 mg/m ³ Total dust	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Grey particles.

Odor: No odor.

Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: 1508.49°C (2750°F)

Boiling point: Data not available **Flash point:** Data not available

Evaporation rate (= 1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): 6.7 gm/cc

Solubility(ies): Insoluble in water.

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available.

Marine pollutant: No

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition. Acids.

Incompatible materials: Strong oxidizers, organic acids, mineral acids, water.

Hazardous decomposition products: None known

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause respiratory tract irritation.

Ingestion: No hazard known.

Skin: Contact with skin causes irritation.

Eyes: Contact may cause mechanical irritation and possible scratches to surface of the eye.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: Data not available

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Reportable Quantity: No

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Hazard class: Not applicable

Shipping name: Not Regulated
Packing group: Not applicable

Exceptions: Not applicable 2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Iron aggregate	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: February 22, 2018 Supercedes: March 24, 2017

MATERIAL SAFETY DATA SHEET

04/03/2018

1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER OR DISTRIBUTOR : Bangkit USA INC

10511 Valley Boulevard El Monte, CA 91731

INFORMATION TELEPHONE NUMBER : 626-672-0888

EMERGENCY TELEPHONE NUMBER : Call Local Poison Control Center

PRODUCT NAME : BAZIC MODELING DOUGHS

2. COMPOSITION ON INGREDIENTS

INGREDIENT NAME	CAS#
Starch Soluble	9005-84-9
Water	7732-18-5
Sodium Chloride	7647-14-5
Glycerol	56-81-5

3. HAZARD IDENTIFICATION

Pigment Colors

This product, when used under reasonable conditions and accordance with the normal use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's direction for use may affect the performance of the product and may present potential health and safety hazards.

POTENTIAL HEALTH EFFECTS

Eye Contact : is not expected to occur during normal use of the product.

Skin Contact : is not expected to result in significant irritation during product use.

Inhalation : is not expected to occur during normal use of the product.

Ingestion : no health effects are expected.

4. FIRST AID MEASURES

Skin contact : No effect of exposures expected.
Eye contact : No effect of exposure expected.
Inhalation : No effect of exposure expected.

Ingestion : If the product is swallowed, please contact physician immediately.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flammable : N/A Flash point : 350° C

EXTINGUISHING MEDIA

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam)

PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures : water may be used to blanket the fire Unusual Fire and Explosion Hazards : no unusual fire or explosion hazards are

anticipated.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Not Applicable

7. HANDLING AND STORAGE

HANDLING

Use methods to minimize dust.

STORAGE

Store and handle in accordance with all current regulations and standards. See original containers for storage recommendations. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS

Not Applicable

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection : Not Applicable.

Skin Protection : Not applicable. Gloves not normally required. Avoid

prolonged or repeated skin contact.

Respiratory Protection : Under normal use conditions, airborne exposures are not

expected to be significant enough to require respiratory

protection.

Prevention of Swallowing : Not an expected route of exposure.

EXPOSURE GUIDELINES

None Established

9. PHYSICAL AND CHEMICAL PROPERTIES

: N/A Appearance : Solid Flash Point Physical Sate : Solid Flammability : N/A Physical Form : Solid Vapor Pressure : N/A Color Vapor Density (air=1) : N/A : Assorted colors Odor **Evaporation Rate** : Odorless : N/A Odor Threshold : N/A Specific Gravity : N/A Density : N/A : N/A рH Water Solubility Melting Point : N/A : N/A Freezing Point : N/A Coeff. Water/Oli Dist : N/A **Boiling Point** : N/A Volatility : N/A

Viscosity : N/A

10. STABILITY AND REACTIVITY

Chemical Stability : Stable at normal temperatures and pressure.

Conditions to Avoid : None reported.

Materials to Avoid : Oxidizing materials.

Decomposition Products : Oxides of carbon.

Possibility of Hazardous Reactions : Will not polymerize.

11. TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not determined

CHEMICAL FATE INFORMATION Not determined

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with all applicable regulations

Since regulations vary, consult applicable regulations or authorities before disposal.

14. TRANSPORT INFORMATION

No special requirement

15. REGULATORY INFORMATION

Not available

16. OTHER INFORMATION

Not available

DISCLAIMER: the information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Bazic Products MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Bazic product is fit for particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Bazic product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Bazic product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.



MATERIAL SAFETY DATA SHEET: UCO Stormproof Matches

SECTION 1: PRODUCT INFORMATION

Importer/Distributor:

Industrial Revolution, Inc.

9225 151st Ave NE Redmond, WA 98052 Tel: 425-883-6600

Fax: 425-883-0006

Email: <u>Sales@industrialrev.com</u> Emergency Contact: 206-913-9266

Manufacturer:

The Hind Matches Pvt. Ltd

5-2-15c, Sattur Road Sivakasi -626123 Tamil Nadu, India

Tel: 00 91 4562 276173 Fax: 00 91 4562 272378

Product Name:	Storm Proof Matches	
UN No.:	1944	
Trade form:	Sticks	
Hazard:	Wind and water resistant fire	
Family:	Flammable solid	
Part Numbers & UPCs:		
MT-SM-POP	054269000202	
MT-SM1-UCO	054269000189	
MT-SM2-UCO	054269000172	
MT-SM-BULK	054269000196	



SECTION 2: HAZARDS IDENTIFICATION

Color:

Orange, with brown head on wooden stick

Odor:

Slight odor

Melting Point:

N/A, catches Fire at about 180° C, 356° F

Other:

Solid, 2.75" long stick, insoluble in water.



FIRE AND EXPLOSION HAZARD

a) Ignition	Safety match, not strike-anywhere variety
b) Explosion	Not explosive
c) Firing	Catches fire only when comes into contact with Phosphorous or
	strong acids
d) Extinguishing	No effective agent or method
e) Special fire	Move containers from fire only if you can do it without risk. If fire is
fighting instructions	advanced, evacuate and let it burn off
f) Static discharge	No data available
sensitivity	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Match:

- a) Potassium Chlorate
- b) Lead Oxide
- c) Sulphur
- d) Potassium Bichromate

Striker:

a) Phosphorus

SECTION 4: FIRST-AID MEASURES

HEALTH HAZARD DATA

a) Exposure limits TLV	NA		
b) Ingestion	If swallowed will cause nausea, vomiting, and poisoning		
c) Type Toxic	Oxidiser		
d) Skin contact	NA		
e) Eye Contact	NA		
f) Inhalation When ignited, smoke may affect mucous membranes			
g) In case of Ingestion Call Emergency medical team			
a) If victim is conscious, have victim drink water or milk and induce vomiting.			
b) If victim is unconscious do nothing except keep the victim warm.			

SECTION 5: FIRE-FIGHTING MEASURES

a) No method of extinguishing is effective. Wait for match to be completely burnt out.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- a) Pick the spilled matches up one by one and put into carton box.
- b) Avoid entering spill area wearing shoes with metallic soles.
- c) Dispose of waste by burning in a yard under supervision.
- d) Do not drag the container containing the matches across the floor, always lift and carry in a disposal cart with rubber wheel.

SECTION 7: HANDLING AND STORAGE

- a) Always keep the sticks inside the container provided.
- b) Store the product away from all sources of heat and flammable materials.
- c) Avoid contact with acids and Phosphorus.
- d) Do not throw lit match as it will not be extinguished until completely burnt out.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- a) Exposure is not a risk. Do not ingest.
- b) No gloves, goggles, mask required in normal use.
- c) When striking, strike away from body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Solid, 2.75" long stick. Brown and orange colors on wooden stick. Insoluble in water. Slight odor. Flammable.

SECTION 10: STABILITY AND REACTIVITY

a) Stability	Very stable
b) Cause of Instability	Flammability
c) Instability Hazard	Constitutes potential fire hazard when comes into contact with
	Phosphorus
d) Decomposition	With strong acid the chlorate present decomposes and may cause fire

SECTION 11: TOXICOLOGICAL INFORMATION

This product is not expected to cause acute or chronic toxicity or skin/eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

This product is not expected to cause toxicity to the environment. Components of this material are not bio-magnified or bio-concentrated in the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

a) Thoroughly wet and mulch product before disposal to landfill.

SECTION 14: TRANSPORT INFORMATION

IMO/IMDG-CLASS	4.1	
UN NO.	1944	
IMDG CODE	4155	

SECTION 15: REGULATORY INFORMATION

N/A

SECTION 16: OTHER INFORMATION

N/A

DATE PREPARED: 9/09/2009