



KARLIN FOODS
CORP
Always Something Cookin'.

SAFETY DATA SHEET

Section 1, Identification

<i>Product:</i>	Karlin Foods Baking Soda, KF ID# S24BS
<i>Manufacturer:</i>	Karlin Foods Corp 1845 Oak St. Suite 19 Northfield, IL 60093
<i>Emergency Phone Number:</i>	Karlin Foods: 847-441-8330 Chemtrec: 800-424-9300
<i>Recommended Use:</i>	Leavening agent, cleaner ingredient, bath salt ingredient, water softener, diaper rinse ingredient, direct food additive
<i>Restrictions on Use:</i>	None

Section 2, Hazard(s) Identification

<i>Classification:</i>	OSHA Regulatory Status. This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)
<i>Required Label:</i>	The product contains no substances which at their given concentration, are considered to be hazardous to health
<i>Other Information:</i>	Product dust may cause mechanical eye irritation.

Section 3, Composition/Information on Ingredients

<i>Formula:</i>	NaHCO ₃
<i>Chemical Name:</i>	Sodium Bicarbonate

Section 4, First Aid Measures

<i>Eye Contact:</i>	Flush eyes with water as a precaution. Get Medical attention if irritation develops and persists.
<i>Skin Contact:</i>	Wash skin with soap and water. Get medical attention if irritation develops and persists.
<i>Inhalation:</i>	Remove person to fresh air. If signs/symptoms continue, get medical attention.
<i>Ingestions:</i>	Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur
<i>Most important symptoms and effects, both acute and delayed:</i>	None known.
<i>Indication of immediate medical attention and special treatment needed, if necessary</i>	Treat symptomatically.

Section 5, Fire-Fighting Measures

<i>Suitable Extinguishing Media:</i>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
<i>Specific Hazards Arising from the Chemical:</i>	None in particular. Not flammable
<i>Hazardous Combustion Products:</i>	None
<i>Explosion data</i>	

<i>Sensitivity to Mechanical Impact:</i>	Not sensitive
<i>Sensitivity to Static Discharge:</i>	Not sensitive
<i>Protective equipment and precautions for firefighters</i>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Section 6, Accidental Release Measures	
<i>Personal Precautions:</i>	Avoid dust formation.
<i>Other:</i>	For further clean-up instructions, call Emergency Hotline number listed in Section 1 “Product and Company Identification” above.
<i>Environmental Precautions:</i>	Prevent material from entering into soil, ditches, sewers, waterways, and/or groundwater. See Section 12, Ecological Information for more detailed information.
<i>Methods for Containment:</i>	Vacuum or shovel waste into a drum and label contents for disposal.
<i>Methods for cleaning up:</i>	Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal. Dispose of waste as indications in Section 13.
Section 7, Handling and Storage	
<i>Handling:</i>	Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected.
<i>Storage:</i>	Keep in a dry place. Keep away from incompatible products (acids). Do not store with strong smelling materials.
<i>Incompatible Products:</i>	Except under controlled conditions: Acids
Sections 8, Exposure Controls/Personal Protection	
<i>Control Parameters:</i>	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. Local nuisance dust standards apply.
<i>Appropriate Engineering Controls:</i>	Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
<i>Individual protection measures, such as personal protective equipment.</i>	
<i>Eye/Face Protection:</i>	Safety glasses with side shields
<i>Skin and Body Protection:</i>	Wear suitable protective clothing. Protective shoes or boots.
<i>Hand Protection:</i>	Protective gloves.
<i>Respiratory Protection:</i>	In case of inadequate ventilation, wear respiratory protection.
<i>Hygiene Measures:</i>	Handle in accordance with good industrial hygiene and safety practice.

<i>General Information:</i>	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.
Section 9, Physical and Chemical Properties	
<i>Appearance:</i>	Crystalline, Powder
<i>Physical State:</i>	Solid
<i>Color:</i>	White
<i>Odor:</i>	Odorless
<i>Odor Threshold:</i>	Not applicable
<i>pH:</i>	8.3 (1% solution) @ 25 degrees Celsius
<i>Melting Point/freezing point:</i>	Not applicable
<i>Boiling Point/Range:</i>	No information available
<i>Flash point:</i>	Not applicable
<i>Evaporation Rate:</i>	No information available
<i>Flammability (solid, gas):</i>	No information available
<i>Flammability Limit in Air:</i>	No information available
<i>Vapor pressure:</i>	Negligible
<i>Vapor density:</i>	No information available
<i>Density:</i>	No information available
<i>Specific gravity:</i>	2.22
<i>Water solubility:</i>	96g/L @ 20 degrees Celsius
<i>Solubility in other solvents:</i>	No information available
<i>Partition coefficient:</i>	Not applicable
<i>Autoignition temperature:</i>	No information available
<i>Decomposition temperature:</i>	No information available
<i>Viscosity, kinematic:</i>	No information available
<i>Viscosity, dynamic:</i>	No information available
<i>Explosive properties:</i>	No information available
<i>Oxidizing properties:</i>	Non-oxidizing
<i>Molecular weight:</i>	84.01
<i>Bulk Density:</i>	66 lb/cu ft
Section 10, Stability and Reactivity	
<i>Reactivity:</i>	None under normal use conditions
<i>Chemical Stability:</i>	Stable
<i>Possibility of Hazardous Reactions:</i>	None under normal processing/
<i>Hazardous polymerization:</i>	Hazardous polymerization does not occur
<i>Conditions to avoid:</i>	Heat. Humid air. Avoid contact with acids except under controlled conditions. Keep away from strong odor.
<i>Incompatible materials:</i>	Except under controlled conditions: Acids.
<i>Hazardous Decomposition Products:</i>	Reacts with acids to release carbon dioxide gas and heat.
Section 11, Toxicological Information	
<i>LD50 Oral:</i>	>5,000 mg/kg (rat)
<i>LD50 Dermal:</i>	No information available
<i>LC50 Inhalation:</i>	>4.74 mg/L (rat) 4.5 hr
<i>Eye Contact:</i>	Non-irritating

<i>Skin Contact:</i>	Non-irritating			
<i>Sensitization:</i>	Non-sensitizing			
<i>Info on toxicological effects: Symptoms</i>	No information available.			
<i>Chronic Toxicity:</i>	No known effect			
<i>Mutagenicity:</i>	Not mutagenic			
<i>Carcinogenicity:</i>	Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH)			
<i>Reproductive toxicity:</i>	No information available			
<i>STOT – single exposure:</i>	No information available			
<i>STOT – repeated exposure:</i>	No information available			
<i>Aspiration hazard:</i>	No information available			
Section 12, Ecological Information				
<u>Ecotoxicity</u>				
Sodium Bicarbonate (144-55-8)				
Active Ingredient(s)	Duration	Species	Value	Units
Sodium bicarbonate	96 hr.	<i>Lepomis macrochirus</i> (Bluefill sunfish)	NOEC: 5,200 LC50: 7,100	mg/L
Sodium bicarbonate	48 hr. immobilization test	<i>Daphnia magna</i>	NOEC: 3,100 EC50: 4,100	mg/L
Sodium bicarbonate	96 hr.	<i>Oncorhynchus mykiss</i> (rainbow trout)	NOEC: 2,300 LC50: 7,700	mg/L
<i>Persistence and degradability:</i>	Biodegradability does not pertain to inorganic substances.			
<i>Bioaccumulation:</i>	Does not bio-accumulate			
<i>Mobility:</i>	Dissociates into ions.			
<i>Other Adverse Effects:</i>	None known.			
Section 13, Disposal Considerations				
<i>Waste disposal methods:</i>	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of in accordance with local regulations.			
<i>Contaminated Packaging:</i>	Dispose of in accordance with local regulations			
Section 14, Transport Information				
<i>DOT</i>	Not Regulated			
Section 15, Regulatory Information				
<i>U.S. Federal Regulations</i>				
<i>SARA313</i>	Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372			
<i>SARA 311/312 Hazard Categories</i>				
<i>Acute health hazard</i>	No			
<i>Chronic health hazard</i>	No			
<i>Fire hazard</i>	No			
<i>Sudden release of pressure hazard</i>	No			
<i>Reactive Hazard</i>	No			

<i>Clean Water Act</i>	This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)							
<i>CERCLA</i>	This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.							
<i>California Proposition 65</i>	This product does not contain any Proposition 65 Chemicals							
<i>U.S. State Right-to-Know Regulations</i>	This product does not contain any substances regulated by state right-to-know regulations.							
<i>International Inventories</i>								
Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium Bicarbonate 144-55-8 (100)	X	X	X	X	X	X	X	X
Section 16, Other Information								
NFPA	Health Hazards 0	Flammability 0	Instability 0	Special Hazards -				
HMIS	Health Hazards 0	Flammability 0	Physical hazard 0	Personal Protection X				
NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0								
Product Certifications This product meets the chemical testing specifications defined in the USP and Food Chemicals Codex (FCC), 9th Edition and is manufactured under GMP and in compliance with FSMA. The MUL (maximum use level) for sodium bicarbonate is 100 mg/L under NSF/ANSI Standard 60.								

Section 1 Chemical Product and Company Identification

Page E1 of E2

HOME SCIENCE TOOLS

665 Carbon Street
Billings, MT 59102
800-860-6272
www.homesciencetools.com

CHEMTREC 24 Hour Emergency USA
Phone Number (800) 424-9300
1 703-741-5500 (from anywhere in the world).
For laboratory and industrial use only.
Not for drug, food or household use.

Product GLYCERIN**Synonyms** Glycerol

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required**Pictograms:** No symbol required**Target organs:** None known**GHS Classification:** None required**GHS Label information: Hazard statement:** None required**Precautionary statement:** None required**Supplemental information:**

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Glycerin	56-81-5	100%	200-289-5

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: DO NOT USE WATER. Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Glycerin	TWA: 10 mg/m ³ (mist)	TWA: 5 mg/m ³ (respirable fraction)	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.

Odor: No odor.

Odor threshold: Data not available.

pH: Approximately 7.0

Melting / Freezing point: 18°C (64°F)

Boiling point: 290°C (554°F)

Flash point: 177°C (351°F) COC

Evaporation rate (Ether = 1): >1

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 0.01 mbar @ 20°C

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 1.2607 (25/25°C)

Solubility(ies): Complete

Partition coefficient: 2.6 calculated

Auto-ignition temperature: 400°C (752°F)

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: HOCH₂CHOHCH₂OH

Molecular weight: 92.10

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures and heat. Absorbs moisture from the air.

Incompatible materials: Strong oxidizers.

Hazardous decomposition products: Poisonous Acrolein fumes.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 25,000 mg/kg

Skin corrosion/irritation: Dermal-rabbit - 18,700 mg/kg

Serious eye damage/irritation: Rabbit - practically non-irritating

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of mist are irritating to the respiratory tract.

Ingestion: Ingestion is considered to be a very low hazard.

Skin: Skin contact shows no significant irritation. Not absorbed through the skin.

Eyes: May cause slight eye irritation.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: MA8050000

Section 12 Ecological Information

Toxicity to fish: Low toxicity to aquatic organisms. LC50 (96 hour) fish >5,000 mg/l

Toxicity to daphnia and other aquatic invertebrates: EC50 (24 hour) Daphnia magna >10,000 mg/l

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Glycerin	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



Woeber **MUSTARD** Manufacturing Company

P.O. Box 388 • 1966 Commerce Circle • Springfield, Ohio 45501

Phone 937/323-6281 • 1-800/548-2929 • FAX 937/323-1679

Section 1: Identification

Product Identifier: Vinegar (5% acidity)
Chemical Name: Acetic Acid (CH₃COOH)
CAS #: 64-19-7
Recommended Use: Food
Manufacturer Name: Woeber Mustard Mfg. Company
Address: 1966 Commerce Circle
Springfield, OH 45501
Telephone: 1-800-548-2929
Emergency Number: CHEMTREC: 1-800-424-9300

Section 2: Hazard(s) Identification

GHS Classification: Skin Corrosive 2, Eye Irritant 2A, Hazardous to aquatic environment



Signal Word : WARNING

Hazard Statements
H320: Causes eye irritation
H315: Causes skin irritation
H332: Harmful if inhaled
H402: Harmful to aquatic life

Precautionary Statements
P261: Avoid breathing fumes/mist/vapors/spray
P264: Wash exposed skin thoroughly after handling.
P280: Wear protective gloves to avoid prolonged exposure.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P273: Avoid release into the environment

Concentrated vapors irritating to eyes and respiratory tract, avoid inhalation. May cause minor skin irritation.

NFPA Scale-



NFPA SCALE (0-4)

HMIS Rating-

Health	2
Flammability	1
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

Section 3: Composition/Information on Ingredients

<u>Chemical Name</u>	<u>Amount</u>	<u>CAS Number</u>
Acetic Acid	5%	64-19-7
Water	95%	7732-18-5

Section 4: First Aid Measures

Inhalation:	If exposed to excessive levels of fumes, remove to fresh air.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
Skin Contact:	If on skin; wash with plenty of soap and water. If skin irritation occurs, seek medical advice/attention. If on clothes; remove/take off all contaminated clothing. Rinse skin with soap and water.
Ingestion:	Intended for ingestion, however if swallowed in large quantities, water may be consumed to dilute. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Section 5: Fire Fighting Measures

Flash Point:	40° C (104° F) closed cup (Acetic Acid)
Auto Ignition Temp.:	427° C (800° F) (Acetic Acid)
Flammable Limits in Air:	4.0% - 16% (Acetic Acid)
Extinguishing Media:	Water spray, foam CO2 or dry chemical. Water may be used to dilute spills and reduce flammability.
Hazards from Fire:	Toxic gasses and vapors may be released in a fire involving concentrated vinegars.

Section 6: Accidental Release Measures

Small Spill Procedure:	Treat or dispose of waste material as a weak acid in accordance with all local, state/provincial, and national requirements. Water may be used to dilute.
Large Spill Procedure:	Contain spilled material. Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime. Avoid runoff into storm sewers and ditches that lead to waterways. Treat or dispose of waste material as a weak acid in accordance with all local, state/provincial, and national requirements.
Personal Protection:	Protect skin and eyes from exposure. Avoid breathing vapor.
Environmental Precautions:	Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Section 7: Handling and Storage

Precautions for Handling:

Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Wash contaminated clothing before reusing.

Conditions for safe Storage:

Store in a cool, well ventilated place.

Section 8: Exposure Controls/Personal Protection

Permissible Exposure Limit (PEL): 10 ppm acetic acid

Threshold Limit Value (TLV): 10 ppm acetic acid

Short Term Exposure Limit (STEL): 15 ppm acetic acid

Recommended Exposure Limit (REL): 10 ppm acetic acid

Engineering Controls:

Local exhaust ventilation may be necessary to control any air contaminants to within their TLV during the use of the product. Emergency shower and eye wash stations should be readily available.

Eye/Face Protection:

Wear safety glasses and/or face shield.

Skin Protection:

Rubber/neoprene gloves recommended. Rubber apron or other protective equipment as needed to reduce direct contact. (Concentrated vinegars only)

Respiratory Protection:

As required to prevent exposure to concentrations which exceed the PEL.

Thermal Hazards: None known

General Hygiene considerations:

Section 9: Physical and Chemical Properties

Physical State and Appearance:	Liquid
Odor:	Pungent, Vinegar-like
Color:	Colorless, Clear
Boiling Point:	100°C (212°F)
Freezing Point:	-2.22°C (28 °F)
PH:	2.6
Specific Gravity:	1.049 (Water = 1)
Vapor Pressure:	1.5 kPa @ 20°C
Solubility in Water:	Complete

Section 10: Stability and Reactivity

Reactivity/Stability:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Incompatibilities:	Avoid strong oxidizing agents / bases
Polymerization:	Will not occur

Section 11: Toxicological Information

Routes of entry	Inhalation, ingestion and skin contact
Symptoms (acute)	Respiratory irritation
Delayed effects	No data available
Carcinogenicity	No evidence of a carcinogenic effect
Mutagenicity	No evidence of a mutagenicity effect
Teratogenicity	No evidence of a teratogenicity effect
Sensitization	No evidence of a sensitization effect
Reproductive	No evidence of a Reproductive effect

Section 12: Ecological Information

Ecotoxicity:	Will biodegrade readily under aerobic and anaerobic conditions.
---------------------	---

Section 13: Disposal Considerations

Treat or dispose of waste material as a weak acid in accordance with all local, state/provincial, and national requirements.

Section 14: Transportation Information

Product Label:	Vinegar.
DOT Shipping Name:	Not applicable
Technical Shipping Name:	Not applicable
DOT Hazard Class:	Not applicable
UN Number:	Not applicable for vinegar containing less than 25% acetic acid, provided packaging complies with ADR Special Provision 647; UN2790 for vinegar containing more than 25% acetic acid
Product RQ (lbs):	Quantity containing the equivalent of 5000 lb of 100% acetic acid, (16,667 lb of vinegar containing 30% acetic acid)
DOT Label:	Not applicable

Section 15: Regulatory Information

Canadian Disclosure List:

Acetic Acid (64-19-7)

Comprehensive Environmental Response, Compensation, & Liability Act (CERCLA):

Acetic Acid (64-19-7)

Food & Drug Administration (FDA)

Product is a GRAS (Generally Recognized as Safe) food ingredient.

Section 16: Other Information

Not Available

Woeber Mustard Co.	Revision Date 6/19/17	Revision Number – 3
---------------------------	-----------------------	------------------------

Section 1 Identification

Page E1 of E2

**Aldon
Corporation**221 Rochester Street
Avon, NY 14414
(585) 226-6177**CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300**
For laboratory and industrial use only.
Not for drug, food or household use.

Product	SODIUM HYDROXIDE, 0.8% SOLUTION
Synonyms	Sodium Hydroxide, Water Solution (0.2M/0.2N)

Section 2 Hazards identification

Signal word: WARNING**Pictograms:** GHS07**Target organs:** Respiratory tract, gastrointestinal tract, eyes, skin.**GHS Classification:**

Skin irritation (Category 2)

Eye irritation (Category 2A)

GHS Label information: Hazard statement:

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	99.2%	231-791-2
Sodium hydroxide	1310-73-2	0.8%	215-185-5

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** CAUSES SERIOUS IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** CAUSES IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Dry chemical, water spray, alcohol foam. Can react with carbon dioxide to form sodium carbonate.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume. Contact with metals can generate hydrogen gas.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium hydroxide	STEL: C 2 mg/m ³	TWA: 2 mg/m ³	STEL: C 2 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless liquid. Odor: No odor. Odor threshold: Not applicable. pH: Data not available. Melting / Freezing point: ~ 0°C (~ 32°F) [water] Boiling point: ~ 100°C (212°F) [water] Flash point: Not flammable.	Evaporation rate (Water = 1): < 1 Flammability (solid/gas): Not applicable. Explosion limits: Lower / Upper: Not applicable Vapor pressure (mm Hg): 14 [water] Vapor density (Air = 1): 0.7 [water] Relative density (Specific gravity): 1.0 [water] Solubility(ies): Complete in water.	Partition coefficient: (n-octanol / water): Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
--	--	--

Section 10 Stability and reactivity

Chemical stability: Stable
Hazardous polymerization: Will not occur.
Conditions to avoid: Can react with carbon dioxide to form sodium carbonate.
Incompatible materials: Metals, acids, organic compounds, organic nitro compounds.
Hazardous decomposition products: Sodium oxide. Reacts with metals to form flammable and explosive hydrogen gas.

Section 11 Toxicological information

Acute toxicity: Data not available
Skin corrosion/irritation: Skin - rabbit - Causes severe burns. - 24 h [Sodium hydroxide]
Serious eye damage/irritation: Eyes - rabbit - Severe eye irritation - 24 h [Sodium hydroxide]
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
 IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
 Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
 Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
 Ingestion: May be harmful if swallowed.
 Skin: May be harmful if absorbed through skin. Causes skin burns.
 Eyes: Causes eye burns. Causes severe eye burns.
Signs and symptoms of exposure: Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.
Additional information: RTECS #: WB4900000 [Sodium hydroxide]

Section 12 Ecological information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h [Sodium hydroxide]
Toxicity to daphnia and other aquatic invertebrates: Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h [Sodium hydroxide]
Toxicity to algae: No data available
Persistence and degradability: No data available
Bioaccumulative potential: No data available
Mobility in soil: No data available
PBT and vPvB assessment: No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1824 **Shipping name:** Sodium hydroxide solution
Hazard class: 8 **Packing group:** III **Reportable Quantity:** 1,000 lbs (454 kg) **Marine pollutant:** No
Exceptions: Limited quantity equal to or less than 5 L **2020 ERG Guide #** 154

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium hydroxide	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page F1 of F2

**Aldon
Corporation**221 Rochester Street
Avon, NY 14414
(585) 226-6177**CHEMTREC 24 Numéros De Téléphone De
Secours D'Heure (800) 424-9300**Pour l'usage industriel et de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture ou de ménage.**Produit** HYDROXIDE DE SODIUM, SOLUTION DE 0.8%**Synonymes** Hydroxyde de sodium, solution de l'eau (0.2M/0.2N)

Section 2 Identification des dangers

Mention d'avertissement: AVERTISSEMENT**Pictogrammes:** GHS07**Les organes cibles:** L'appareil respiratoire, l'appareil gastrointestinale, les yeux et la peau.**Classification par le GHS:**

irritation de la peau (Catégorie 2)

irritation de l'oeil (Catégorie 2A)

Renseignements sur l'étiquette GHS: Mention de danger:

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

Déclarations de précaution:

P264: Se laver les mains soigneusement après manipulation.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P302+P352: EN CAS DE CONTACT AVEC LA PEAU: Laver abondamment à l'eau et du savon.

P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant 15 minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

Dangers non classés autrement:

Dangers pour la santé non classés ailleurs (HHNOC) - pas connu

Dangers physiques non classés autrement (PHNOC) - pas connu

Section 3 Composition / information sur les ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau	7732-18-5	99.2%	231-791-2
Hydroxyde de sodium	1310-73-2	0.8%	215-185-5

Section 4 Premiers soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** PROVOQUE UNE SÉVÈRE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** PROVOQUE UNE IRRITATION. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures à prendre en cas d'incendie

Moyens d'extinction: Produit chimique sec, jet d'eau, mousse d'alcool. Peuvent réagir avec le dioxyde de carbone pour former du carbonate de sodium.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En états du feu, l'eau peut s'évaporer de cette solution, qui peut causer les produits dangereux de décomposition d'être formée comme poussière ou vapeur. Le contact avec des métaux peut produire du gaz d'hydrogène.

Section 6 Mesures à prendre en cas de déversement accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Absorbent avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Secteur de flaque de lavage avec de l'eau le savon et.

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhaler les vapeurs, les embruns ou de brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles.

Section 8 Contrôle de l'exposition / protection individuelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydroxyde de sodium	STEL: C 2 mg/m ³	TWA: 2 mg/m ³	STEL: C 2 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés physiques et chimiques

Apparence: Liquide clair, incolore. Odeur: Aucune odeur. Seuil de l'odeur: Données non disponibles. pH: Données non disponibles. Point de fusion/congélation: ~ 0°C (~ 32°F) [l'eau] Point d'ébullition: ~ 100°C (212°F) [l'eau] Point d'éclair: Ininflammable.	Taux d'évaporation (L'eau = 1): < 1 Inflammabilité (solide / gaz): Non applicable Limites d'explosivité: Bas / Max: Non applicable Pression de vapeur (mm Hg): 14 [water] Densité de vapeur (Air = 1): 0.7 [water] Densité relative (gravité spécifique): 1.0 [water] Solubilité (s): Complet dans l'eau.	Coefficient de partage: (n-octanol/eau): Non applicable Auto-inflammation: Non applicable Température de décomposition: Données non disponibles. Viscosité: Données non disponibles. Formule moléculaire: Mélange Poids moléculaire: Mélange
--	--	---

Section 10 Stabilité et réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Peuvent réagir avec le dioxyde de carbone pour former du carbonate de sodium.

Matières incompatibles: Métaux, acides, composés organiques, dérivés nitrés organiques.

Produits dangereux de décomposition: Oxyde de sodium. Réagit avec des métaux au gaz inflammable et explosif de forme d'hydrogène.

Section 11 Données toxicologiques

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Peau - lapin - Provoque de graves brûlures. - 24 h [Hydroxyde de sodium]

Des lésions oculaires graves / irritation: Yeux - lapin - Irritation sévère des yeux - 24 h [Hydroxyde de sodium]

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagenicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par le IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation. Le produit est extrêmement destructeur pour le tissu des muqueuses et des voies respiratoires supérieures.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Peut être nocif en cas d'absorption par la peau. Provoque des brûlures de la peau.

Yeux: Provoque des brûlures des yeux. Provoque des brûlures graves des yeux.

Les signes et les symptômes de l'exposition: Spasme, inflammation et oedème du larynx, spasme, inflammation et oedème des bronches, une pneumonite, pulmonaire oedème, sensation de brûlure, une toux, une respiration sifflante, laryngite, essoufflement, maux de tête, des nausées, des vomissements. Le produit est extrêmement destructeur pour le tissu des muqueuses et des voies respiratoires supérieures, des yeux et de la peau.

Informations complémentaires: RTECS #: WB4900000 [Hydroxyde de sodium]

Section 12 Données écologiques

Toxicité pour les poissons: LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h [Hydroxyde de sodium]

Toxicité pour les daphnies et autres invertébrés aquatiques: Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h [Hydroxyde de sodium]

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Données sur l'élimination

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 Informations relatives au transport

Numéro UN / NA: UN1824

Nom d'expédition: Solution d'hydroxyde de sodium

Classe de danger: 8

Groupe d'emballage: III

Quantité à déclarer: 1,000 lbs (454 kg)

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 5 L

2020 ERG Guide #: 154

Section 15 Informations sur la réglementation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Hydroxyde de sodium	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed

Section 16 Autres renseignements

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Chemical Product and Company Identification

Page E1 of E2

HOME SCIENCE TOOLS

665 Carbon Street
Billings, MT 59102
800-860-6272
www.homesciencetools.com

CHEMTREC 24 Hour Emergency USA
Phone Number (800) 424-9300
For laboratory and industrial use only.
Not for drug, food or household use.

Product	UNIVERSAL PH INDICATOR
----------------	-------------------------------

Synonyms	Universal Indicator
-----------------	---------------------

Section 2 Hazards Identification

Signal word: DANGER**Pictograms:** GHS02 / GHS07 / GHS08 / GHS06**Target organs:** Eyes, Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)
Acute toxicity, inhalation (Category 3)
Skin irritation (Category 2)
Eye irritation (Category 2B)
STOT-SE (Category 2)
STOT-SE (Category 3)

GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H331: Toxic if inhaled.
H336: May cause drowsiness or dizziness.
H371: May cause damage to organs.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ventilating/lighting equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P260: Do not breathe mist/vapours/spray.
P264: Wash hands thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312: Call a POISON CENTER or doctor if you feel unwell.
P332+P313: If skin irritation occurs: Get medical attention.
P337+P313: If eye irritation persists: Get medical attention.
P362+P364: Take off contaminated clothing and wash it before reuse.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	64.50 - 65.11%	200-578-6
Water	7732-18-5	23.96%	231-791-2
Isopropyl alcohol	67-63-0	6.83%	200-661-7
Methanol	67-56-1	3.03 - 3.26%	200-659-6
Methyl isobutyl ketone	108-10-1	0.68 - 0.76%	203-550-1
Bromothymol blue	76-59-5	0.06%	200-971-2
Phenolphthalein	77-09-8	0.06%	201-004-7
Methyl red	845-10-3	0.02%	212-682-9
Thymol blue	62625-21-2	0.005%	263-650-6

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m ³ (A3)	TWA: 1000 ppm / 1900 mg/m ³	TWA: 1000 ppm / 1900 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, green liquid. Odor: Mild characteristic odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: -114°C (-173°F)* Boiling point: 75-80°C (173-174°F)* Flash point: Approximately 21°C (70°F)	Evaporation rate (Butyl acetate = 1): 4.1* Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 4.0%(V) / 20.0%(V)* Vapor pressure (mm Hg): 44.6 @ 20°C (68°F)* Vapor density (Air = 1): 1.59* Relative density (Specific gravity): 0.794 @ 60°F* Solubility(ies): Soluble in water.	Partition coefficient: Data not available Auto-ignition temperature: 400°C (752°F)* Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
---	--	---

*[Pure Ethanol]

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, inorganic acids and halogens.

Hazardous decomposition products: Oxides of carbon.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

Skin corrosion/irritation: Skin-rabbit - Slight irritant.

Serious eye damage/irritation: Eyes-rabbit - Severe irritant.

Respiratory or skin sensitization: Data not available


Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65:  **WARNING!** :This product can expose you to Phenolphthalein, Methanol and Methyl isobutyl ketone, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: KQ6300000 [Ethanol]

Section 12 Ecological Information

Toxicity to fish: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

Toxicity to algae: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1170

Shipping name: Ethanol solution

Hazard class: 3

Packing group: II

Reportable Quantity: 5,000 lbs (2270 kg)


Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L

2016 ERG Guide # 127

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ethanol	Listed	Not listed	D001	Listed	Not listed	 WARNING -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed	
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed	

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 13-May-2015

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name permanent marker black ink

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Pens

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Wenzhou Aihao Pen Trade Co., Ltd

Supplier Address No.128, Wenchang Road, Longwan Zone
Wenzhou
Zhejiang
325011
CN

Supplier Phone Number Phone:86-13524536325
Contact Phone86-021-68622126

Supplier Email 732314056@qq.com

Emergency telephone number

2. HAZARDS IDENTIFICATION


Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3



GHS Label elements, including precautionary statements**Emergency Overview**

Signal word	Danger
Hazard Statements Causes skin irritation Causes serious eye damage Suspected of causing genetic defects May cause drowsiness or dizziness	
	
Appearance Black	Physical state Solid containing liquid
	Odor Alcohol

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

10.6% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May be harmful if swallowed

Toxic to aquatic life with long lasting effects

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1196598)	Proprietary	30 - 60	*
Third Party Formulation (TP # 1196598)	Proprietary	15 - 40	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures**General Advice**

Show this safety data sheet to the doctor in attendance.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Seek immediate medical attention/advice.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed**Most Important Symptoms and Effects**

Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Uniform Fire Code

Irritant: Solid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1196598)	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m ³	TWA: 100 ppm TWA: 360 mg/m ³ STEL: 150 ppm STEL: 540 mg/m ³
Third Party Formulation (TP # 1196598)	TWA: 100 ppm	TWA: 200 ppm TWA: 500 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 500 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 625 mg/m ³	IDLH: 800 ppm TWA: 200 ppm TWA: 500 mg/m ³ STEL: 250 ppm STEL: 625 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection None required for consumer use. If there is a risk of contact: Tight sealing safety goggles.

Skin and body protection None required for consumer use. Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Solid containing liquid	Odor	Alcohol
Appearance	Black	Odor Threshold	No information available
Color	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Difficult solubility	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness and dizziness.

Eye contact

Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.

Skin contact

Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation.

Ingestion

Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1196598)	= 5200 mg/kg (Rat)	= 13 g/kg (Rabbit)	= 54.6 mg/L (Rat) 4 h > 24 mg/L (Rat) 1 h
Third Party Formulation (TP # 1196598)	= 1870 mg/kg (Rat)	-	> 13548 ppm (Rat) 4 h
Third Party Formulation (TP # 1196598)	= 1219 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

Erythema (skin redness). May cause redness and tearing of the eyes. May cause blindness. Burning. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects There is no data available for this product. Contains a known or suspected mutagen.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1196598)		Group 3		

*IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans*

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity Contains a known or suspected mutagen. Possible risk of irreversible effects. Carcinogenic potential is unknown.

Target Organ Effects Respiratory system. Eyes. Skin. May affect the genetic material in germ cells (sperm and eggs). Central Nervous System (CNS). Gastrointestinal tract (GI).

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

2,458.00 mg/kg

ATEmix (dermal)

23,718.00 mg/kg (ATE)

ATEmix (inhalation-dust/mist)

99.60 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1196598)		96h LC50: = 20.8 g/L (Pimephales promelas) 96h LC50: 4600 - 10000 mg/L (Leuciscus idus)		48h EC50: = 23300 mg/L
Third Party Formulation (TP # 1196598)		96h LC50: = 4480 mg/L (Pimephales promelas)	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	48h EC50: 3339 - 3977 mg/L 48h EC50: = 3642 mg/L
Third Party Formulation (TP # 1196598)	72h EC50: = 36 mg/L (Desmodesmus subspicatus)	96h LC50: = 5.6 mg/L (Cyprinus carpio)		48h EC50: = 5.2 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Third Party Formulation (TP # 1196598)	-0.437
Third Party Formulation (TP # 1196598)	0.34
Third Party Formulation (TP # 1196598)	2

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Third Party Formulation (TP # 1196598)	Toxic Ignitable



14. TRANSPORT INFORMATION

DOT	NOT REGULATED
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA	Not regulated
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
IMDG/IMO	Not regulated
Hazard Class	N/A
Marine Pollutant	Product is a marine pollutant according to the criteria set by IMDG/IMO
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1196598)	X	X	X		
Third Party Formulation (TP # 1196598)	X	X	X		

International Regulations**Mexico****National occupational exposure limits**

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1196598) (15 - 40)		Mexico: TWA 200 ppm Mexico: TWA 500 mg/m ³ Mexico: STEL 250 ppm Mexico: STEL 625 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada**WHMIS Hazard Class**

Not determined

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 3 *	Flammability 0	Physical Hazard 0	Personal Protection
				X

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date 13-May-2015

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

