SAFETY DATA SHEET

Chemical Product and Company Identification Section 1

1% PHENOLPHTHALEIN IN ISOPROPYL ALCOHOL SOLUTION

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Product

Page E1 of E2

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only. Not for drug, food or household use.

Synonyms 1% Phenolphthalein in IPA	
Section 2 Hazards Identification	
Signal word: DANGER Pictograms: GHS02 / GHS07 / GHS08 Target organs: Central nervous system, Liver, Kidneys. Image: Second State St	 Precautionary statement(s): P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P210: Keep away from heat/sparks/open flames/hot surfaces No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P260: Do not breathe fume/gas/mist/vapours/spray. P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTER or doctor/physician if you feel unwell. P337+P313: If eye irritation persists: Get medical advice/attention. P362: Take off contaminated clothing and wash before reuse. P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish. P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to a licensed chemical disposal agency in
Hazards not otherwise classified:	accordance with local/regional/national regulations.

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
lsopropyl alcohol Water Phenolphthalein		67-63-0 7732-18-5 77-09-8	70% 29% 1%	200-661-7 231-791-2 201-004-7	
Section 4	First Aid Measures				

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL. IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Accidental Release Measures Section 6

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Linits.	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m ³	TWA: 400 ppm / STEL: 500 ppm

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Appearance: Clear, cold Odor: Aromatic odor. Odor threshold: Data n pH: Data not available. Melting / Freezing point: A Boiling point: Approxima Flash point: 21.7°C (71 Section 10 S Chemical stability: Sta Conditions to avoid: E Incompatible materials Hazardous decomposit	ot available. pproximately -50°C (-58°F)* ely 85-100°C (185-212°F)* F) TCC [70% IPA] tability & Reactivity	Evaporation ra Flammability (Explosion limi Vapor pressur Vapor density Solubility(ies): Hazardo sparks, open fil	ate (Butyl acetate = 1) (solid/gas): Data not a its: Lower / Upper: 2 re (mm Hg): 33 mm @ (Air = 1): 2.1 [Pure IP (Specific gravity): 0.8* : Complete in water.	available. !% / 12% [Pure IPA]]20°C [Pure IPA] PA]	Auto-ignition Decompos Viscosity: Molecular	n temperature: 39	ire
Odor: Aromatic odor. Odor threshold: Data n pH: Data not available. Melting / Freezing point: A Boiling point: Approxima Flash point: 21.7°C (71 Section 10 S Chemical stability: Sta Conditions to avoid: E Incompatible materials Hazardous decompositi Section 11 To Acute toxicity: Oral-rati	ot available. pproximately -50°C (-58°F)* ely 85-100°C (185-212°F)* PF) TCC [70% IPA] tability & Reactivity ble ccessive temperatures, heat, Strong oxidizing materials,	Flammability (Explosion limi Vapor pressur Vapor density Relative density Solubility(ies): Hazardo sparks, open fla	(solid/gas): Data not a its: Lower / Upper: 2 re (mm Hg): 33 mm @ (Air = 1): 2.1 [Pure IP (Specific gravity): 0.8* : Complete in water.	available. !% / 12% [Pure IPA]]20°C [Pure IPA] PA]	Auto-ignition Decompos Viscosity: Molecular	n temperature: 399 sition temperatu Data not availab formu la: Mixtur	99°C (750°F) ASTM-E659-78 [Pure ire: Data not available. ble. ire
Chemical stability: Sta Conditions to avoid: E Incompatible materials Hazardous decomposit Section 11 To Acute toxicity: Oral-rat	ole kcessive temperatures, heat, Strong oxidizing materials,	sparks, open fla		A/III mat a a			
Conditions to avoid: E Incompatible materials Hazardous decomposit Section 11 To Acute toxicity: Oral-rat	ccessive temperatures, heat, Strong oxidizing materials,	sparks, open fla		A/:!!			
Hazardous decomposit Section 11 To Acute toxicity: Oral-rat	o o .	accustion alumain	ame and other sources				
Section 11 To Acute toxicity: Oral-rat	ion products: Oxides of ca		ums, metals, nitroform	1, oleum, chlorinated	l compounds c	an react vigorous	sly with this alcohol.
Acute toxicity: Oral-rat		rbon.					
	oxicological Information						
IARC classified: Group 2 OSHA: No component o CA Prop 65: A WARNIN Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: STOT-repeated exposure: STOT-repeated exposure: Inhalation hazard: Yee Potential health effects Inhalation: Inhalation of and irritation of the throa Ingestion: Aspiration ha: develop if this occurs. Skin: Prolonged or repe Eyes: Contact causes b Signs and symptoms of Additional information	t available ated to be a human carcinog B: Possibly carcinogenic to h this product present at level G! :This product can expose Data not available The substance or mixture is re: Data not available : high vapor concentrations m t. Continued inhalation may tard. Liquid can directly ente ated contact may cause irrita urning sensation, redness, so f exposure: See Potential H RTECS #: NT8050000 [Isc	numans. [Pheno s greater than o you to Phenolp c classified as sp ay cause centra result in uncons or the lungs (asp tion and drying, welling, and/or b ealth effects ab	Iphthalein] r equal to 0.1% is iden hthalein, which is know pecific target organ toxi al nervous system depro- ciousness and death. pirated) when swallowe cracking and defatting plurred vision. ove.	vn to the State of Ča icant, single exposur ression resulting in di ed or vomited. Seriou g of the skin which ca	iliforn ⁱ a to caus re, category 3 lizziness, drow us lung damag	se cancer. with narcotic effe siness, nausea, v ge and possible fa	
Section 12 E	cological Information						
Toxicity to daphnia and Toxicity to algae: Scene Persistence and degrae Mobility in soil: No data Other adverse effects: Section 13	An environmental hazard can isposal Considerations nes are intended for the d	s: Daphnia mag), LOEC50 = 1,8 Bioaccum PBT and v nnot be exclude isposal of cata	gna (Crustacia), EC50 : 800 mg/l/7 days [Isopro ulative potential: No PvB assessment: No d in the event of unpro	= >10,000 mg/l/24 hd opanol] data available o data available ofessional handling or only. Federal regula	or disposal. lations may a	apply to empty c	container. State and/or loca
	erent. Dispose of in acco			eral regulations or	contract with	i a licensed che	emical disposal agency.
UN/NA number: UN Hazard class: 3	Packing g	name: Isopro roup: II	panol solution Reportal	ble Quantity: No)	Ma	arine pollutant: No
· ·	quantity equal to or less	than 1 L	2016 ER	G Guide # 129			
	egulatory Information	a and south a set	to an all a loss of the t				
A chemical is considered to	be listed if the CAS number for the	ne anhydrous form	certex (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Component		IJUA	ULINEOA (RQ)	INGINA COUR	DOL		

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.