SAFETY DATA SHEET

GENERAL STORAGE CODE GREEN

Section 1

Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Product ACETIC ACID, 1 MOLAR SOLUTION

Synonyms Acetic Acid, Water Solution

Section 2 Hazards identification

Signal word: WARNING Pictograms: No symbol required Target organs: None known

GHS Classification:

Eye irritation (Category 2B)

GHS Label information: **Hazard statement**: H320: Causes eye irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling. P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical attention.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

Occupii 5	oomposition / mornation on ingredients						
Chemical Name		CAS #	%	EINECS			
Water Acetic acid		7732-18-5 64-19-7	94.1% 5.9%	231-791-2 200-580-7			
Section 4	First aid measures						

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. This chemical reacts violently with strong oxidizers, generating a fire and explosion hazard. Reacts violently with strong bases, strong acids and many other compounds.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E1 of E2

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only.

Not for drug, food or household use.

Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits.	Acetic acid	TWA: 25 ma/m ³ STEL: 37 ma/m ³	TWA: 25 mg/m ³	TWA: 25 ma/m ³ STEL: 37 ma/m ³			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

approved respirator.	approved respirator.								
Section 9	Physical and chemical prop	erties							
Appearance: Clear, colorless liquid. Evaporation rate (Water = 1): <1 Odor: Vinegar-like odor. Flammability (solid/gas): Data not available. Odor threshold: Data not available. Explosion limits: Lower / Upper: Data not available. pH: Data not available. Explosion limits: Lower / Upper: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Vapor density (Air = 1): 0.7 (water) Boiling point: Data not available Relative density (Specific gravity): Approximately 1.0 (vater) Flash point: Data not available Solubility(ies): Complete in water.						•	: Data not available re: Data not available. ble. e		
Section 10	Section 10 Stability and reactivity								
	Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.								
•	ials: Bases, strong oxidizers, chr ehyde and acetic anhydride. Ignit				kides, phosph	ates. Corrosive to	o some metals. Potentially violent		
Hazardous decomp	osition products: Carbon mono	ide, hydrogen	sulfide and other harm	ıful gases or vapors i	ncluding oxid	es and/or other c	ompounds of sulfur and sodium.		
Section 11	Section 11 Toxicological information								
Serious eye damag Respiratory or skin Germ cell mutageni Carcinogenity: Dat NTP: No component IARC: No componen OSHA: No compone Reproductive toxici STOT-single expose STOT-repeated exp Aspiration hazard: Potential health efft Inhalation: May be hi Ingestion: May be hi Skin: Contact with s Eyes: Contact with s	Acute toxicity: Oral-rat LD50: 3,310 mg/kg ; Inhalation-rat LC50: 11.4 mg/L/4 hours ; Dermal-rabbit LD50: 1,060 mg/kg [Acetic acid, glacial] Skin corrosion/irritation: Skin-rabbit - Severe irritant. [Acetic acid, glacial] Respiratory or skin sensitization: Devere irritant. [Acetic acid, glacial] Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available Carcinogenity: Data not available NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity: Data not available STOT-repeated exposure: Data not available STOT-repeated exposure: Data not available Potential health effects: Inhalation: Inhalation: May be harmful if inhaled. Ingestion: Sup of exposure: See Potential health effects Kin: Contact with skin causes pain and redness. Eyes:								
Section 12	Ecological information								
Toxicity to fish: Gambusia affinis (fish, fresh water), LC50 = 251 mg/L/24 hours [Acetic acid, glacial] Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 95 mg/L/24 hours [Acetic acid, glacial] Toxicity to algae: Euglena gracilis (Algae), EC100 = 720 mg/L [Acetic acid, glacial] Persistence and degradability: Easily biodegradable Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.									
Section 13 These disposal qui	Disposal considerations delines are intended for the dis	posal of cata	log-size quantities of	nly Federal regula	ations may a	pply to empty o	ontainer State and/or local		
These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.									
Section 14	Transport information								
UN/NA number: Hazard class: Not Exceptions: Not Section 15	ot applicable Packir	g group: N RG Guide #	Not Regulated lot applicable Not applicable	Reportable Qua	ntity: No	Ма	arine pollutant: No		
Compone		TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65		
Acetic acid, glacial		Listed	5,000 lbs (2270 kg)	D001, D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.		
Section 16	Other information								

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook. Form 06/2015



SAFETY DATA SHEET					
Section 1, Identification					
Product:	Karlin Foods Baking Soda, KF ID# S24BS				
Manufacturer:	Karlin Foods Corp				
	1845 Oak St. Suite 19				
	Northfield, IL 60093				
Emergency Phone Number:	Karlin Foods: 847-441-8330				
	Chemtrec: 800-424-9300				
Recommended Use:	Leavening agent, cleaner ingredient, bath salt				
	ingredient, water softener, diaper rinse ingredient,				
	direct food additive				
Restrictions on Use:	None				
Section 2, Hazard(s) Identification					
Classification:	OSHA Regulatory Status. This chemical is not				
	considered hazardous by the 2012 OSHA Hazard				
	Communication Standard (29 CFR 1910.1200)				
Required Label:	The product contains no substances which at their				
	given concentration, are considered to be hazardous to				
	health				
Other Information:	Product dust may cause mechanical eye irritation.				
Section 3, Composition/Information on Ingre					
Formula:	NaHCO3				
Chemical Name:	Sodium Bicarbonate				
Section 4, First Aid Measures					
Eye Contact:	Flush eyes with water as a precaution. Get Medical				
	attention if irritation develops and persists.				
Skin Contact:	Wash skin with soap and water. Get medical attention				
	if irritation develops and persists.				
Inhalation:	Remove person to fresh air. If signs/symptoms				
	continue, get medical attention.				
Ingestions:	Never give anything by mouth to an unconscious				
5	person. Get medical attention if symptoms occur				
Most important symptoms and effects, both	None known.				
acute and delayed:					
Indication of immediate medial attention	Treat symptomatically.				
and special treatment needed, if necessary					
Section 5, Fire-Fighting Measures	1				
Suitable Extinguishing Media:	Use extinguishing measures that are appropriate to				
	local circumstances and the surrounding environment				
Specific Hazards Arising from the Chemical:	None in particular. Not flammable				
Hazardous Combustion Products:	None				
Explosion data					

Sensitivity to Mechanical Impact:	Not sensitive
Sensitivity to Static Discharge:	Not sensitive
Protective equipment and precautions for	As in any fire, wear self-contained breathing apparatus
firefighters	pressure-demand, MSHA/NIOSH (approved or
	equivalent) and full protective gear
Section 6, Accidental Release Measures	
Personal Precautions:	Avoid dust formation.
Other:	For further clean-up instructions, call Emergency
	Hotline number listed in Section 1 "Product and
	Company Identification" above.
Environmental Precautions:	Prevent material from entering into soil, ditches,
	sewers, waterways, and/or groundwater. See Section
	12, Ecological Information for more detailed
	information.
Methods for Containment:	Vacuum or shovel waste into a drum and label
	contents for disposal.
Methods for cleaning up:	Pick up and transfer to properly labeled containers.
	Keep in suitable and closed containers for disposal.
-	Dispose of waste as indications in Section 13.
Section 7, Handling and Storage	
Handling:	Use air conveying/mechanical systems for bulk transfer
	to storage. Provide appropriate exhaust ventilation at
	places where dust is formed. In case of insufficient
	ventilation, wear suitable respiratory equipment if
	release of airborne dust is expected.
Storage:	Keep in a dry place. Keep away from incompatible
	products (acids). Do not store with strong smelling
	materials.
Incompatible Products:	Except under controlled conditions: Acids
Sections 8, Exposure Controls/Personal Pro	
Control Parameters:	This product, as supplied, does not contain any
	hazardous materials with occupational exposure limits
	established by the region specific regulatory bodies
	Local nuisance dust standards apply.
Appropriate Engineering Controls:	Where reasonably practicable this should be achieved
	by the use of local exhaust ventilation and good
	general extraction.
Individual protection measures, such as per	
Eye/Face Protection:	Safety glasses with side shields
Skin and Body Protection:	Wear suitable protective clothing. Protective shoes or
	boots.
Hand Protection:	Protective gloves.
Respiratory Protection:	In case of inadequate ventilation, wear respiratory
	protection.
Hygiene Measures:	Handle in accordance with good industrial hygiene and
	safety practice.

General Information:	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipmen suppliers.			
Section 9, Physical and Chemical Propertie	ls			
Appearance:	Crystalline, Powder			
Physical State:	Solid			
Color:	White			
Odor:	Odorless			
Odor Threshold:	Not applicable			
рН:	8.3 (1% solution) @ 25 degrees Celsius			
Melting Point/freezing point:	Not applicable			
Boiling Point/Range:	No information available			
Flash point:	Not applicable			
Evaporation Rate:	No information available			
Flammability (solid, gas):	No information available			
Flammability Limit in Air:	No information available			
Vapor pressure:	Negligible			
Vapor density:	No information available			
Density:	No information available			
Specific gravity:	2.22			
Water solubility:	96g/L @ 20 degrees Celsius			
Solubility in other solvents:	No information available			
Partition coefficient:	Not applicable			
Autoignition temperature:	No information available			
Decomposition temperature:	No information available			
Viscosity, kinematic:	No information available			
Viscosity, dynamic:	No information available			
Explosive properties:	No information available			
Oxidizing properties:	Non-oxidizing			
Molecular weight:	84.01			
Bulk Density:	66 lb/cu ft			
Section 10, Stability and Reactivity				
Reactivity:	None under normal use conditions			
Chemical Stability:	Stable			
Possibility of Hazardous Reactions:	None under normal processing/			
Hazardous polymerization:	Hazardous polymerization does not occur			
Conditions to avoid:	Heat. Humid air. Avoid contact with acids except under			
	controlled conditions. Keep away from strong odor.			
Incompatible materials:	Except under controlled conditions: Acids.			
Hazardous Decomposition Products:	Reacts with acids to release carbon dioxide gas and heat.			
Section 11, Toxicological Information				
LD50 Oral:	>5,000 mg/kg (rat)			
LD50 Dermal:	No information available			
LC50 Inhalation:	>4.74 mg/L (rat) 4.5 hr			
Eye Contact:	Non-irritating			

Skin Contact:		Non-irritating					
Sensitization:		Non-sensitizing					
Info on toxicological e	ffects: Symptoms	No information av	vailable.				
Chronic Toxicity:	· · ·	No known effect					
Mutagenicity:		Not mutagenic					
Carcinogenicity:			carcinogenic by	Research Agencies			
C <i>i</i>		(IARC, NTP, OSHA		C C			
Reproductive toxicity:							
STOT – single exposure							
STOT – repeated expo		No information av	/ailable				
Aspiration hazard:		No information av	vailable				
Section 12, Ecological Ecotoxicity							
Sodium Bicarbonate (144 Active Ingredient(s)	Duration	Species	Value	Units			
Sodium bicarbonate	96 hr.	Lepomis macrochirus (Bluefill sunfish)	NOEC: 5,200 LC50: 7,100	mg/L			
Sodium bicarbonate	48 hr. immobilization test	Daphnia magna	NOEC: 3,100 EC50: 4,100	mg/L			
Sodium bicarbonate	96 hr.	Oncorhynchus mykiss (rainbow trout)	NOEC: 2,300 LC50: 7,700	mg/L			
Persistence and degra	dability:	Biodegradability does not pertain to inorganic					
		substances.					
Bioaccumulation:		Does not bio-accumulate					
Mobility:		Dissociates into ions.					
Other Adverse Effects:		None known.					
Section 13, Disposal C		-					
Waste disposal metho	ds:	This material, as supplied, in not a hazardous waste					
		according to Federal regulations (40 CFR 261). Dispose					
		of in accordance with local regulations.					
Contaminated Packag	-	Dispose of in accordance with local regulations					
Section 14, Transport	Information	Net Desulated					
DOT		Not Regulated					
Section 15, Regulator							
U.S. Federal Regulatio	ns			<u> </u>			
SARA313		Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product					
		does not contain any chemicals which are subject to					
		the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372					
SARA 311/312 Hazard	Categories			art J/Z			
Acute health hazard	categories	No					
Chronic health hazard		No					
Fire hazard		No					
Sudden release of pres	sure hazard	No					
Reactive Hazard							
neuclive Huzulu		No					

Clean Water Act				This product does not contain any substances					
				regulated as pollutants pursuant to the Clean Water					
				Act	(40 CFR 1	22.21 and 4	0 CFR 122	.42)	
CERCLA				This	s material,	as supplied	d, does not	t contain an	у
				sub	stances re	gulated as	hazardous	substances	under
				the	Compreh	ensive Envi	ronmental	Response	
				Cor	npensatio	n and Liabil	ity Act (CE	RCLA) (40 C	FR 302)
				or t	he Superf	und Amend	ments and	d Reauthori	zation
				Act	(SARA) (4	0 CFR 355).	There may	y be specific	2
				rep	orting req	uirements a	at the loca	l, regional, o	or state
				leve	el pertainii	ng to releas	es of this ı	material.	
California Proposi	ition 65			This	s product o	does not co	ntain any	Proposition	65
				Che	emicals				
U.S. State Right-to-Know Regulations				This product does not contain any substances					
				regulated by state right-to-know regulations.					
International Inve	entories								
Component	TSCA	DSL	EINECS		ENCS	China	KECL	PICCS	AICS
	(United States)	(Canada)	NCS (Euro		(Japan)	(IECSC)	(Korea)	(Philippines)	(Australia
Sodium Bicarbonate 144-55-8(100)	X	Х	X	,	Х	Х	Х	Х	Х
Section 16, Other	[.] Informati	on							
Section 16, Other		lazards 0	Flamr	nabilit	t v 0	Instability 0	Si	oecial Hazards	-
NFPA HMIS	Health H Health H	lazards 0 lazards 0	Flamr Flamr	nabilit	ty 0	Instability 0 Physical haza	rd 0 Pe	oecial Hazards ersonal Protec	
NFPA	Health H Health H	lazards 0 lazards 0	Flamr	nabilit	ty 0		rd 0 Pe		
NFPA HMIS	Health He	lazards 0 lazards 0 Severe =	Flamr 4; Serious	nabilit s = 3; [ty 0 Moderate = 2;	Physical haza Slight = 1; Min	rd 0 Pe imal = 0	ersonal Protec	tion X
NFPA HMIS NFPA/HMIS Ratings Product Certificatio	Health He	lazards 0 lazards 0 Severe =	Flamr 4; Serious tions defi	nabilit s = 3; f ned in	ty 0 Moderate = 2; the USP and	Physical haza Slight = 1; Min Food Chemica	rd 0 Pe	ersonal Protect	tion X

SAFETY DATA SHEET

GENERAL STORAGE CODE GREEN

Section 1 Chemical Product and Company Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Page E1 of E2

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world). For laboratory and industrial use only. Not for drug, food or household use.

CALCIUM CARBONATE Product Synonyms Marble Chips / Boiling Chips / Marble Rocks / Limestone Chips Section 2 **Hazards Identification** Signal word: WARNING Precautionary statement: Pictograms: GHS08 P260: Do not breathe dust. Target organs: None known P314: Get medical advice/attention if you feel unwell. P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations. GHS Classification: *STOT-RE (Category 2) GHS Label information: Hazard statement: *H373: May cause damage to organs (lungs) through prolonged or repeated exposure (inhalation). * Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on Ingredients						
Chemical Name		CAS #	%	EINECS			
Calcium carbonate Quartz		1317-65-3 14808-60-7	≥ 99% 0.1-1.0%	215-279-6 238-878-4			
Section 4	First Aid Measures						

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: Limestone reacts with acids to release carbon dioxide.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

 $\label{eq:conditions} \mbox{ for Safe Storage: Store in a cool, dry, well-ventilated area.}$

Section 8 Exposure Controls / Personal Protection						
Exposure Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)		
Exposure Limits:	Particulates not otherwise classified	TWA: 5 mg/m ³ respirable fraction	None established	None established		

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

approved respirator.									
Section 9	Physical & Chemica	Properties							
Odor: No odor. Odor threshold: Da pH: Data not availal Melting / Freezing p Boiling point: Data	Appearance: Solid. White stone chips. Evaporation rate (=1): Not applicable Partition coefficient: Not applicable Odor: No dor. Flammability (solid/gas): Data not available. Auto-ignition temperature: Not applicable Odor threshold: Data not available. Explosion limits: Lower / Upper: Not flammable Decomposition temperature: 826°C (1520°F) PH: Data not available. Vapor pressure (mm Hg): Data not available Viscosity: Data not available. Melting / Freezing point: Data not available Vapor density (Air = 1): Data not available Molecular formula: CaCO ₃ Flash point: Not flammable Solubility(ies): 0.001% @ 0°C in water Molecular weight: 100.09								
Section 10	Stability & Reactivity	1							
•	Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Avoid contact with acids. Hazardous polymerization: Will not occur.								
Incompatible mater	rials: Reacts with acids to	liberate carbon dioxide.							
Hazardous decomp	oosition products: Carbo	n dioxide.							
Section 11	Toxicological Inform	ation							
Skin corrosion/irrit Serious eye damag Respiratory or skin Germ cell mutagen Carcinogenity: Da NTP: Known to be a IARC classified: Grc OSHA: No compone Ca Prop 65: MWAF Reproductive toxic STOT-single expos STOT-repeated exp Aspiration hazard: Potential health eff Inhalation: Dust ma Ingestion: Ingestion Skin: May cause ab Eyes: May cause ab Eyes: May cause an Signs and sympton changes and miliary	Acute toxicity: Data not available Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available Garcinogenity: Data not available NTP: Known to be a human carcinogen (respirable). [crystalline silica]* IARC classified: Group 1: Carcinogenic to humans. [crystalline silica]* Ca Prop 65: A WARNING! This product can expose you to a chemical, crystalline silica, which is known to the State of California to cause cancer. Reproductive toxicity: Data not available STOT-single exposure: Inhalation - May cause damage to organs through prolonged or repeated exposure. [crystalline silica]* Aspiration hazard: Data not available Potential health effects: Inhalation: Dust may cause gastrointestinal irritation in nasal and respiratory passages. Ingestion: Ingestion may cause gastrointestinal irritation and blockage. Skin: May cause abrasions. Eyes: May cause mild to severe irritation by abrasion with dust or chips. Signs and symptoms of exposure: Prolonged inhalation of particulate dust, may result i								
Section 12	Ecological Information		, ,						
Toxicity to algae: N Persistence and de Mobility in soil: No Other adverse effect Section 13 These disposal qu	and other aquatic invert o data available gradability: No data avai data available cts: An environmental haz Disposal Considerat	Bioaccumul PBT and vP and cannot be excluded tions r the disposal of catalo	lative potential: No vB assessment: No in the event of unpro pa-size quantities o	o data available fessional handling o nlv. Federal requi	lations may ap	pply to empty c	ontainer. State and/or local		
Section 14		on (US DOT / CANAD		eral regulations of	contract with	a licensed che	emical disposal agency.		
	•	•	•						
UN/NA number: Hazard class: N		Shipping name: No Packing group: No	0	Reportable Qu	antity: No	Ma	arine pollutant: No		
Exceptions: No		2016 ERG Guide #		. toportubio du		IVIG	Politicality 110		
Section 15	Regulatory Informati								
	d to be listed if the CAS numb		s on the Inventory list.						
Compon	ent	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65		
Calcium carbonate		Listed	Not listed	Not listed	Not listed	Listed	WARNING -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.		
Section 16	Other Information								
dent determinations of	suitability and completeness o	of information from all source	es to assure proper use	of these materials and	the safety and he	ealth of employees	ered by them and must make indepen- s. NTP: National Toxicology Program, osure, RE: Repeated Exposure,		

ERG: Emergency Response Guidebook. Form 06/2015

* * *Section 1 - IDENTIFICATION* * *

Material Name: CRAYOLA® CHALK

Synonyms

CRAYOLA COLORED CHALK; CRAYOLA DRAWING CHALK; CRAYOLA MOLDED CHALK; CRAYOLA SIDEWALK CHALK/CRAYONS; CRAYOLA GIANT CHALK; CRAYOLA 3-D CHALK; CRAYOLA GLOW CHALK; CRAYOLA GLITTER CHALK; CRAYOLA TIE DYED CHALK; CRAYOLA CHALKBOARD CHALK; CRAYOLA ANTI-DUST LOW DUST CHALK;; PRODUCT CODE(S): 03-5037; 03-5039; 03-5053; 03-5044; 03-5061; 03-5063; 03-5064; 03-5066; 03-5067; 03-5068; 03-5071; 03-5072; 03-5073; 03-5078; 03-5079; 03-5080; 03-5081; 03-5090; 03-5091; 03-5092; 03-5093; 03-5101; 03-5102; 03-5103; 03-5104; 03-5105; 03-5106; 03-5107; 03-5108; 03-5111; 03-5200; 03-5201; 03-5202; 03-5203; 03-5204; 03-5205; 03-5206; 03-5207; 03-5208; 03-5209; 03-5210; 03-5211; 03-5212; 03-5213; 03-5214; 03-5215; 03-5216; 03-5217; 03-5218; 03-5220; 03-5228; 03-5229; 03-5230; 03-5231; 03-5800; 03-5801; 03-5802; 03-5803; 03-5804; 03-5805; 03-7603; 04-1907; 04-1950; 04-1951; 04-2542; 04-5033; 04-5350; 04-5355; 04-5358; 04-5718; 04-5719; 04-5727; 04-5873; 04-6010; 51-2004; 51-0312; 51-0400; 51-0403; 51-0404; 51-0816; 51-1200; 51-1202; 51-1206; 51-1206; 51-1216; 51-1503; 51-1515; 51-1524; 51-1650; 51-2010; 51-2012; 51-2016; 51-2024; 51-2048; 51-2515; 51-3505; 51-3505; 51-3515; 51-3523; 51-4005; 51-4008; 51-4107; 51-4108; 51-4109; 51-4110; 51-8015; 51-8020; 51-8052; 51-8064; 55-4403

Recommended Use

Arts and Crafts

Restrictions on Use

None known.

Manufacturer Information

CRAYOLA LLC 1100 Church Lane Easton, PA 18044 Mfg Contact: support@crayola.com Phone: 1-800-272-9652

Emergency # Health Emergency - Call local POISON CONTROL

* * *Section 2 - HAZARD(S) IDENTIFICATION* * *

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

No classification is assigned, based on classification criteria. Review the entire data sheet for any additional information which did not result in a GHS classification.

GHS LABEL ELEMENTS

Symbol(s)

None

Signal Word

None

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Product Identifier: CRAYOLA® CHALK

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Hazard(s) Not Otherwise Classified

No data available.

0% of the mixture consists of ingredient(s) of unknown acute toxicity.

* * *Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS* * *

CAS	Component	Percent
Not Available	Product has been certified as nontoxic by the Art & Creative Materials	100
	Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art	
	materials for acute and chronic adverse health hazards.	

* * *Section 4 - FIRST-AID MEASURES* * *

Description of Necessary Measures

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed. **Skin Contact**

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eye Contact

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Ingestion

Contact local poison control center or physician immediately.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of Immediate Medical Attention and Special Treatment Needed, If Needed

Treat symptomatically and supportively.

* * *Section 5 - FIRE-FIGHTING MEASURES* * *

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, regular foam, water

Unsuitable Extinguishing Media

None known.

Special Protective Equipment and Precautions for Firefighters

Slight fire hazard.

Special Hazards Arising from the Chemical

Hazardous Combustion Products

Combustion: oxides of carbon

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion byproducts. Stay upwind and keep out of low areas.

Product Identifier: CRAYOLA® CHALK

Sensitivity to Mechanical Impact

No

Sensitivity to Static Discharge

No

* * *Section 6 - ACCIDENTAL RELEASE MEASURES* * *

Personal Precautions, Protective Equipment and Emergency Procedures

None

Methods and Materials for Containment and Cleaning Up

Collect spilled material in appropriate container for disposal.

* * *Section 7 - HANDLING AND STORAGE* * *

Precautions for Safe Handling

Use methods to minimize dust.

Conditions for Safe Storage, including any Incompatibilities

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Incompatibilities: oxidizing materials

* * *Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION* * *

Component Exposure Limits

ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components.

Appropriate Engineering Controls

Based on available information, additional ventilation is not required.

Individual Protection Measures, such as Personal Protective Equipment

Eyes/Face Protection

Eye protection not required under normal conditions.

Skin Protection

Protective clothing is not required under normal conditions.

Glove Recommendations

Protective gloves are not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

* * *Section 9 - PHYSICAL AND CHEMICAL PROPERTIES* * *

Odor: pH: Boiling Point: Vapor Pressure: Density:	various colors odorless Not available Not available Not applicable Not available	Physical Form: Odor Threshold: Melting Point: Flash Point: Vapor Density (air = 1): Specific Gravity (water = 1):	Not available Not available No flash point Not applicable Not available
Water Solubility:	Insoluble	Coeff. Water/Oil Dist:	Not available
Viscosity:	Not available	VOC:	Not available

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

* * *Section 10 - STABILITY AND REACTIVITY* * *

Reactivity

No hazard expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

None reported.

Incompatible Materials

oxidizing materials

Hazardous Decomposition Products

oxides of carbon

Hazardous Decomposition

Combustion: oxides of carbon

* * *Section 11 - TOXICOLOGICAL INFORMATION* * *

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Medical Conditions Aggravated by Exposure

No data available.

Irritation/Corrosivity Data

None

RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Respiratory Sensitization

No information available for the product.

Product Identifier: CRAYOLA® CHALK

SDS ID: CRAY-028

Dermal Sensitization

No information available for the product.

Germ Cell Mutagenicity

No information available for the product.

Carcinogenicity

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, or DFG.

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration Hazard

No data available.

* * *Section 12 - ECOLOGICAL INFORMATION* * *

Ecotoxicity

No information available for the product.

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility in Soil

No information available for the product.

* * *Section 13 - DISPOSAL CONSIDERATIONS* * *

Disposal Methods

Dispose in accordance with all applicable regulations.

Disposal of Contaminated Packaging

Dispose of in accordance with all applicable federal, state and local regulations. Recycle if possible.

* * *Section 14 - TRANSPORT INFORMATION* * *

US DOT Information

Not regulated as a hazardous material.

TDG Information

Not regulated as dangerous goods.

IATA Information

Not regulated as dangerous goods.

ICAO Information

Not regulated as dangerous goods.

IMDG Information

Not regulated as dangerous goods.

* * *Section 15 - REGULATORY INFORMATION* * *

U.S. Federal Regulations

Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No

U.S. State Regulations

Component Analysis - State

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

Canada Regulations

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

WHMIS Classification: Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

Canadian WHMIS Ingredients Disclosure List

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List and no components were found on the list.

Inventory

All of the components of this product are listed on the TSCA Inventory. All components of this product are listed on the DSL.

Component Analysis - Inventory

No information is available.

* * *Section 16 - OTHER INFORMATION* * *

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Product Identifier: CRAYOLA® CHALK

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia: BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health: IMDG - International Maritime Dangerous Goods: JP - Japan: Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency: NIOSH - National Institute for Occupational Safety and Health; NJTSR -New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration: PH - Philippines: RCRA - Resource Conservation and Recovery Act: RID -European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US -United States

Other Information

The information contained in this document express our current knowledge and experience, however cannot imply guarantee of any nature. Considering the variety of factors that can affect their process or application, the information on this sheet does not exempt the processors from the responsibility of executing their own tests and experiments.

End of Sheet CRAY-028

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 1 of 6

Distilled Water

SECTION 1: Identification of the substance/mixture and of the supplier		
Product name:	Distilled Water	
Manufacturer/Supplier Trade name:		
Manufacturer/Supplier Article number:	S25868	
Recommended uses of the product and restrictions on use:		
Manufacturer Details:		
AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291		
Supplier Details:		
Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (724)517-1954		
Emergency telephone number:		
Fisher Science Education Emergency Telephone No.: 800-535-5053		

SECTION 2: Hazards identification

Classification of the substance or mixture: Not classified for physical or health hazards under GHS.

Signal word: None

Hazard statements: None

Precautionary statements: None

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:		
CAS 7732-18-5	Deionized Water	100 %
		Percentages are by weight

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air.

After skin contact:

Wash affected area with soap and water.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Distilled Water

lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture: None

Advice for firefighters:

Protective equipment: None

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Follow good hygiene procedures when handling chemical materials. Avoid splashes or spray in enclosed areas.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry conditions in well sealed containers.

SECTION 8: Exposure controls/personal protection





Control Parameters:

No applicable occupational exposure limits.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 3 of 6

Distilled Water

Appropriate Engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling.
Respiratory protection:	Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed.
Protection of skin:	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
Eye protection:	Safety glasses with side shields or goggles.
General hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):		Explosion limit lower: Explosion limit upper:	Not Determined Not Determined
Odor:	Odorless	Vapor pressure at 20°C:	17.5 mmHg @20C
Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	Not Determined	Relative density:	1.000
Melting/Freezing point:	0C	Solubilities:	None
Boiling point/Boiling range:		Partition coefficient (n- octanol/water):	Not Determined
Flash point (closed cup):	INIAT LIATARMINAA	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:		Decomposition temperature:	Not Determined
Flammability (solid, gaseous):	Not Determined	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density at 20°C:	Not Determined		

SECTION 10: Stability and reactivity

Reactivity: None Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions: None

Conditions to avoid:

Store away from oxidizing agents, strong acids or bases.

Incompatible materials:

Strong acids. Strong bases.

Hazardous decomposition products:

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

Acute Toxicity: No additional information.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 4 of 6

Distilled Water

Chronic Toxicity: No additional information. Skin corrosion/irritation: No additional information. Serious eye damage/irritation: No additional information. Respiratory or skin sensitization: No additional information. Carcinogenicity: See section 15. Germ cell mutagenicity: No additional information. Reproductive Toxicity: No additional information. STOT-single and repeated exposure: No additional information. Additional toxicological information: No additional information.

SECTION 12: Ecological information

Ecotoxicity: No additional information.

Persistence and degradability:

Readily degradable in the environment.

Bioaccumulative potential: No additional information.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information

US DOT

UN Number: ADR, ADN, DOT, IMDG, IATA

Limited Quantity Exception:

Bulk: RQ (if applicable): None Proper shipping Name: Not Dangerous Goods. Hazard Class: None Packing Group: Not Dangerous Goods. Marine Pollutant (if applicable): No additional information. Comments: None Not Dangerous Goods

None

Non Bulk: RQ (if applicable): None Proper shipping Name: Not Dangerous Goods. Hazard Class: None Packing Group: Not Dangerous Goods. Marine Pollutant (if applicable): No additional information. Comments: None according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Distilled Water

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 0-0-0 HMIS: 0-0-0 GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 6 of 6

Distilled Water

PNEC Predicted No-Effect Concentration (REACH).
CFR Code of Federal Regulations (USA).
SARA Superfund Amendments and Reauthorization Act (USA).
RCRA Resource Conservation and Recovery Act (USA).
TSCA Toxic Substances Control Act (USA).
NPRI National Pollutant Release Inventory (Canada).
DOT US Department of Transportation.
IATA International Air Transport Association.
GHS Globally Harmonized System of Classification and Labelling of Chemicals.
ACGIH American Conference of Governmental Industrial Hygienists.
CAS Chemical Abstracts Service (division of the American Chemical Society).
NFPA National Fire Protection Association (USA).
HMIS Hazardous Materials Identification System (Canada).
DNEL Derived No-Effect Level (REACH).

Effective date: 01.08.2015 **Last updated**: 06.19.2015



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/21/2015

Reviewed on 05/21/2015

1 Identification

- · Product identifier
- Trade name: Liquid Plant Food (Nutrients)
- · Relevant identified uses of the substance or mixture and uses advised against
- Hydroponic plant nutrients
- Product description

AeroGrow liquid nutrient is a specially formulated mixture of plant nutrition minerals and filtered water that are combined in proportions to assure optimum plant nutrition. The product is an aqueous nitrate solution. The chemical identity of the compounds and exact proportions used in the mixture are a trade secret; however, they are derived from: ammonium nitrate, potassium nitrate, potassium phosphate, calcium nitrate and magnesium.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

AeroGrow International, Inc. 6075 Longbow Dr. Suite 200 Boulder, CO 80301 (800) 476-9669 or (303) 444-7755 (for product information) Fax: (303) 444-0406 www.aerogarden.com *Emergency telephone number:* (800) 476-9669

2 Hazard(s) identification

• Classification of the substance or mixture The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements
- · GHS label elements Non-Regulated Material
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements Non-Regulated Material
- · Unknown acute toxicity:
- 21.7 percent of the mixture consists of ingredient(s) of unknown toxicity.
- Classification system:
- NFPA ratings (scale 0 4)



NFPA Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme *HMIS-ratings (scale 0 - 4)*

```
HEALTHImage: Health = 0FIREImage: Fire = 0REACTIVITYReactivity = 0
```

HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme *Hazard(s) not otherwise classified (HNOC):* None known

3 Composition/information on ingredients

CAS: 7732-18-5	water, distilled, conductivity or of similar purity	60-90%
RTECS: ZC 0110000		

(Contd. on page 2)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/21/2015

Reviewed on 05/21/2015

Trade name: Liquid Plant Food (Nutrients)

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous Compone 	ents:	
CAS: 7778-77-0	Potassium Phosphate	5-10%
CAS: 6484-52-2	Ammonium Nitrate	5-10%
RTECS: BR9050000	♦ Ox. Sol. 3, H272; ♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	_
CAS: 7487-88-9	Magnesium Sulphate	5-10%
RTECS: OM 4500000	🚸 STOT SE 3, H335	
CAS: 10124-37-5	Calcium Nitrate	5-10%
	🚸 Ox. Sol. 2, H272; 🚸 Eye Irrit. 2A, H319	
CAS: 7757-79-1	Potassium Nitrate	5-10%
RTECS: TT 3700000	🚸 Ox. Sol. 2, H272	_

4 First-aid measures

Description of first aid measures

General information:

Always have plenty of water available for first aid. Get medical attention if any symptoms develop or persist.

After inhalation:

If a respiratory problem develops from dust or vapors, remove victim to fresh air and provide oxygen if breathing is difficult. Get medical attention. If the victim has difficulty breathing or tightness of the chest, is dizzy, vomiting or unresponsive, give 100% oxygen with rescue breathing or CPR as required and transport to the nearest medical facility. This is considered a highly unlikely event.

After skin contact:

Generally the product does not irritate the skin.

If rash or irritation develops get medical attention. This is considered an unlikely event.

• After eye contact:

Not expected as a result of exposure to finished product.

If in eyes: Rinse cautiously for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. This is considered an unlikely event.

• After swallowing: Do not induce vomiting; immediately call for medical help.

• Information for doctor:

• *Most important symptoms and effects, both acute and delayed:* No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

• Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

If incinerated, product will release the following toxic fumes: Oxides of carbon, potassium, phosphorous, nitrogen (NOx), molybdenum, copper, boron, manganese, sulfur, zinc, iron and calcium.

Advice for firefighters

Product contains ammonium nitrate, potassium nitrate and calcium nitrate which are oxidizers and may release oxygen and intensify or fuel any fires. Use caution.

(Contd. on page 3)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/21/2015

Reviewed on 05/21/2015

Trade name: Liquid Plant Food (Nutrients)

• Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required. Safety glasses recommended.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- *Precautions for safe handling* Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store away from strong acids, strong bases, strong oxidizing agents, strong reducing agents, organic solvents, powdered metals, alkali metals, alkaline earth metals, cyanides, dimethylformamide, bromine trifluoride and thiocyanates.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

Use appropriate ventilation in accordance with OSHA HazCom Standard 29 CFR 1910.1200.

Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Not required.

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/21/2015

Reviewed on 05/21/2015

Trade name: Liquid Plant Food (Nutrients)

9 Physical and chemical properties		
 Information on basic physical and o General Information Appearance: 	chemical properties	
Form:	Liquid	
Color:	Brown	
Odor:	Organic	
· Odor threshold:	Not determined.	
· pH-value @ 20 °C (68 °F):	3.0	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	0.0 Vol % 0.0 Vol %	
· Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)	
 Density @ 20 °C (68 °F): Relative density Vapor density Evaporation rate 	>1.000 g/cm ³ (>8.345 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
 Viscosity: Dynamic: Kinematic: Other information 	Not determined. Not determined. No further relevant information available.	
0 Stability and reactivity		

0 Stability and reactivity

· Reactivity Under normal conditions of storage and use, hazardous reactions will not occur.

· Chemical stability Stable under normal conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/21/2015

Reviewed on 05/21/2015

Trade name: Liquid Plant Food (Nutrients)

· Incompatible materials:

Strong acids, strong bases, strong oxidizing agents, strong reducing agents, organic solvents, powdered metals, alkali metals, alkaline earth metals, cyanides, dimethylformamide, bromine trifluoride and thiocyanates.

· Hazardous decomposition products:

Hazardous decomposition products of this material are only expected to form under conditions where product is exposed to extreme heat as would occur when incinerated in a fire.

1 Toxicological information

· Information on toxicological effects

The table below is for classification only and does not pertain to the specific levels found in this product.

• Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:		
7778-77-0	7778-77-0 Potassium Phosphate		
Dermal	LD50	>4640 mg/kg (rabbit)	
6484-52-2	Ammonium Ni	trate	
Oral	LD50	2217 mg/kg (rat)	
7487-88-9	Magnesium Su	Ilphate	
Oral	LD50	>2000 mg/kg (rat)	
Inhalative	LC50/4 h	>2000 mg/l (rabbit)	
	LC50/96 hours	2820 mg/l (Pimephales)	
10124-37-	10124-37-5 Calcium Nitrate		
Oral	LD50	3900 mg/kg mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Duimanus in	ritant offoct:		

• Primary irritant effect:

· on the skin: No irritating effect.

· on the eye: No irritating effect.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

• NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

2 Ecological information

· Toxicity

· Aquatic	toxicity:
-----------	-----------

7487-88-9 Magnesium Sulphate

EC50 2700 mg/l (Green algae)

343.56 mg/l (Water flea)

Reviewed on 05/21/2015

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/21/2015

Trade name: Liquid Plant Food (Nutrients)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

Disposal considerations

- · Waste treatment methods · Recommendation:

Recycle or dispose with household trash.

Dispose of material in accordance with federal, state and local requirements.

- Uncleaned packagings:
- Recommendation:

Dispose of as unused product.

Disposal must be made according to official regulations.

Transport information

· UN-Number	
DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
 UN proper shipping name DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) 	Non-Regulated Material
DOT, ADR, ADN, IMDG, IATA	
· Class	Non-Regulated Material
· Packing group	-
· DOT, ADR, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
 Special precautions for user 	Not applicable.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

5 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355	· Section 355 (extremely hazardous substances):	
None of the	None of the ingredients are listed.	
· Section 313	3 (Specific toxic chemical listings):	
7757-79-1	Potassium Nitrate	
6484-52-2	Ammonium Nitrate	
10124-37-5	Calcium Nitrate	
10034-96-5	Manganese(II) Sulfate Monohydrate	

(Contd. on page 7)

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/21/2015

Reviewed on 05/21/2015

Trade name: Liquid Plant Food (Nutrients)

TSCA (Toxi	c Substar	nces Control Act):	
, 7757-79-1		,	
7778-77-0	Potassiur	n Phosphate	
6484-52-2	Ammoniu	m Nitrate	
7487-88-9	Magnesiu	Im Sulphate	
10124-37-5	Calcium N	Vitrate	
7732-18-5	water, dis	tilled, conductivity or of similar purity	
California P	Propositio	n 65	
Chemicals	known to	cause cancer:	
None of the	ingredient	s are listed.	
Chemicals	known to	cause reproductive toxicity for females:	
None of the	ingredient	s are listed.	
Chemicals	known to	cause reproductive toxicity for males:	
None of the	ingredient	s are listed.	
Chemicals	known to	cause developmental toxicity:	
None of the	ingredient	s are listed.	
Carcinogen	nic catego	ries	
-	-	Protection Agency)	
10043-35-3			l (ora
		se(II) Sulfate Monohydrate	D
	-	hate (anhydrous)	D, I,
		t Value established by ACGIH)	
10043-35-3			A
7782-91-4	Molybdic	Acid	A
	-	Institute for Occupational Safety and Health)	
None of the			
GHS label e Hazard pict Signal word Hazard stat	elements I Fograms N Mon-Reg Fements N	Non-Regulated Material Ion-Regulated Material Julated Material Ion-Regulated Material	
National reg			
The product substances.	t is subjec	t to be classified according with the latest version of the regulations on ha	azardou
State Right			
CAS: 7732-1 RTECS: ZC	0110000	water, distilled, conductivity or of similar purity	60-90
CAS: 7757-7 RTECS: TT	3700000	Potassium Nitrate � Ox. Sol. 2, H272	5-10
CAS: 6484-5 RTECS: BR		Ammonium Nitrate Ox. Sol. 3, H272; () Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	5-104
			d. on pag

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/21/2015

Reviewed on 05/21/2015

Trade name: Liquid Plant Food (Nutrients)

CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate () STOT SE 3, H335	5-10%		
CAS: 10124-37-5	Calcium Nitrate The contract of the contract o	5-10%		
CAS: 7778-77-0	Potassium Phosphate	5-10%		
All ingredients are listed.				

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 05/21/2015 / -

• Abbreviations and acronvms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Ox. Sol. 3: Oxidising Solids, Hazard Category 3

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

SAFETY DATA SHEET

Section 1 Chemical Product and Company Identification

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Page E1 of E2

CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world). For laboratory and industrial use only. Not for drug, food or household use.

T		
Product	MAGNESIUM SULFATE, HEPTAHYDRATE	
Synonyms	Epsom Salts	
Section 2	Hazards Identification	
Section 2 Hazards identification This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals. Signal word: None Pictograms: No symbol required Target organs: None known GHS Classification: Not classified GHS Label information: Hazard statement: Not classified Precautionary statement: Not classified		Supplementary information: Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

 Section 3
 Composition / Information on Ingredients

 Chemical Name
 CAS #
 %
 EINECS

 Magnesium sulfate
 10034-99-8
 100%
 231-298-2 (anhydrous)

 Section 4
 First Aid Measures
 First Aid Measures
 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection					
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	Γ	
Exposure Linius.	Magnesium sulfate	None established	None established	None established	1	

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9	Physical & Chemica	al Properties					
Odor: No odor. Odor threshold: Da pH: Data not availab	ole. oint: Data not available not available	Flammability (Explosion limi Vapor pressur Vapor density Relative densi	te (=1): Data not a solid/gas): Data not ts: Lower / Upper: I e (mm Hg): Data not (Air = 1): Data not av ty (Specific gravity): Appreciable in water	available. Data not available available /ailable 2.7	Auto-ignitio Decomposi Viscosity: I Molecular fo		: Data not available re: Data not available le.
Section 10	Stability & Reactivit	v					
Chemical stability:	-	Hazardo	us polymerization: n moisture.	Will not occur.			
Incompatible mater							
•	osition products: Sulfu	ır oxides					
	p						
Section 11	Toxicological Inform	nation					
Serious eye damag Respiratory or skin Germ cell mutagen Carcinogenity: Dat NTP: No componen IARC: No componen OSHA: No compone Reproductive toxic STOT-single expos STOT-repeated exp Aspiration hazard: Potential health eff Inhalation: May cau: Ingestion: Ingestion Skin: Contact with s Eyes: Contact with s	ation: Data not available e/irritation: Data not av sensitization: Data not icity: Data not available a not available of this product present a it of this product present in to f this product present ity: Data not available ure: Data not available osure: Data not available osure: Data not available ects: se respiratory irritation. may cause nausea, vom kin may cause irritation.	ailable t available tt levels greater than or e at levels greater than or t at levels greater than o le le	equal to 0.1% is ident	ified as probable, pc tified as a carcinoge	bssible or confirr	med human carc arcinogen by OS	SHA.
not available. Exerc Additional informat	ise appropriate procedure tion: RTECS #: Data no	es to minimize potential ot available		and toxicological pro	perties have no	t been thoroughl	ly investigated. Specific data is
Section 12	Ecological Informat	ion					
Toxicity to daphnia Toxicity to algae: So Persistence and de Mobility in soil: No	mbusia affinis (fish, fresh and other aquatic inver cenedesmus subspicatus gradability: No data ava data available ets: An environmental ha	rtebrates: Daphnia mag (Algae), EC50: 2,700 r ailable Bioaccumu PBT and v	na (Crustacea), EC50 ng/L/ 72 hours ulative potential: No PvB assessment: No	data available o data available			
Section 13	Disposal Considera	ations					
regulations may be	e different. Dispose of	in accordance with all	local, state and fed	only. Federal reguleral reguleral regulations or	lations may ap contract with	oply to empty c a licensed che	ontainer. State and/or local mical disposal agency.
Section 14	Transport Informat	ion (US DOT / CANA	DA TDG)				
UN/NA number: Hazard class: No Exceptions: Not	ot applicable	Shipping name: N Packing group: N 2016 ERG Guide #	ot applicable	Reportable Qu	antity: No	Ма	arine pollutant: No
Section 15	Regulatory Informa	tion					
	d to be listed if the CAS num		-				
Compone	ent	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Magnesium sulfate		Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Section 16	Other Information						
dent determinations of s	suitability and completeness ency for Research on Cancer	of information from all sour	ces to assure proper use	of these materials and	the safety and he	ealth of employees	ered by them and must make indepen- s. NTP: National Toxicology Program, osure, RE: Repeated Exposure,

Form 06/2015



Material safety data sheet Gel Spice Company, Inc. 48 Hook Road Bayonne, NJ, 07002

Tel: 201-339-0700

Blue Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) Page 1

1.1. Identification

Product form : Mixture Product name : Blue Food Color Product code : S9123 1.2. Relevant identified uses of the substance or mixture and uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Shank's Extracts, Inc. 350 Richardson Drive Lancaster, PA 17603 T 717-393-4441 - F 717-393-3148 www.shanks.com

1.4. Emergency telephone number Emergency number : CHEMTREC: 1-800-424-9300

2.1. Classification of the substance or mixture

Classification (GHS-US) Skin corrosion/irritation Category 2 H315 Full text of H statements : see section 16 2.2. Label elements **GHS-US** labeling Hazard pictograms (GHS-US) : GHS07 Signal word (GHS-US) : Warning Hazard statements (GHS-US) : H315 - Causes skin irritation Precautionary statements (GHS-US) : P264 - Wash hands and any affected areas thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of a doctor, a POISON CENTER P321 - Specific treatment see doctor if affected P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse 2.3. Other hazards No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable

3.1. Substance

3.2. Mixture

Blue Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 2/6

Name Product identifier % Classification (GHS-US) trade name component* (CAS No) Trade Secret 11.626284704 4598 Skin Irrit. 2, H315 *Chemical name, CAS number and/or exact concentration have

been withheld as a trade secret Full text of H-phrases: see section 16

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh

air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist. Rinse eyes with water as a precaution. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/injuries after skin contact : Irritation.

4.3. Indication of any immediate medical attention and

special treatment needed Treat symptomatically.

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Unsuitable extinguishing media : Do not use a heavy water stream

5.2. Special hazards arising from the substance or mixture

Not applicable

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do

not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

Blue Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 3/6

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good

ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes.

Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : acids and bases. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids. Incompatible materials : Sources of ignition. Direct sunlight.

8.1. Control parameters

trade name component

OSHA OSHA PEL (TWA) (mg/m³) 15 mg/m³ (mist, total particulate)

5 mg/m³ (mist, respirable fraction) 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves/protective clothing/eye protection/face protection. protective gloves. Eye protection : Chemical goggles or safety glasses. Safety glasses.

Škin and body protection : Wear suitable protective clothing. Respiratory protection : Wear appropriate mask. Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : dark blue Odor : characteristic Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available Flash point : > 100 °C Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available Relative density : 1.035 - 1.25 Relative vapor density at 20 °C : No data available Solubility : Water: Solubility in water of component(s) of the mixture : • : 576 g/l (at 20 °C) • : 630 g/l (at 20 °C) Log Pow : No data available

Blue Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 4/6 Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available 9.2. Other information No additional information available

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. **10.2. Chemical stability** Not established. **10.3. Possibility of hazardous reactions** Not established. **10.4. Conditions to avoid** Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials Strong acids. Strong bases. 10.6. Hazardous decomposition products fume. Carbon monoxide. Carbon dioxide.

11.1. Information on toxicological effects Acute toxicity : Not classified trade name component LD50 oral rat 12600 mg/kg LD50 dermal rabbit > 10 g/kg LC50 inhalation rat (mg/l) > 570 mg/m³ (Exposure time: 1 h) ATE US (oral) 12600.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not

met.

Symptoms/injuries after skin contact : Irritation.

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

trade name component

LC50 fish 1 51 - 57 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

Blue Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 5/6

12.2. Persistence and degradability

Blue Food Color

Persistence and degradability Not established. 12.3. Bioaccumulative potential

Blue Food Color

Bioaccumulative potential Not established. trade name component BCF fish 1 (no bioaccumulation)

Log Pow -1.76

12.4. Mobility in soil No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Ecology - waste materials : Avoid release to the environment.

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport TDG No additional information available Transport by sea No additional information available Air transport No additional information available

15.1. US Federal regulations

trade name component

Listed on the United States TSCA (Toxic Substances Control Act) inventory EPA TSCA Regulatory Flag Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule

15.2. International regulations CANADA

trade name component

Listed on the Canadian DSL (Domestic Sustances List) WHMIS Classification Uncontrolled product according to WHMIS classification criteria **EU-Regulations**

trade name component Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) National regulations

Blue Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02



Material safety data sheet Gel Spice Company, Inc. 48 Hook Road Bayonne, NJ, 07002 Tel: 201-339-0700

Green Food Color (SENSITIZER-Y5)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 03/03/2016 EN (English US) Page 1

1.1. Identification

Product form : Mixture Product name : Green Food Color (SENSITIZER-Y5) Product code : S90109 **1.2. Relevant identified uses of the substance or mixture and uses advised against** No additional information available **1.3. Details of the supplier of the safety data sheet** Shank's Extracts, Inc. 350 Richardson Drive Lancaster, PA 17603 T 717-393-4441 - F 717-393-3148 www.shanks.com **1.4. Emergency telephone number** Emergency number : CHEMTREC: 1-800-424-9300

2.1. Classification of the substance or mixture Classification (GHS-US)

Skin corrosion/irritation Category 2 H315 Full text of H statements : see section 16 2.2. Label elements **GHS-US** labeling Hazard pictograms (GHS-US) : GHS07 Signal word (GHS-US) : Warning Hazard statements (GHS-US) : H315 - Causes skin irritation Precautionary statements (GHS-US) : P264 - Wash hands and any affected areas thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of a doctor, a POISON CENTER P321 - Specific treatment see doctor if affected P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse 2.3. Other hazards No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable

3.1. Substance Not applicable

3.2. Mixture

Green Food Color (SENSITIZER-Y5)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 03/03/2016 EN (English US) 2/5

Name Product identifier % Classification (GHS-US) trade name component* (CAS No) Trade Secret 15.699457819 7336

Skin Irrit. 2, H315 *Chemical name, CAS number and/or exact concentration have been withheld as a trade secret Full text of H-phrases: see section 16

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. First-aid measures after eye contact : Rinse eyes with water as a precaution. First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries after skin contact : Irritation. 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

8.1. Control parameters

Green Food Color (SENSITIZER-Y5)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

03/03/2016 EN (English US) 3/5 trade name component

OSHA OSHA PEL (TWA) (mg/m³) 15 mg/m³ (mist, total particulate)

5 mg/m³ (mist, respirable fraction)

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Protective gloves.

Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing. Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Environmental exposure controls : Avoid release to the

environmental exposure controls : Avoid release to the environment.

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Green Odor : Bland Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available Flash point : > 100 °C Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available Relative density : 1.0593 Relative vapor density at 20 °C : No data available Solubility : Water: Solubility in water of component(s) of the mixture : • : 576 g/l (at 20 °C) • : 630 g/l (at 20 °C) Log Pow : No data available

Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available 9.2. Other information

No additional information available

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. **10.2. Chemical stability** Stable under normal conditions. **10.3. Possibility of hazardous reactions** No dangerous reactions known under normal conditions of

No dangerous reactions known under normal conditions of use. 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Green Food Color (SENSITIZER-Y5)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 03/03/2016 EN (English US) 4/5 10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

11.1. Information on toxicological effects

Acute toxicity : Not classified trade name component LD50 oral rat 12600 mg/kg LD50 dermal rabbit > 10 g/kg LC50 inhalation rat (mg/l) > 570 mg/m³ (Exposure time: 1 h) ATE US (oral) 12600.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified Symptoms/injuries after skin contact : Irritation.

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

trade name component

LC50 fish 1 51 - 57 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

trade name component

BCF fish 1 (no bioaccumulation) Log Pow -1.76 **12.4. Mobility in soil** No additional information available **12.5. Other adverse effects** Effect on the global warming : No known ecological damage caused by this product.

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Green Food Color (SENSITIZER-Y5)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 03/03/2016 EN (English US) 5/5

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport **TDG** No additional information available **Transport by sea** No additional information available **Air transport** No additional information available

15.1. US Federal regulations

trade name component

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule

15.2. International regulations CANADA

trade name component

Listed on the Canadian DSL (Domestic Sustances List) WHMIS Classification Uncontrolled product according to WHMIS classification criteria EU-Regulations

trade name component

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

trade name component

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical

Substances) inventory

Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican national Inventory of Chemical Substances) Listed on Turkish inventory of chemical

15.3. US State regulations

trade name component

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance

U.S. - Pennsylvania - RTK (Right to Know) List

Full text of H-phrases:

H315 Causes skin irritation SDS US (GHS HazCom 2012) This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product



Material safety data sheet

Gel Spice Company, Inc. 48 Hook Road Bayonne, NJ, 07002 Tel: 201-339-0700

Red Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) Page 1

1.1. Identification

Product form : Mixture Product name : Red Food Color Product code : S9119 **1.2. Relevant identified uses of the substance or mixture and uses advised against** No additional information available **1.3. Details of the supplier of the safety data sheet** Shank's Extracts, Inc. 350 Richardson Drive Lancaster, PA 17603 T 717-393-4441 - F 717-393-3148 www.shanks.com

1.4. Emergency telephone number Emergency number : CHEMTREC: 1-800-424-9300

2.1. Classification of the substance or mixture

Classification (GHS-US) Skin corrosion/irritation Category 2 H315 Full text of H statements : see section 16 2.2. Label elements **GHS-US** labeling Hazard pictograms (GHS-US) : GHS07 Signal word (GHS-US) : Warning Hazard statements (GHS-US) : H315 - Causes skin irritation Precautionary statements (GHS-US) : P264 - Wash hands and any affected areas thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of a doctor, a POISON CENTER P321 - Specific treatment see doctor if affected P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse 2.3. Other hazards No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable

3.1. Substance Not applicable

3.2. Mixture

Red Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 2/6

Name Product identifier % Classification (GHS-US) trade name component* (CAS No) Trade Secret 15.141151453 3923 Skin Irrit. 2, H315 *Chemical name, CAS number and/or exact concentration have

been withheld as a trade secret Full text of H-phrases: see section 16

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh

air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist. Rinse eyes with water as a precaution. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/injuries after skin contact : Irritation.

4.3. Indication of any immediate medical attention and

special treatment needed

Treat symptomatically.

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Unsuitable extinguishing media : Do not use a heavy water stream

5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do

not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

Red Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 3/6

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good

ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes.

Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : acids and bases. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids. Incompatible materials : Sources of ignition. Direct sunlight.

8.1. Control parameters

trade name component

OSHA OSHA PEL (TWA) (mg/m³) 15 mg/m³ (mist, total particulate)

5 mg/m³ (mist, respirable fraction) 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves/protective clothing/eye protection/face protection. protective gloves. Eye protection : Chemical goggles or safety glasses. Safety glasses.

Škin and body protection : Wear suitable protective clothing. Respiratory protection : Wear appropriate mask. Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : red Odor : characteristic Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available Flash point : > 100 °C Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available Relative density : 1.06 - 1.07 Relative vapor density at 20 °C : No data available Solubility : Water: Solubility in water of component(s) of the mixture : • : 576 g/l (at 20 °C) • : 630 g/l (at 20 °C) Log Pow : No data available

Red Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 4/6 Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available 9.2. Other information No additional information available

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. **10.2. Chemical stability** Not established. **10.3. Possibility of hazardous reactions** Not established. **10.4. Conditions to avoid** Direct sunlight. Extremely high or low temperatures. **10.5. Incompatible materials** Strong acids. Strong bases. **10.6. Hazardous decomposition products** fume. Carbon monoxide. Carbon dioxide.

11.1. Information on toxicological effects Acute toxicity : Not classified trade name component LD50 oral rat 12600 mg/kg LD50 dermal rabbit > 10 g/kg LC50 inhalation rat (mg/l) > 570 mg/m³ (Exposure time: 1 h) ATE US (oral) 12600.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not

met.

Symptoms/injuries after skin contact : Irritation.

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

trade name component

LC50 fish 1 51 - 57 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

Red Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 5/6

12.2. Persistence and degradability

Red Food Color

Persistence and degradability Not established. 12.3. Bioaccumulative potential

Red Food Color

Bioaccumulative potential Not established. trade name component BCF fish 1 (no bioaccumulation)

Log Pow -1.76

12.4. Mobility in soil No additional information available

12.5. Other adverse effects Effect on the global warming : No known ecological damage caused by this product. Other information : Avoid release to the environment.

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Ecology - waste materials : Avoid release to the environment.

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport **TDG** No additional information available **Transport by sea** No additional information available **Air transport** No additional information available

15.1. US Federal regulations

trade name component Listed on the United States TSCA (Toxic Substances Control Act) inventory EPA TSCA Regulatory Flag Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule

15.2. International regulations CANADA

trade name component

Listed on the Canadian DSL (Domestic Sustances List) WHMIS Classification Uncontrolled product according to WHMIS classification criteria EU-Regulations

trade name component

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) National regulations

Red Food Color

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 6/6



Material safety data sheet Gel Spice Company, Inc. 48 Hook Road Bayonne, NJ, 07002 Tel: 201-339-0700

Yellow Food Color (SENSITIZER Y-5)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) Page 1

1.1. Identification

Product form : Mixture Product name : Yellow Food Color (SENSITIZER Y-5) Product code : S9118 **1.2. Relevant identified uses of the substance or mixture and uses advised against** No additional information available **1.3. Details of the supplier of the safety data sheet** Shank's Extracts, Inc. 350 Richardson Drive Lancaster, PA 17603 T 717-393-4441 - F 717-393-3148 www.shanks.com **1.4. Emergency telephone number** Emergency number : CHEMTREC: 1-800-424-9300

2.1. Classification of the substance or mixture Classification (GHS-US)

Skin corrosion/irritation Category 2 H315 Full text of H statements : see section 16 2.2. Label elements **GHS-US** labeling Hazard pictograms (GHS-US) : GHS07 Signal word (GHS-US) : Warning Hazard statements (GHS-US) : H315 - Causes skin irritation Precautionary statements (GHS-US) : P264 - Wash hands and any affected areas thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of a doctor, a POISON CENTER P321 - Specific treatment see doctor if affected P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse 2.3. Other hazards No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable

3.1. Substance

Not applicable 3.2. Mixture

Yellow Food Color (SENSITIZER Y-5)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

02/17/2016 EN (English US) 2/6 Name Product identifier % Classification (GHS-US)

trade name component* (CAS No) Trade Secret 15.256641733 2989 Skin Irrit. 2, H315

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret Full text of H-phrases: see section 16

Full text of H-phrases: see section 16

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Rémove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest. First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. Rinse eyes with water as a precaution. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/injuries after skin contact : Irritation. 4.3. Indication of any immediate medical attention and special treatment needed

5.1. Extinguishing media

Treat symptomatically.

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do

not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area. 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

Yellow Food Color (SENSITIZER Y-5)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 3/6

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good

ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes.

Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : acids and bases. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Incompatible products : Strong bases. Strong acids. Incompatible materials : Sources of ignition. Direct sunlight.

8.1. Control parameters

trade name component OSHA OSHA PEL (TWA) (mg/m³) 15 mg/m³ (mist, total

particulate) 5 mg/m³ (mist, respirable fraction)

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves/protective clothing/eye protection/face protection. protective gloves. Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear suitable protective clothing. Respiratory protection : Wear appropriate mask. Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : clear Yellow orange Odor : characteristic Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available Flash point : > 100 °C Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available Relative density : 1.05 - 1.07 Relative vapor density at 20 °C : No data available Solubility : Water: Solubility in water of component(s) of the mixture : • : 576 g/l (at 20 °C) • : 630 g/l (at 20 °C) Log Pow : No data available

Yellow Food Color (SENSITIZER Y-5)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 4/6 Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available 9.2. Other information

No additional information available

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. **10.2. Chemical stability** Not established. **10.3. Possibility of hazardous reactions** Not established. **10.4. Conditions to avoid** Direct sunlight. Extremely high or low temperatures. **10.5. Incompatible materials** Strong acids. Strong bases. **10.6. Hazardous decomposition products** fume. Carbon monoxide. Carbon dioxide.

11.1. Information on toxicological effects

Acute toxicity : Not classified trade name component LD50 oral rat 12600 mg/kg LD50 dermal rabbit > 10 g/kg LC50 inhalation rat (mg/l) > 570 mg/m³ (Exposure time: 1 h) ATE US (oral) 12600.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/injuries after skin contact : Irritation.

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. trade name component

LC50 fish 1 51 - 57 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

Yellow Food Color (SENSITIZER Y-5)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 5/6 **12.2. Persistence and degradability**

Yellow Food Color (SENSITIZER Y-5)

Persistence and degradability Not established.

12.3. Bioaccumulative potential Yellow Food Color (SENSITIZER Y-5)

Bioaccumulative potential Not established.

trade name component BCF fish 1 (no bioaccumulation)

Log Pow -1.76

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product. Other information : Avoid release to the environment.

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Ecology - waste materials : Avoid release to the environment.

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport **TDG** No additional information available **Transport by sea** No additional information available **Air transport** No additional information available

15.1. US Federal regulations

trade name component

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule

15.2. International regulations CANADA

trade name component

Listed on the Canadian DSL (Domestic Sustances List) WHMIS Classification Uncontrolled product according to WHMIS classification criteria

EU-Regulations

trade name component Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) National regulations

Yellow Food Color (SENSITIZER Y-5)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 02/17/2016 EN (English US) 6



SAFETY DATA SHEET

SECTION 1. PRODUCT /			
	AND COMPA	ANY IDENTIFICATION	
PRODUCT IDENTIFIER	Service Pro Premium Oil & Spill Absorbent		
CHEMICAL NAME	Montmorillonite Clay, Calcined		
	Clay		
	Oil Absorbent		
RESTRICTION ON USE	None Known		
		9875 Gateway Dr., Reno, NV 89521	
TELEPHONE NO. (775) 824 7600 (Mo	nday – Friday 8:00 am PST – 5:00 pm PST	Γ)
EMERGENCY TELEPHONE NO. (775) 824 7600 (Mo	nday – Friday 8:00 am PST – 5:00 pm PST	Γ)
	AIOD PO Box 1861 TELEPHONE NO. (Montrose, CO, USA 81402-1861 (970) 249-6336	
SDS DATE OF PREPARATION	January 28, 2014		
SECTION 2: HAZARDS	DENTIFICAT	ΓΙΟΝ	
	Carcinogen Catego Specific Target Org	ory 1A gan Toxicity, Repeated Exposure Category	1
HAZARDS NOT OTHERWISE CLASSIFIED	None		
LABEL ELEMENTS	DANGER May cause cancer by inhalation. Causes damage to lungs through prolonged or repeated exposure. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear eye protection. If exposed or concerned: Get medical advice. Dispose of contents in accordance with local, state and federal regulations.		
		erned: Get medical advice.	al regulations.
	Dispose of content	erned: Get medical advice. s in accordance with local, state and federa MATION ON INGREDIENTS APPROXIMATE	
SECTION 3: COMPOSITI	Dispose of content	erned: Get medical advice. s in accordance with local, state and federa MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%)	-
SECTION 3: COMPOSITI	Dispose of content	erned: Get medical advice. s in accordance with local, state and federa MATION ON INGREDIENTS APPROXIMATE	-
SECTION 3: COMPOSITI INGREDIENT IDENTIFICA Montmorillonite Clay, Calcined (contains Crystalline Silica - Quartz)	Dispose of content ION / INFOR TION s 10-15%	erned: Get medical advice. s in accordance with local, state and federa MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%)	C.A.S. NUMBERS 70892-59-0
SECTION 3: COMPOSITI INGREDIENT IDENTIFICA Montmorillonite Clay, Calcined (contains Crystalline Silica - Quartz) SECTION 4: FIRST AID N	Dispose of content	erned: Get medical advice. s in accordance with local, state and federa MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%) 100%	C.A.S. NUMBERS 70892-59-0
SECTION 3: COMPOSITI INGREDIENT IDENTIFICA Montmorillonite Clay, Calcined (contains Crystalline Silica - Quartz) SECTION 4: FIRST AID N EYE	Dispose of contents ION / INFOR TION s 10-15% MEASURES Flush eyes with ge	erned: Get medical advice. s in accordance with local, state and federa MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%) 100%	C.A.S. NUMBERS 70892-59-0 14808-60-7
SECTION 3: COMPOSITI INGREDIENT IDENTIFICA ^T Montmorillonite Clay, Calcined (contains Crystalline Silica - Quartz) SECTION 4: FIRST AID N EYE SKIN	Dispose of contents ION / INFOR TION s 10-15% MEASURES Flush eyes with ge Use moisture renew	erned: Get medical advice. s in accordance with local, state and federa MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%) 100%	C.A.S. NUMBERS 70892-59-0 14808-60-7
SECTION 3: COMPOSITI INGREDIENT IDENTIFICA ^T Montmorillonite Clay, Calcined (contains Crystalline Silica - Quartz) SECTION 4: FIRST AID N EYE SKIN INGESTION	Dispose of contents ION / INFOR TION s 10-15% MEASURES Flush eyes with ge Use moisture renew Drink generous am	erned: Get medical advice. s in accordance with local, state and federa MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%) 100%	C.A.S. NUMBERS 70892-59-0 14808-60-7 tion. Consult physician if irritation persists.
SECTION 3: COMPOSITI INGREDIENT IDENTIFICAT Montmorillonite Clay, Calcined (contains Crystalline Silica - Quartz) SECTION 4: FIRST AID N EYE SKIN INGESTION INHALATION Most important symptoms/effects, acute and	Dispose of contents ION / INFOR TION s 10-15% MEASURES Flush eyes with ge Use moisture renew Drink generous am Remove to fresh ai Dust may cause ab throat and upper re	erned: Get medical advice. s in accordance with local, state and federa MATION ON INGREDIENTS APPROXIMATE CONCENTRATION (%) 100% nerous quantities of water or eye rinse solu wing lotions if dryness occurs. Hounts of water to reduce bulk and drying ef r. Blow nose to evacuate dust. prasive irritation to eyes. Prolonged skin cor	C.A.S. NUMBERS 70892-59-0 14808-60-7 tion. Consult physician if irritation persists. ffects. ffects. ntact may cause dryness. Dust may cause nose, on of respirable dust containing silica may cause a

MATERIAL NAME	Service Pro Premium Oil & Spill Absorbent Page 2 of 4				
				1 age 2 01 4	
SECTION 5: FIRE FIGHTING MEASURES					
EXTINGUISHING MEDIA SPECIFIC HAZARDS ARISING		Not applicable, the material is not combustible.			
FROM THE CHEMICAL	Not applic	cable, the material is not o	combustible.		
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS	Not applic	cable, the material is not c	combustible.		
SECTION 6: ACCIDENT	AL REL	EASE MEASUR	ES		
PERSONAL PRECAUTIONS		present, use respirator fitt eathe dust.	ed with particulate fi	Iter as specified in Section 8. Protect	t eyes with goggles.
ENVIRONMENTAL PRECAUTIONS	This mate	erial is not a significant en	vironmental concern	l.	
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	Vacuum o	clean spillage or wet swee	ep. Avoid creating a	irborne dust. Place in a container for	use or disposal.
SECTION 7: HANDLING	AND S	TORAGE			
PRECAUTIONS FOR SAFE HANDLING	Minimize dust generation. Avoid contact with eyes. Do not breathe dust. Repair or dispose of broken bags. Observe all label precautions and warnings. Flammable or hazardous substances may retain such characteristics after absorption. Care should be taken to store and dispose of waste material in accordance with instructions of manufacturer of substance absorbed and applicable laws. Do not use with hydrofluoric acid or concentrated caustic solutions.				
CONDITIONS FOR SAFE STORAGE	pesticides			l product quality. Store product sepa loes not occur. Do not store near hy	
SECTION 8: EXPOSURE		ROLS / PERSO	NAL PROTEC	TION	
EXPOSURE GUIDELINES:					
Component		OSHA PEL	ACGIH TLV	MSHA PEL	NIOSH REL
Montmorillonite Clay, Calcined (as Particulates not otherwise classified)		5 mg/m ³ respirable dust 15 mg/m ³ total dust	None Established	5 mg/m ³ respirable dust 15 mg/m ³ total dust	None Established
Crystalline Silica (Quartz)		30 mg/m ³ % SiO ₂ +2 total dust 10 mg/m ³	0.025 mg/ m ³ Respirable dust	<u>30 mg/m³</u> % SiO ₂ +2 total dust <u>10 mg/m³</u>	0.05 mg/ m ³ Respirable dust
		% SiO ₂ +2 Respirable dust		% SiO ₂ +2 Respirable dust	
ENGINEERING CONTROLS	Use general or local exhaust ventilation to control dust within recommended exposure limits. Refer to ACGIH publication "Industrial Ventilation" or similar publications for design of ventilation systems.				
PERSONAL PROTECTIVE EQUIPMENT:					
EYE / FACE PROTECTION	Goggles t	o protect from dust			
SKIN PROTECTION	No specia	I equipment is needed.			
RESPIRATORY PROTECTION	Respirators fitted with filters certified to standard 42CFR84 under series N95 should be worn when dust is present. If the dust concentration is less than ten (10) times the Permissible Exposure Limit (PEL) use a quarter or half-mask respirator with a N95 dust filter or a single use dust mask rated N95. If dust concentration is greater than ten (10) times and less than fifty (50) times the PEL, a full-face piece respirator fitted with replaceable N95 filters is recommended. If dust concentration is greater than fifty (50) and less than two hundred (200) times the PEL use a power air-purifying (positive pressure) respirator with a replaceable N95 filter. If dust concentration is greater than two hundred (200) times the PEL use a type C, supplied air respirator (continuous flow, positive pressure), with full face piece, hood or helmet.				
GENERAL HYGIENE	Avoid brea	athing dust. Avoid contac	ct with eyes. Wash	hands after handling and before eat	ing or drinking.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE, COLOR	Tan to gray	ODOR	Odorless
PHYSICAL STATE	Solid	ODOR THRESHOLD	Not applicable
VAPOR PRESSURE	Not applicable	VAPOR DENSITY	Not applicable
BOILING POINT	Not applicable	MELTING POINT	Unknown
FLASH POINT	Not applicable	pH (10% SUSPENSION)	Unknown
FLAMMABILITY LIMITS	Not applicable	EVAPORATION RATE	Not applicable
DECOMPOSITION TEMPERATURE	Unknown	SPEC. GRAVITY / RELATIVE DENSITY	2.2
AUTOIGNITION TEMPERATURE	Not applicable	PARTITION COEFFICIENT – n- OCTANOL/WATER	Not applicable
FLAMMABILITY (solid/gas)	Not applicable	SOLUBILITY - WATER	< 1.0%
		VISCOSITY	Not applicable

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Material is not reactive.
CHEMICAL STABILITY	Material is stable.
POSSIBILITY OF HAZARDOUS REACTIONS	Material is not reactive under normal conditions of handling unless mixed with incompatible substances below.
CONDITIONS TO AVOID	Not applicable
INCOMPATIBLE MATERIALS	Unsaturated organic compounds, such as turpentine and vegetable oil, hydrofluoric acid and concentrated caustic solutions may react violently with the product.
HAZARDOUS DECOMPOSITION PRODUCTS	Not applicable

SECTION 11: TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

PUTENTIAL REALTH EFFECTS	
Likely Routes of Exposure	See below
EYE	May cause irritation (tear formation and redness) if dust gets in eyes.
SKIN	Not absorbed by the skin, but may cause dryness if prolonged exposure.
INGESTION	Ingestion of small quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach.
INHALATION	Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Acute inhalation of high concentrations of respirable crystalline silica may cause acute silicosis.
CHRONIC EFFECTS	This product contains naturally occurring crystalline silica. Respirable crystalline silica may cause lung cancer and lung disease (silicosis) if inhaled for prolonged periods. Symptoms of silicosis include wheezing, cough and shortness of breath.
CARCINOGENICITY	This natural product is composed predominantly of clay, but contains some crystalline silica. Respirable crystalline silica (quartz) is classified by IARC and NTP as a known human carcinogen. Crystalline silica is only known to cause cancer when inhaled in a respirable form. It is not known to cause cancer by any other route of exposure.
NTP	Respirable crystalline silica (quartz) is classified as a known human carcinogen.
IARC	Respirable crystalline silica (quartz) is classified as a known human carcinogen.
NUMERICAL MEASURES OF TOXICITY	No data available

MATERIAL NAME	Service Pro Premium Oil & Spill Absorbent Page 4 of 4			
CORROSIVENESS, SENSITIZATION, IRRITANCY	Not applicable			
REPRODUCTIVE TOXICITY	Not available			
TERATOGENICITY, MUTAGENICITY	Not available			
SECTION 12: ECOLO	OGICAL INFORMATION			
ECOTOXICITY:	No toxicity is expected			
PERSISTENCE AND DEGRADABILITY	Non-biodegradable, inert.			
BIOACCUMULATIVE POTENT	IAL Little potential for bioaccumulation			
MOBILITY IN SOIL	No mobility			
OTHER ADVERSE EFFECTS	None known			
SECTION 13: DISPO	SAL CONSIDERATIONS			
WASTE DISPOSAL	If this material as supplied becomes a waste, use solid waste disposal common to landfill type operations or in slurry sumps. Not considered a hazardous waste under RCRA (40CFR Part 261).			
PACKAGING DISPOSAL	Dispose of in accordance with applicable laws and regulations, typically solid waste disposal common to landfill type operations.			
SECTION 14: TRANS	SPORT INFORMATION			
BASIC SHIPPING INFORMATIO	ON DOT shipping classification 55 (no restrictions). Technical name is "Calcined Clay".			
ADDITIONAL INFORMATION	No special requirements or placarding necessary.			
SECTION 15: REGU	LATORY INFORMATION			
U.S. FEDERAL:				
TSCA	Montmorillonite and Quartz appear on the EPA TSCA inventory list.			
CERCLA	Montmorillonite is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR 302.			
SARA TITLE III	Not listed.			
California Proposition 65:	This product contains crystalline silica, a chemical known to the State of California to cause cancer.			
INTERNATIONAL:				
WHMIS Classification	Class D-2-A			
WHMIS Ingredient Disclosure List	Silica, crystalline, quartz			
SECTION 16: OTHER	R INFORMATION			
	0* Health			
	4-Extreme 3-High 0 Flammability			
	L C C C C C C C C C C C C C C C C C C C			
	O-Insignificant E Protective Equipment			
ORIGINAL ISSUE DATE	January 14, 2014			
	May 21, 2015			
REVISION DATE	May 21, 2010			

Disclaimer: As of the date of the preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state laws. No warranty, representation or guaranty of any kind, express or implied, is hereby provided or intended with respect to the completeness of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by the purchase, resale, use or exposure to our product. Customer users of silica must comply with all applicable health and safety laws, regulations and orders, including OSHA Hazardous Communication Standard.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 1: Identification	
1.1 Product trade names:	Sphagnum peat moss
1.2 Product Class:	Natural organic planting mixes
Product Codes:	N/A
CAS/EC Number:	Product does not have a CAS or EC number.
Intended Use:	Domestic gardening, planting mixture, and other general horticultural purpose.

1.3 Supplier:

County Materials Corp. 205 North St., P.O. Box 100 Marathon, WI 54448-0100 General Information Telephone: (800) 289-2569 Email: <u>riskclaimssafety@countymaterials.com</u>

1.4 Emergency telephone:

715-223-7788

Section 2: Hazard(s) Identification

2.1 Classification:

This material is not considered hazardous according to the OSHA Hazard Communication Standard or GHS Hazard Classification and Labelling System.

2.2 Labeling:

Pictograms: None. Signal Word: None. Hazard Statements: None. Precautionary Statements:

P261 – Avoid breathing dusts.

P271 – Use only outdoors or in a well-ventilated area.

P280 – Wear protective gloves, protective clothing, and eye protection.

2.3 Other Hazards: This product is not classified as hazardous under normal conditions of use and storage. Exposure to entrained dusts may occur during agitation of dried product and can cause irritation to respiratory system. Contact with eyes and skin may cause irritation.

Section 3: Composition/Information on Ingredients			
Components	CAS Number	EC Number	Concentration%
Peat			100
This product contains natural agricultural components and decomposed organic matter. It is not anticipated to contain quantities of naturally occurring crystalline silica at greater than 0.1%.			



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 4: First-Aid Measures

4.1 Description of first aid measures:

<u>Inhalation</u>: Airborne dust may be inhaled. Remove person to fresh air. Seek medical attention if breathing difficulty develops or persists.

Skin Contact: Wash skin with soap and plenty of water. If irritation develops or persists, seek medical attention.

<u>Eye Contact</u>: Rinse eyes thoroughly with potable water for at least 15 minutes and remove contacts if easy to do. Rinse under eyelids to remove any particles. Seek medical attention for any abrasions or if irritation develops or persists.

<u>Ingestion:</u> Rinse mouth with copious amounts of water. If the person is conscious and aware, give large amounts of water to rinse material and taste from the mouth. Never attempt to make an unconscious person drink or vomit. If the person is unconscious it may be necessary to sweep the blockage out of the mouth using a finger. Seek emergency medical attention if deemed necessary.

4.2 Most important symptoms and effects:

Inhalation: May cause irritation of the respiratory tract.

Skin Contact: May cause irritation.

Eve Contact: May cause irritation, abrasions, redness, and permanent eye damage.

Ingestion: Ingestion of large amounts may cause gastrointestinal irritation, choking/blockage.

4.3 Indication of any immediate medical attention and special treatment needed: See Section 4.1.

Section 5: Fire-Fighting Measures

5.1 Extinguishing media: Product is not flammable. Use appropriate media for fire adjacent to product.

- 5.2 Special hazards arising from the substance or mixture: None known.
- 5.3 Advice to firefighters: None.

Section 6: Accidental Release Measures

- **6.1 Personal precautions:** Wear dust-mask or respirator if airborne concentrations approach or exceed exposure limits detailed in Section 8.
- **6.2 Environmental precautions:** Carefully clean up spilled material and place the material into suitable containers and hold for reuse or disposal. Dispose of the waste material in accordance with local regulations.
- **6.3 Methods and materials for containment and cleaning up:** Shovel material. Avoid sweeping to limit dried airborne dust.
- **6.4 Reference to other sections:** Use information obtained throughout this SDS to be fully prepared in case of accidental release.

Section 7: Handling and Storage

- **7.1 Precautions for safe handling:** Avoid excessive dust formation and breathing dust. Persons handling the product should wear recommended personal protective equipment (PPE) as noted in Section 8. Wash thoroughly with potable water and mild soap after handling. Use outdoors or provide ventilation.
- **7.2 Conditions for safe storage, including any incompatibilities:** Store at ambient temperatures. Clean up by shovel, wet sweeping and/or vacuuming.
- 7.3 Specific end uses: See Section 1. for intended uses.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 8: Exposure Controls/Personal Protection

8.1 Control parameters: Note the limits shown below are for guidance only. Follow applicable regulations in your jurisdiction.

Substance Name	Source	Exposure Limit
Total Dust (or Particulates Not	ACGIH	10 mg/m ³ (I) / 3 mg/m ³ (R)
Otherwise Classified)	OSHA	15 mg/m ³ (T) / 5 mg/m ³ (R)
	NIOSH	10 mg/m ³ (T) / 5 mg/m ³ (R)

- 8.1.1 Currently recommended monitoring procedures: No recommendations.
- 8.1.2 Exposure guidelines for air contaminants, if any: See Section 8.1
- 8.1.3 DNELS and PNECS for exposure scenarios: Information not available at this time.
- **8.1.4 Control banding for risk management:** Use good industrial hygiene practice, wear appropriate PPE and use only in well ventilated places.

8.2 Exposure Controls:

- **8.2.1 Appropriate engineering controls:** If used in an enclosed area, provide adequate local exhaust ventilation when possible to remove and prevent buildup of any dusts generated from the handling of this product. Water suppression may also be used to limit airborne dusts from dried product during application or use.
- **8.2.2 Individual protection methods:** Use good industrial hygiene practices in handling this material. Eye wash stations should be available. Wash exposed skin with potable water and mild soap after use. If any irritation or redness is noted, treat symptomatically or consult a doctor immediately. Wear gloves, safety glasses/goggles and protective clothing. In case of eye contact, flush with plenty of clean, potable water for at least 15 minutes. Remove contacts if easy to do so. Seek medical attention if irritation occurs. Avoid dust inhalation and direct contact with skin and eyes. Wash contaminated skin before eating, drinking or smoking.

8.2.3 Personal Protective Equipment:

Eve/Face: Use appropriate eye protection: glasses with side shields or goggles.

<u>Skin:</u> Avoid contact by covering skin with protective clothing. Wear gloves when handling the product. Wear eye protection. Wash exposed skin thoroughly with potable water and mild soap.

<u>Respiratory:</u> If airborne concentrations are above the applicable exposure limits, use NIOSH-approved respirator if qualified.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 9: Physical and Chemical Properties		
Physical State:	Combined blend of material	
Color:	Varying brown/black shades	
Odor:	Earthy	
Odor Threshold:	Not applicable	
Melting Point:	Not applicable	
Freezing Point:	Not applicable	
Initial Boiling Point:	Not applicable	
Flammability (solid, gas):	Not applicable	
Lower and Upper Explosion	Not applicable	
Limits/Flammability Limit:		
Flash Point:	Non-flammable	
Auto-Ignition Temperature:	Not applicable	
Decomposition Temperature:	Not evaluated	
pH:	5 - 7	
Kinematic Viscosity:	Not applicable	
Solubility:	Non-soluble	
Partition Coefficient:	Not applicable	
Vapor Pressure	Not applicable	
Density (and/or Relative Density):	Not evaluated	
Relative Vapor Density:	Not applicable	
Particle Characteristics:	Variable sizes	

Section 10: Stability and Reactivity

10.1 Reactivity: None known.

- 10.2 Chemical stability: Stable under normal conditions of storage and use.
- **10.3 Possibility of hazardous reactions:** Avoid contact with powerful oxidizing agents.
- 10.4 Conditions to avoid: Avoid dust concentrations above permissible exposure limits.
- **10.5 Incompatible materials:** Incompatible materials and possible hazardous reactions are detailed in Section 10.3.
- **10.6 Hazardous decomposition or byproducts:** Highly improbable. Hazardous polymerization will not occur.

Section 11: Toxicological Information

11.1 Information on toxicological effects:

Acute Exposure and Symptoms:

Inhalation: May cause irritation of the respiratory system.

Skin Contact: May cause irritation.

Eve Contact: May cause irritation, abrasions, redness, and permanent eye damage.

Ingestion: Ingestion of large amounts may cause gastrointestinal irritation, choking/blockage.

Chronic Exposure:

Prolonged exposure to dust may cause irritation to the respiratory tract, inflame or sensitize the nose, throat and lungs resulting in illnesses such as asthma or pneumonia.

Numerical Measures of Toxicity

There no numerical measurers of toxicity available for the product at this time.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 11: Toxicological Information

Component Carcinogenicity

This product is not a known or suspected carcinogen.

Specific Target Organ Toxicity Single/Repeat Exposure – Respiratory System

Repeated inhalation of dusts can lead to irritation of the respiratory tract, inflame or sensitize the nose, throat and lungs resulting in illnesses such as asthma or pneumonia. Exposure to dust may occur with agitation of the product if the product is dry.

Skin Sensitizer

Not expected to be a skin sensitizer.

Section 12: Ecological Information (non-mandatory)

12.1 Ecotoxicity:

General Product Information: Product when used as intended is not hazardous to the environment. **Component Analysis - Ecotoxicity :** Ecotoxicity data are not available for this product's. **Environmental Fate:** No information available for the product.

Section 13: Disposal Considerations (non-mandatory)

13.1 Waste treatment methods:

General Product Information: Whatever cannot be saved or recovered for recycling should be disposed of according to state and local regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14: Transport Information (non-mandatory)

Product is not classified as Dangerous Goods.

Section 15: Regulatory Information (non-mandatory)

15.1 Safety, health, and environmental regulation:

US Federal Regulations

General Product Information: No component is listed on the U.S. EPA TSCA Inventory List. **Component Analysis:** Components of this product are not listed as hazardous under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

State Regulations

General Product Information: Other state regulations may apply. Check individual state requirements.

California Prop. 65 Components: This product contains no chemicals known to the State of California to cause cancer or reproductive toxicity.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 15: Regulatory Information (non-mandatory)

Section 16: Other Information


Other Information

Disclaimer: Supplier gives no warranty of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser will make his own tests to determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental and/or consequential property damage arising out of the use of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights. Read the Safety Data Sheet before handling product.

Key to Abbreviations and Acronyms:

	,
ACGIH:	American Conference of Governmental Industrial Hygienists Derived No Effect Level
	European Inventory of Existing Commercial Chemical Substances
EPA:	Environmental Protection Agency
EU:	European Union
GHS	Globally Harmonized System of classification and labelling of chemicals
IARC:	International Agency for Research on Cancer
l:	Inhalable Particles
LC50:	Lethal concentration in air fatal to 50 percent of test animals
LD50:	Lethal dose by mouth or other route to 50 percent of test animals
LDLo:	Lowest lethal dose
NIOSH:	National Institute for Occupational Safety and Health
NJTSR:	New Jersey Trade Secret Registry
NOEC:	No Observed Effect Concentration
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration (USA)
PNEC:	Predicted No Effect Concentration
PNOC:	Particulates Not Otherwise Classified
PPM:	Parts Per Million
R:	Respirable Particles
STEL:	Short Term Exposure Limit
T:	Total Dust
TLV:	Threshold Limit Value
	Toxic Substance Control Act
	Time weighted average
1	Time weighten average
	DNEL: EINECS: EPA: EU: GHS IARC: I: LC50: LD50: LD50: LD50: LDL0: NIOSH: NJTSR: NOEC: NTP: OSHA: PNEC: PNCC: PPM: R: STEL:

** This is the end of SDS - Peat **



IMPORTANT: Provide this information to employees, customers, and users of this product. Read this SDS before handling or disposing of this product. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard. All abbreviated terms used in this MSDS are further described in Section 16.

1. Identification

This Safety Data Sheet is available in American Spanish upon request. Los Datos de Serguridad pueden obtenerse en Espanol si lo riquiere.

Product Name:	Plaster of Paris	Revision Date:	6/19/2015
Product UPC Number:	10308, 10310, 10312, 10318, 10313	Supercedes Date:	New SDS
Product Use/Class:	Plaster of Paris	SDS No:	00071008001
Manufacturer:	DAP Products Inc. 2400 Boston Street Suite 200 Baltimore, MD 21224-4723 888-327-8477 (non - emergency matters)		
Preparer:	Regulatory Department		
2 Hozardo Idontifica	tion		

2. Hazards Identification

EMERGENCY OVERVIEW: WARNING!May cause eye, skin, nose, throat and respiratory tract irritation. Product dust may be irritating to eyes, skin and respiratory system. Removal of this product after use or by dry sanding will generate dust and exposure to this dust may be irritating to the eyes, ears, nose and mouth. May cause burns. When mixed with water, this material hardens and then slowly becomes hot. DO NOT attempt to make a cast enclosing any part of the body using this material. Failure to follow these instructions may cause severe burns that may require surgical removal of affected tissues. DO NOT attempt to make a cast enclosing any part of the body using this material. Failure to follow these instructions may cause severe burns that may require surgical removal of affected tissues.

GHS Classification

Acute Tox. 4 Inhalation, Carc. 1A, Eye Irrit. 2, Skin Irrit. 2

Symbol(s) of Product



Signal Word

Danger

GHS HAZARD STATEMENTS

Skin Irritation, category 2	H315	Causes skin irritation.
Eye Irritation, category 2	H319	Causes serious eye irritation.
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.
Carcinogenicity, category 1A	H350	May cause cancer. Classified as carcinogenic Category 1 on the basis of epidemiological and/or animal data. Mixtures are classified as carcinogenic when at least 1 ingredient has been classified as carcinogenic and is present at 0.1% or above Routes of exposure are dependent on ingredient form.

GHS LABEL PRECAUTIONARY STATEMENTS

P271 P304+P340 Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

3. Composition/Information on Ingredients

Chemical Name	CAS-No.	Wt. % GHS Symbols	GHS Statements
Plaster of paris	26499-65-0	75-100 GHS03	H270
Limestone	1317-65-3	10-25 GHS03	H270
Quartz	14808-60-7	1.0-2.5 GHS03-GHS07	H270-302

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

4. First-aid Measures

FIRST AID - INHALATION: If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical attention immediately.

FIRST AID - SKIN CONTACT: Wash skin with soap and water for 15 minutes. Get medical aid if symptoms persist.

FIRST AID - EYE CONTACT: In case of contact, immediately flush eyes with large quantities of water for at least 15 minutes until irritation subsides. Get medical attention immediately.

FIRST AID - INGESTION: If swallowed, DO NOT INDUCE VOMITING. Get medical attention immediately.

5. Fire-fighting Measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: 465 <undefined>

SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear. Use water spray to cool exposed surfaces.

EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam

6. Accidental Release Measures

ENVIRONMENTAL MEASURES: No Information

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: In case of spillage, absorb with inert material and dispose of in accordance with applicable regulations. Sweep up excess powder. Place remaining powder into containers.

7. Handling and Storage

HANDLING: KEEP OUT OF REACH OF CHILDREN!DO NOT TAKE INTERNALLY. Use only with adequate ventilation. Ensure fresh air entry during application and drying. Do not breathe dust. Removal of this product after use will result in the generation of Dust. If dry-sanded, exposure to dust may result in the build-up of material in eyes, ears, nose, and mouth which may cause irritation. While dry sanding, use of a NIOSH-approved dust mask is recommended. Wash thoroughly after handling.

STORAGE: Store away from caustics and oxidizers. Keep containers dry and tightly closed to avoid moisture absorption and contamination.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Expose Chemical Name	ure Limits <u>ACGIH TLV-TWA</u>	ACGIH-TLV STEL	OSHA PEL-TWA	OSHA PEL-CEILING
Plaster of paris	N.E.	N.E.	15 mg/m3 TWA total dust, 5 mg/m3 TWA respirable fraction	N.E. 3
Limestone	N.E.	N.E.	15 mg/m3 TWA total dust, 5 mg/m3 TWA respirable fraction	N.E. 3
Quartz	0.025 mg/m3 TWA respirable fraction	N.E.	N.E.	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

Personal Protection

RESPIRATORY PROTECTION: Dust safety masks recommended where working powder concentration is more than 10 mg/m3. When concentrations exceed the exposure limits specified, use of a NIOSH-approved dust, mist and fume respirator is recommended. Where the protection factor of the respirator may be exceeded, use of a full facepiece, supplied air, or Self Contained Breathing Apparatus (SCBA) may be necessary. If concentrations exceed the exposure limits specified, use of a NIOSH-approved supplied air respirator is recommended. Where the protection factor is exceeded, use of a Self Contained Breathing Apparatus (SCBA) may be necessary. If concentrations exceed the exposure limits specified, use of a Self Contained Breathing Apparatus (SCBA) may be necessary. National Institute for Occupational Safety and Health (NIOSH) has recommended that the permissible exposure limit be changed to 50 micrograms respirable free silica per cubic meter of air (0.05 mg/m3) as determined by a full shift sample up to 10-hour work shift. A respiratory protection program that meets the OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.



SKIN PROTECTION: Wear protective gloves.



EYE PROTECTION: Goggles or safety glasses with side shields.



OTHER PROTECTIVE EQUIPMENT: Provide eyewash. Provide coveralls if body contact may occur.



HYGIENIC PRACTICES: Remove and wash contaminated clothing before re-use.

9. Physical and Chemical Properties

Powder
Not Established
Not Applicable
Not Established
anol/water: Not Established
N.I N.I.
ature, °C Not Established
lg: No Information
Not Applicable
No Information
2

(See "Other information" Section for abbreviation legend) (If product is an aerosol, the flash point stated above is that of the propellant.)

10. Stability and Reactivity

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Do not breathe dust. Avoid dust formation in confined areas. Excessive heat and freezing.

INCOMPATIBILITY: Incompatible with strong bases and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Above 1450 degree C: SO2 and CaO.

11. Toxicological Information

EFFECT OF OVEREXPOSURE - INHALATION: Inhalation may cause irritation to the respiratory tract (nose, mouth, mucous membranes). Prolonged, repeated, or high exposures may cause irritation to the respiratory tract (nose, mouth, mucous membranes).

EFFECT OF OVEREXPOSURE - SKIN CONTACT: May cause dry skin. May cause skin irritation. May cause skin irritation in susceptible persons. May develop enough heat to cause burns if a large mass such as a cast of hand or arm, is kept in contact with skin while hardening.

EFFECT OF OVEREXPOSURE - EYE CONTACT: May cause eye irritation. Signs and symptoms may include: pain, tears, swelling, redness and blurred vision. May cause eye irritation.

EFFECT OF OVEREXPOSURE - INGESTION: Under normal use conditions, this product is not expected to cause adverse health effects. Single dose oral toxicity is very low. Amounts ingested incidental to industrial handling are not likely to cause injury; however, ingestion of large amounts may cause injury. Ingestion may cause irritation to mucous membranes. Ingestion may result in obstruction when material hardens.

CARCINOGENICITY: No Information

EFFECT OF OVEREXPOSURE - CHRONIC HAZARDS: Contains Crystalline Silica which has been determined to be carcinogenic to humans (1) by IARC when in respirable form. Risk of cancer depends upon duration and level of inhalation exposure to dust from sanding the dried paint or spray mist. The International Agency for Research on Cancer (IARC) has determined that crystalline silica in the form of quartz or cristobalite that is inhaled from occupational sources is carcinogenic to humans (Group 1- carcinogenic to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (published in June 1997) in conjunction with the use of these materials. The National Toxicology Program (NTP) classifies respirable crystalline silica as "known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (Group A2). Breathing dust containing respirable crystalline silica may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may have the following serious chronic health effects: Excessive inhalation of respirable dust can cause pneumoconiosis, a respiratory disease, which can result in delayed, progressive, disabling and sometimes fatal lung injury. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness and reduced pulmonary function. Smoking exacerbates this disease. Individuals with pneumoconiosis are predisposed to develop tuberculosis. There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as

scleroderma (an immune system disorder manifested by fibrosis of the lungs, skin and other internal organs) and kidney disease. Prolonged or repeated inhalation of dust may cause lung damage.

PRIMARY ROUTE(S) OF ENTRY: Eye Contact, Ingestion, Inhalation, Skin Contact

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below

<u>CAS-No.</u> 26499-65-0	<u>Chemical Name</u> Plaster of paris	<u>Oral LD50</u> >2000 mg/kg Rat	<u>Dermal LD50</u> N.I.	<u>Vapor LC50</u> >20 mg/L
1317-65-3	Limestone	6450 mg/kg Rat	>2000 mg/kg	>20 mg/L
14808-60-7	Quartz	500 mg/kg Rat	>2000 mg/kg	>20 mg/L

N.I. = No Information

12. Ecological Information

ECOLOGICAL INFORMATION: Ecological injuries are not known or expected under normal use.

13. Disposal Information

DISPOSAL INFORMATION: This product does not meet the definition of a hazardous waste according to U.S. EPA Hazardous Waste Management Regulation, 40 CFR Section 261. Dispose as hazardous waste according to all local, state, federal and provincial regulations. State and Local regulations/restrictions are complex and may differ from Federal regulations. Responsibility for proper waste disposal is with the owner of the waste.

14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No Information

DOT UN/NA Number:	N.A.
DOT Proper Shipping Name:	Not Regulated.
DOT Technical Name:	N.A.
DOT Hazard Class:	N.A.
Hazard SubClass:	N.A.
Packing Group:	N.A.

15. Regulatory Information

U.S. Federal Regulations:

CERCLA - SARA Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard, Chronic Health Hazard

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

TOXIC SUBSTANCES CONTROL ACT:

All ingredients in this product are either on TSCA inventory list, or otherwise exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPORODUCTIVE TOXINS

CALIFORNIA PROPOSITION 65: No Information

International Regulations: As follows -

CANADIAN WHMIS:

This SDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class Consumer Commodity

16. Othe	r Informa [.]	tion					
Revision Da	ite:		6/19/2015		S	upersedes Date:	New MSDS
Reason for	revision:		HazCom2012/0	GHS Conversion			
Datasheet produced by: Regulatory Department							
HMIS Ratir	ngs:						
Health:	2	Flammability:	0	Reactivity:	0	Personal Protecti	on: X

VOC Less Water Less Exempt Solvent, g/L0.0

VOC Material, g/L:0

VOC as Defined by California Consumer Product Regulation, Wt/Wt%:0.0

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H270 May cause or intensify fire; oxidiser.

H302 Harmful if swallowed.

Icons for GHS Pictograms shown in Section 3 describing each ingredient:

GHS03	٢
GHS07	()

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

DAP believes the data and statements contained herein are accurate as of the date hereof. They are offered in good faith as typical values and not as a product specification. NO WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE WITH REGARD TO THE INFORMATION HEREIN PROVIDED OR THE PRODUCT TO WHICH THE INFORMATION REFERS. Since thisdocument is intended only as a guide to the appropriate use and precautionary handling of the referenced product by a properly trained person, it is therefore the responsibility of the user to (i) review the recommendations with due consideration for the specific context of the intended use and (ii) determine if they are appropriate.

MATERIAL SAFETY DATA SHEET

04/03/2018

1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER OR DISTRIBUTOR	: Bangkit USA INC 10511 Valley Boulevard El Monte, CA 91731
INFORMATION TELEPHONE NUMBER	: 626-672-0888
EMERGENCY TELEPHONE NUMBER	: Call Local Poison Control Center
PRODUCT NAME	: BAZIC MODELING DOUGHS

2. COMPOSITION ON INGREDIENTS

INGREDIENT NAME	CAS#
Starch Soluble	9005-84-9
Water	7732-18-5
Sodium Chloride	7647-14-5
Glycerol	56-81-5
Pigment Colors	

3. HAZARD IDENTIFICATION

This product, when used under reasonable conditions and accordance with the normal use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's direction for use may affect the performance of the product and may present potential health and safety hazards.

POTENTIAL HEALTH EFFECTS

Eye Contact	: is not expected to occur during normal use of the product.
Skin Contact	: is not expected to result in significant irritation during product use.
Inhalation	: is not expected to occur during normal use of the product.
Ingestion	: no health effects are expected.

4. FIRST AID MEASURES

Skin contact: No effect of exposures expected.Eye contact: No effect of exposure expected.Inhalation: No effect of exposure expected.Ingestion: If the product is swallowed, please contact physician immediately.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES Flammable : N/A Flash point : 350° C

EXTINGUISHING MEDIA

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam)

PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures : water may be used to blanket the fire Unusual Fire and Explosion Hazards : no unusual fire or explosion hazards are anticipated.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures : Not Applicable

7. HANDLING AND STORAGE

HANDLING Use methods to minimize dust.

STORAGE

Store and handle in accordance with all current regulations and standards. See original containers for storage recommendations. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS Not Applicable

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection	: Not Applicable.
Skin Protection	: Not applicable. Gloves not normally required. Avoid
	prolonged or repeated skin contact.
Respiratory Protection	: Under normal use conditions, airborne exposures are not
	expected to be significant enough to require respiratory
	protection.
Prevention of Swallowing	: Not an expected route of exposure.

EXPOSURE GUIDELINES None Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Solid	Flash Point	: N/A
Physical Sate	: Solid	Flammability	: N/A
Physical Form	: Solid	Vapor Pressure	: N/A
Color	: Assorted colors	Vapor Density (air=1)	: N/A
Odor	: Odorless	Evaporation Rate	: N/A
Odor Threshold	: N/A	Specific Gravity	: N/A
pH	: N/A	Density	: N/A
Melting Point	: N/A	Water Solubility	: N/A
Freezing Point	: N/A	Coeff. Water/Oli Dist	: N/A
Boiling Point	: N/A	Volatility	: N/A
Viscosity	: N/A		

10. STABILITY AND REACTIVITY

Chemical Stability	: Stable at normal temperatures and pressure.
Conditions to Avoid	: None reported.
Materials to Avoid	: Oxidizing materials.
Decomposition Products	: Oxides of carbon.
Possibility of Hazardous Reactions	: Will not polymerize.

11. TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION Not determined

CHEMICAL FATE INFORMATION Not determined

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method : Dispose in accordance with all applicable regulations

Since regulations vary, consult applicable regulations or authorities before disposal.

14. TRANSPORT INFORMATION

No special requirement

15. REGULATORY INFORMATION

Not available

16. OTHER INFORMATION

Not available

DISCLAIMER : the information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Bazic Products MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Bazic product is fit for particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Bazic product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Bazic product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 09/26/2016 Revision date: 01/31/2018 Version: 1.0

SECTION 1: Identification of the	substance/mixture and of the co	mnany/undertaking	
1.1. Product identifier		inpany/undertaking	
Product name	: Sakrete Sands & Gravel		
Product code	: Not available		
	substance or mixture and uses advised a	against	
Recommended use	: Various		
1.3. Details of the supplier of the sa	fety data sheet		
Sakrete of North America 625 Griffith Rd., Ste 100 Charlotte, NC 28217 T 866-725-7383			
1.4. Emergency telephone number			
Emergency number	: For Hazardous Materials [or Dang Spill, Leak, Fire, Exposure, or Acci Call CHEMTREC Day or Night 1-800-424-9300 [USA] / +1 703-52	dent	
SECTION 2: Hazards identification			
2.1. Classification of the substance	or mixture		
GHS-US classification			
Carc. 1A			
STOT RE 1			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS08		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)		je to organs through prolonged or rep	•
Precautionary statements (GHS-US)	read and understood. Wear protec Do not breathe dust/fume/gas/mist eat, drink or smoke when using thi	use. Do not handle until all safety pred tive gloves/protective clothing/eye pro /vapors/spray. Wash hands thoroughl s product. If exposed or concerned: G Dispose of contents/container in acco I regulations.	tection/face protection. y after handling. Do not iet medical
2.3. Other hazards			
No additional information available.			
2.4. Unknown acute toxicity (GHS U	S)		
Not applicable.			
SECTION 3: Composition/Inform	ation on ingredients		
3.1. Substances			
Not applicable.			
3.2. Mixtures			
Name		Product identifier	%
Quartz		(CAS No) 14808-60-7	60 - 100



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3. Indication of any immediate medic	al attention and special treatment needed
Symptoms may not appear immediately. In case o	of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Treat for surrounding material.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the s	
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
5.3. Advice for firefighters	
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.2. Methods and material for containm	nent and cleaning up
For containment	: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up	: Vacuum or sweep material and place in a disposal container.
6.3. Reference to other sections	
	ive clothing and equipment and section 13 for advice on waste disposal.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Do not breathe dust. Do not swallow. Handle and open container with care. Avoid dust formation. Good housekeeping is important to prevent
	accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. When using do not eat, drink or smoke.
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Avoid any dust build-up by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers.
7.3. Specific end use(s)	
Not available.	

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

-	· /	
SECTION 8: Exposure of	controls/personal protection	
8.1. Control parameters		
Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m ³ (respirable fraction)
OSHA	OSHA PEL (mg/m³)	(30)/(%SiO2 + 2) mg/m3 TWA (total dust) (250)/(%SiO2 + 5) mppcf TWA (respirable fraction) (10)/(%SiO2 + 2) mg/m3 TWA (respirable fraction)
8.2. Exposure controls		
Appropriate engineering control	Is : Use ventilation adequate to keep recommended exposure limits.	o exposures (airborne levels of dust, fume, vapor, etc.) below
Hand protection	: Wear suitable waterproof gloves	
Eye protection	: Wear approved eye protection (p and face protection (face shield)	properly fitted dust- or splash-proof chemical safety goggles)
Skin and body protection	: Wear suitable waterproof protect	tive clothing.
Respiratory protection	or when permissible exposure lir used under the direction of a trai	r filtering facepiece is recommended in poorly ventilated areas nits may be exceeded. Respirators should be selected by and ined health and safety professional following requirements dard (29 CFR 1910.134) and ANSI's standard for respiratory
Environmental exposure contro	Is : Maintain levels below Communit	y environmental protection thresholds.
Other information		material is handled, processed or stored. Wash hands carefully according to established industrial hygiene and safety practices.

	before eating or smoking. Handle according to established industrial hygiene and safety practices.
SECTION 9: Physical and chemical p	properties
9.1. Information on basic physical and c	
Physical state	: Solid
Appearance	: Granular powder
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available.	

additional information available.



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

according to the Hazard Communication Standard (CFR2	29 1910.1200) HazCom 2012.
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No dangerous reaction known under conditions	of normal use.
10.2. Chemical stability	
Stable under normal storage conditions. Keep dr	ry in storage.
10.3. Possibility of hazardous reactions	
No dangerous reaction known under conditions	of normal use.
10.4. Conditions to avoid	
Heat. Incompatible materials.	
10.5. Incompatible materials	te uzite en internet internet de la construction en et el
· .	le with acid, ammonium salts and aluminum metal.
10.6. Hazardous decomposition products	
May include, and are not limited to: oxides of car	bon.
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Sakrata Sanda & Cravel	
Sakrete Sands & Gravel LD50 oral rat	No data available
LD50 dermal rat	No data available
LC50 inhalation rat	No data available
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: May cause cancer.
	•
Quartz (14808-60-7)	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens
Reproductive toxicity	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure. Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear
Symptoms/injuries after ingestion	production, with possible redness and swelling. : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
SECTION 12: Ecological information	
12.1. Toxicity	. No ecological consideration when used according to directions. Normal dilution of this product to
Ecology - general	: No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.
12.2. Persistence and degradability	
Sakrete Sands & Gravel	

Sakrete Sands & Gravel		
Persistence and degradability	Not established.	
01/31/2018	EN (English US)	4/5



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

12.3. Bioaccumulative potential	
Sakrete Sands & Gravel	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available.	
12.5. Other adverse effects	
Effect on global warming	: No known effects from this product.
	·
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated for transport	
Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	n
15.1. US Federal regulations	
All components of this product are listed, or ex Control Act (TSCA) inventory	cluded from listing, on the United States Environmental Protection Agency Toxic Substances
15.3. US State regulations	
Sakrete Sands & Gravel	
State or local regulations	This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.
SECTION 16: Other information	
Date of issue	: 09/26/2016
Revision date	: 01/31/2018
Other information	: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

