# SAFETY DATA SHEET

Section 1 Chemical Product and Company Identification

Benedict's Sugar Test Reagent ; Benedict's Solution ; Benedict's Qualitative Reagent

**BENEDICT'S QUALITATIVE SOLUTION** 

## HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Product Synonyms

#### Page E1 of E2

#### CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only. Not for drug, food or household use.

Section 2 Hazards Identification	
<ul> <li>Signal word: WARNING Pictograms: GHS07 / GHS09</li> <li>Target organs: Liver, kidneys.</li> <li>Image: Signal word: Liver, kidneys.</li> <li>Image: Signal word: Sign</li></ul>	<ul> <li>Precautionary statement(s):</li> <li>P261: Avoid breathing mist/vapours/spray.</li> <li>P264: Wash hands thoroughly after handling.</li> <li>P270: Do not eat, drink or smoke when using this product.</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P273: Avoid release to the environment.</li> <li>P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.</li> <li>P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P332+P313: If skin irritation occurs: Get medical attention.</li> <li>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313: If eye irritation persists: Get medical attention.</li> <li>P391: Collect spillage.</li> <li>P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.</li> </ul>

#### Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on Ingredients				
Chemical Name		CAS #	%	EINECS	
Water		7732-18-5	77.9%	231-791-2	
Sodium citrate		68-04-2	13.7%	200-675-3	
Sodium carbonate		497-19-8	6.9%	207-838-8	
Cupric sulfate, pentahyo	drate	7758-99-8	1.5%	231-847-6 (anhydrous)	

#### Section 4 First Aid Measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

#### Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

### Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling & Storage

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. For laboratory use only. Not for drug, food or household use. Keep out of reach of children.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, spray or mist. Wash thoroughly after handling. Remove and wash clothing before reuse.

#### Storage: Store in a cool, well-ventilated area away from incompatible substances. Section 8 **Exposure Controls / Personal Protection**

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Emilio.	Cupric sulfate	TWA: 0.2 mg/m <sup>3</sup> copper fume as Cu	None established.	None established.

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical & Chemical Prop	erties	
Appearance: Clear, pale blue liquid. Odor: No odor. Odor threshold: N/A pH: N/A Melting / Freezing point: ~ 0°C (~ 32°F) [water] Boiling point: ~ 100°C (212°F) [water] Flash point: Not flammable.	Evaporation rate ( = 1): < 1 Flammability (solid/gas): N/A Explosion limits: Upper: N/A Lower: N/A Vapor pressure (mm Hg): 14 [water] Vapor density (Air = 1): 0.7 [water] Relative density (Specific gravity): 1.0 [water] Solubility(ies): Complete.	Partition coefficient: (n-octanol / water): N/A Auto-ignition temperature: N/A Decomposition temperature: N/A Viscosity: N/A Molecular formula: Mixture. Molecular weight: Mixture.
Section 10 Stability & Reactivity		

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation

Incompatibilities with other materials: Acids and strong oxidizers.

Hazardous decomposition products: Carbon oxides.

#### Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 300 mg/kg (Copper sulfate) - Dermal-rat LD50: >1000 mg/kg (Copper sulfate) - Inhalation-rat LC50: 2.3 mg/l 2 hour (Sodium carbonate) Skin corrosion/irritation: Slightly irritating

Serious eye damage/irritation: Slightly irritating

Respiratory or skin sensitization: Not a sensitizer

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed

Skin: Contact may cause irritation.

Eyes: Contact may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: Not available for this mixture.

#### Section 12 **Ecological Information**

Toxicity to fish: Salmo gairdneri (Fish, estuary, fresh water) LC50: < .75-.84 mg/l Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available

PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 **Disposal Considerations** 

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency. sport Information (US DOT / CANADA TDG) ection 14

••••							
UN/NA number: N Hazard class: Not a Exceptions: Not a	applicable	Shipping name: Packing group: 2016 ERG Guide	Not applicable	Reportable Qua	ntity: No	Ма	arine pollutant: No
Section 15	Regulatory Informa	tion					
A chemical is considered to	o be listed if the CAS num	ber for the anhydrous for	rm is on the Inventory list.				
Component	t	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
All components listed w	vith TSCA.						This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Section 16	Other Information						
The information contained	berein is furnished without	it warranty of any kind	Employers should use this i	nformation only as a su	nnlement to other	information dath	ered by them and must make indepen-

dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook Form 06/2015

# SAFETY DATA SHEET

# CORROSIVE STORAGE CODE WHITE

#### Section 1 **Chemical Product and Company Identification**

# HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com Page E1 of E2

#### **CHEMTREC 24 Hour Emergency USA** Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only. Not for drug, food or household use.

Product CALCIUM HYDROXIDE	
Synonyms Hydrated Lime / Slaked Lime / Caustic Lime / Calcium Hydrate	
Section 2 Hazards Identification	
Signal word: DANGER Pictograms: GHS05 Target organs: Eyes, Skin, Respiratory system GHS Classification: Skin corrosion (Category 1B) Eye damage (Category 1) GHS Label information: Hazard statement: H314: Causes severe skin burns and eye damage.	<ul> <li>Precautionary statement:</li> <li>P260: Do not breathe dust.</li> <li>P264: Wash hands thoroughly after handling.</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P363: Wash contaminated clothing before reuse.</li> <li>P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P310: Immediately call a POISON CENTER or doctor.</li> <li>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P405: Store locked up.</li> <li>P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.</li> </ul>

#### Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on	Composition / Information on Ingredients				
Chemical Name		CAS #	%	EINECS		
Calcium hydroxide		1305-62-0	>98%	215-137-3		
Section 4	First Aid Measures					

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE BURNS AND EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

#### Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

#### Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Calcium hydroxide	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> Respirable fraction	TWA: 5 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

approtoa toophaton						
Section 9 Physical & Chemical I	Properties					
Appearance: Solid. White to yellow powder. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: as CaO 2850°C (5162°I Boiling point: as CaO 579°C (1076°F) Flash point: Not flammable	Flammability (so Explosion limits Vapor pressure F) Vapor density (A Relative density	e ( = 1): Data not a blid/gas): Data not : Lower / Upper: I (mm Hg): Data not Air = 1): Data not (Specific gravity): 0.185% @ 0°C in wa	available. Data not available available railable 2.24	Auto-ignitic Decomposi Viscosity: Molecular f		: Data not available <b>re:</b> Data not available. le.
Section 10 Stability & Reactivity						
Chemical stability: Stable Conditions to avoid: Absorbs CO <sub>2</sub> from air to		s polymerization:	Will not occur.			
<b>Incompatible materials:</b> Acids, fluorine.						
Hazardous decomposition products: None k	nown.					
Section 11 Toxicological Information	tion					
Respiratory or skin sensitization: Data not av Germ cell mutagenicity: Data not available Carcinogenity: Data not available NTP: No component of this product present at le IARC: No component of this product present at I OSHA: No component of this product present at Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available STOT-repeated exposure: Data not available Potential health effects: Inhalation: Inhalation may cause sore throat, bu Ingestion: Ingestion may cause burning sensati Skin: Contact with skin causes redness, roughr Eyes: Contact with eyes causes redness, pain, Signs and symptoms of exposure: Exercise : Additional information: RTECS #: EW28000	evels greater than or eq evels greater than or eq levels greater than or e levels greater than or e anning sensation. on, abdominal pain, ab ess, pain, dry skin, bur severe deep burns. appropriate procedures	qual to 0.1% is ident equal to 0.1% is ider dominal cramps, vor ns, blisters.	ified as probable, po tified as a carcinoge niting.	ssible or confirm	med human card	0
Toxicity to fish: Gambusia affinis (fish, fresh w Toxicity to daphnia and other aquatic inverte Toxicity to algae: No data available Persistence and degradability: No data availa Mobility in soil: No data available	Persistence and degradability: No data available       Bioaccumulative potential: No data available         Mobility in soil: No data available       PBT and vPvB assessment: No data available         Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.					
These disposal guidelines are intended for						
regulations may be different. Dispose of in Section 14 Transport Information			eral regulations or	contract with	a licensed che	emical disposal agency.
Hazard class: Not applicable F	hipping name: No acking group: No 016 ERG Guide #া	t applicable	Reportable Qu	antity: No	Ma	arine pollutant: No
Section 15 Regulatory Informatio	n					
A chemical is considered to be listed if the CAS number						
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Calcium hydroxide	Listed	Not listed	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Section 16 Other Information						
The information contained herein is furnished without w dent determinations of suitability and completeness of IARC: International Agency for Research on Cancer, O ERG: Emergency Response Guidebook.	information from all source	es to assure proper use	of these materials and	the safety and he	ealth of employees	s. NTP: National Toxicology Program,

Form 06/2015

# SAFETY DATA SHEET

Page E1 of E2

#### Section 1 Chemical Product and Company Identification

# HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

# CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300

1 703-741-5500 (from anywhere in the world). For laboratory and industrial use only. Not for drug, food or household use.

# Product IODINE-POTASSIUM IODIDE SOLUTION

Synonyms Iodine-Iodide / Iodine Solution / Iodine / Iodine Lugol's Dilute / Gram's Iodine Solution / Dilute Lugol's Solution

#### Section 2 Hazards Identification

#### Signal word: WARNING

Pictograms: GHS07 / GHS09 Target organs: Thyroid, kidneys, endocrine system, skin, eyes, reproductive system. central nervous system.



#### **GHS Classification:**

Acute toxicity, dermal (Category 4) Acute toxicity, inhalation (Category 4) Aquatic toxicity, acute (Category 1)

#### GHS Label information: Hazard statement(s):

H312: Harmful in contact with skin. H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

#### Precautionary statement(s):

P261: Avoid breathing mist/vapours/spray.
P271: Use only outdoors or in a well-ventilated area.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of water and soap.
P312: Call a POISON CENTER or doctor if you feel unwell.
P362+P364: Take off contaminated clothing and wash it before reuse.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312: Call a POISON CENTER or doctor if you feel unwell.
P312: Call a POISON CENTER or doctor if you feel unwell.
P391: Collect spillage.
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

#### Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Water Potassium iodide Iodine		7732-18-5 7681-11-0 7553-56-2	95.10% 3.05% 1.85%	231-791-2 231-659-4 231-442-4	
Section 4	First Aid Measures				

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Harmful if inhaled.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention. Harmful in contact with skin.

#### Section 5 Fire Fighting Measures

Extinguishing Media: Use any media suitable for extinguishing supporting fire.

General information: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

#### Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling & Storage

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, mist or spray. Wash thoroughly after handling. Remove and wash clothing before reuse.

#### Storage: Store in a cool, well-ventilated area away from incompatible substances. Section 8 **Exposure Controls / Personal Protection** Chemical Name ACGIH (TLV) OSHA (PEL) NIOSH (REL) Exposure Limits: TWA: 0.01 ppm<sup>(IFV)</sup>/ STEL: 0.1 ppm<sup>(V)</sup> Iodine CAS # 7553-56-2 STEL: C 0.1 ppm/C 1 mg/m<sup>3</sup> STEL: C 0.1 ppm/C 1 mg/m<sup>3</sup> Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low. Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator. **Physical & Chemical Properties** Section 9 Appearance: Deep amber liquid. Evaporation rate (Water = 1): < 1 Partition coefficient: (n-octanol / water): Not applicable Odor: Characteristic odor Flammability (solid/gas): Not applicable. Auto-ignition temperature: Not applicable Odor threshold: Not applicable. Explosion limits: Lower / Upper: Not applicable Decomposition temperature: Data not available. pH: Data not available. Vapor pressure (mm Hg): 14 [water] Viscosity: Data not available. Melting / Freezing point: ~ 0°C (~ 32°F) [water] Vapor density (Air = 1): 0.7 [water] Molecular formula: Mixture Boiling point: ~ 100°C (212°F) [water] Relative density (Specific gravity): 1.0 [water] Molecular weight: Mixture Flash point: Not flammable. Solubility(ies): Complete in water. Section 10 Stability & Reactivity Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Stable under recommended storage conditions. Excessive temperatures which cause evaporation. Incompatibilities with other materials: Metals or unsaturated organic compounds, ammonia solutions or alkaline solutions of ammonia salts. Will form explosive nitrogen iodides when reacted with gaseous ammonia. Hazardous decomposition products: Toxic iodide fumes Section 11 **Toxicological Information** Acute toxicity: Oral-Rat LD50: 14,000 mg/kg [lodine CAS # 7553-56-2] Skin corrosion/irritation: Data not available Serious eve damage/irritation: Data not available Respiratory or skin sensitization: Inhalation-rat 3.1 mg/m3 / 24 hour / 13 weeks - continuous [lodine CAS # 7553-56-2] Germ cell mutagenicity: Data not available Carcinogenity: Data not available IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available Potential health effects: Inhalation: Symptoms include cough, wheezing, and labored breathing. Symptoms may be delayed. Ingestion: Causes abdominal pain, diarrhea, nausea, and vomiting. Ingestion of levels of 2-3 grams of iodine may cause death. Skin: Contact may cause redness and pain. Eyes: Contact causes watering of the eyes, redness and pain. Signs and symptoms of exposure: Effects of short-term exposure: Lachrymator. The substance is severely irritating to the eyes and the respiratory tract, and is irritating to the skin. Inhalation of the vapor may cause asthma-like reactions. Inhalation of the vapor may cause lung edema. The effects may be delayed. Effects of long-term exposure: Repeated or prolonged contact may cause skin sensitization in rate cases. Repeated or prolonged inhalation exposure may cause asthma-like syndrome. The substance may have effects on the thyroid. Specific data not available for this mixture. Exercise appropriate procedures to minimize potential hazards.. Additional information: RTECS #: NN1575000 [lodine CAS # 7553-56-2] Section 12 **Ecological Information** Toxicity to fish: Very toxic to aquatic life. Toxicity to daphnia and other aquatic invertebrates: No data available Toxicity to algae: No data available Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. **Disposal Considerations** Section 13 These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency. Transport Information (US DOT / CANADA TDG) Section 14 UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No Exceptions: Not applicable 2016 ERG Guide # Not applicable **Regulatory Information** Section 15 A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list. CERLCA (RQ) RCRA code DSL NDSL Component TSCA CA Prop 65 This product does not contain lodine Listed Not listed Not listed Listed Not listed any chemicals known to the State Potassium iodide Listed Not listed Not listed Listed Not listed of California to cause cancer or reproductive toxicity. Section 16 **Other Information** The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure,

ERG: Emergency Response Guidebook

## SAFETY DATA SHEET

Section 1 Chemical Product and Company Identification

1% PHENOLPHTHALEIN IN ISOPROPYL ALCOHOL SOLUTION

## HOME SCIENCE TOOLS

1% Phenolphthalein in IPA

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Product Synonyms

# Page E1 of E2

#### CHEMTREC 24 Hour Emergency USA Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world).

For laboratory and industrial use only. Not for drug, food or household use.

Section 2 Hazards Identification	
<ul> <li>Signal word: DANGER</li> <li>Pictograms: GHS02 / GHS07 / GHS08</li> <li>Target organs: Central nervous system, Liver, Kidneys.</li> <li>Image: Signal word: Dawn of the system of the system</li></ul>	<ul> <li>Precautionary statement(s):</li> <li>P201: Obtain special instructions before use.</li> <li>P202: Do not handle until all safety precautions have been read and understood.</li> <li>P210: Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P233: Keep container tightly closed.</li> <li>P240: Ground/bond container and receiving equipment.</li> <li>P241: Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>P243: Take precautionary measures against static discharge.</li> <li>P260: Do not breathe fume/gas/mist/vapours/spray.</li> <li>P264: Wash hands thoroughly after handling.</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</li> <li>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312: Call a POISON CENTER or doctor/physician if you feel unwell.</li> <li>P303+P313: If eye irritation persists: Get medical advice/attention.</li> <li>P362: Take off contaminated clothing and wash before reuse.</li> <li>P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.</li> <li>P403+P235: Store in a well-ventilated place. Keep cool.</li> <li>P501: Dispose of contents/container to a licensed chemical disposal agency in</li> </ul>
Hazards not otherwise classified: Health hazards not otherwise classified (HHNQC) - Not Known	accordance with local/regional/national regulations.

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / Information on Ingredients				
Chemical Name		CAS #	%	EINECS	
Isopropyl alcohol Water Phenolphthalein		67-63-0 7732-18-5 77-09-8	70% 29% 1%	200-661-7 231-791-2 201-004-7	
Section 4	First Aid Measures				

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL. IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

#### Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Protection								
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)					
Exposure Linits.	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m <sup>3</sup>	TWA: 400 ppm / STEL: 500 ppm					

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9	Physical & Chemical Prop	erties					
Boiling point: Appro	or. Data not available.	Flammability ( Explosion limi Vapor pressur Vapor density Relative density	ate (Butyl acetate = 1) solid/gas): Data not a ts: Lower / Upper: 2 e (mm Hg): 33 mm @ (Air = 1): 2.1 [Pure IP (Specific gravity): 0.8* : Complete in water.	available. % / 12% [Pure IPA] 20°C [Pure IPA]	Auto-ignitio Decompos Viscosity: Molecular	n temperature: 39	re
Section 10	Stability & Reactivity						
	: Stable id: Excessive temperatures, heat erials: Strong oxidizing materials,	, sparks, open fla		of ignition.	compoundo a	oon rooot vigorou	
•	position products: Oxides of ca			i, oleuni, chionnaleu	compounds c	an react vigorou	siy with this aconol.
Section 11	Toxicological Information						
Carcinogenity: Da NTP: Reasonably a IARC classified: Gr OSHA: No compon CA Prop 65: A WA Reproductive toxi STOT-single expo STOT-repeated ex	nicity: Data not available ata not available anticipated to be a human carcinog roup 2B: Possibly carcinogenic to l nent of this product present at leve RNING! :This product can expose icity: Data not available sure: The substance or mixture is rposure: Data not available	numans. [Pheno s greater than o you to Phenolp	lphthalein] r equal to 0.1% is iden hthalein, which is know	n to the State of Ča	ifornia to caus	se cancer.	
and irritation of the Ingestion: Aspiratio develop if this occu Skin: Prolonged or Eyes: Contact cau Signs and sympto	Yes ffects: on of high vapor concentrations m throat. Continued inhalation may on hazard. Liquid can directly ente	résult in uncons er the lungs (asp ition and drying, welling, and/or b nealth effects ab	ciousness and death. irated) when swallowe cracking and defatting lurred vision. ove.	d or vomited. Seriou of the skin which ca	is lung damag	ge and possible fa	
Potential health ef Inhalation: Inhalati and irritation of the Ingestion: Aspiratic develop if this occu Skin: Prolonged or Eyes: Contact cau Signs and sympto Additional information Section 12	Yes ffects: on of high vapor concentrations m throat. Continued inhalation may on hazard. Liquid can directly enter rs. r repeated contact may cause irrita ses burning sensation, redness, s oms of exposure: See Potential h ation: RTECS #: NT8050000 [Iso Ecological Information	résult in uncons er the lungs (asp ttion and drying, welling, and/or b tealth effects ab opropanol] / SM&	ciousness and death. irated) when swallowe cracking and defatting lurred vision. ove. 3380000 [Phenolphtha	d or vomited. Seriou of the skin which ca lein]	is lung damag	ge and possible fa	
Potential health ef Inhalation: Inhalati and irritation of the Ingestion: Aspiratic develop if this occu Skin: Prolonged or Eyes: Contact cau Signs and sympto Additional informa Section 12 Toxicity to fish: P Toxicity to fish: P Toxicity to daphni: Toxicity to algae: S Persistence and d Mobility in soil: N Other adverse effe Section 13 These disposal g	Yes	résult in uncons er the lungs (asp ition and drying, welling, and/or b ealth effects ab opropanol] / SM8 vater) LC50: 964 s: Daphnia mag b), LOEC50 = 1, Bioaccum PBT and v nnot be exclude	ciousness and death. irated) when swallowe cracking and defatting lurred vision. ove. 3380000 [Phenolphtha 0 mg/l/96 hours [Isopro na (Crustacia), EC50 = 300 mg/l/7 days [Isopro ulative potential: No PvB assessment: No d in the event of unpro	d or vomited. Seriou of the skin which ca lein] = >10,000 mg/l/24 ho ppanol] data available o data available fessional handling of nly. Federal regul	is lung damag n lead to derr burs [Isopropa disposal. ations may a	ge and possible fa natitis. Inol]	atal chemical pneumonia ca
Potential health ef Inhalation: Inhalati and irritation of the Ingestion: Aspiratic develop if this occu Skin: Prolonged or Eyes: Contact cau Signs and sympto Additional informa Section 12 Toxicity to fish: P Toxicity to fish: P Toxicity to daphni. Toxicity to algae: S Persistence and d Mobility in soil: N Other adverse effet Section 13 These disposal gr regulations may b	Yes ffects: on of high vapor concentrations m throat. Continued inhalation may on hazard. Liquid can directly enter repeated contact may cause irrita ses burning sensation, redness, s oms of exposure: See Potential h ation: RTECS #: NT8050000 [Iso Ecological Information Timephales promelas (Fish, fresh w a and other aquatic invertebrate Scenedesmus quadricauda (Algae legradability: No data available to data available ects: An environmental hazard ca Disposal Considerations uidelines are intended for the constant of the	résult in uncons er the lungs (asp tition and drying, welling, and/or b health effects ab opropanol] / SM8 vater) LC50: 964 (s: Daphnia mag (), LOEC50 = 1, Bioaccum PBT and v nnot be exclude isposal of cata rdance with al	ciousness and death. irated) when swallowe cracking and defatting lurred vision. ove. 3380000 [Phenolphtha 0 mg/l/96 hours [Isopro na (Crustacia), EC50 = 300 mg/l/7 days [Isopro ulative potential: No PvB assessment: No d in the event of unpro log-size quantities o I local, state and fede	d or vomited. Seriou of the skin which ca lein] = >10,000 mg/l/24 ho ppanol] data available o data available fessional handling of nly. Federal regul	is lung damag n lead to derr burs [Isopropa disposal. ations may a	ge and possible fa natitis. Inol]	atal chemical pneumonia ca
Potential health ef Inhalation: Inhalati and irritation of the Ingestion: Aspiratic develop if this occu Skin: Prolonged or Eyes: Contact cau Signs and sympto Additional informa Section 12 Toxicity to fish: P Toxicity to fish: P Toxicity to daphni: Toxicity to daphni: Toxicity to algae: S Persistence and d Mobility in soil: N Other adverse effe Section 13 These disposal gr regulations may b Section 14 UN/NA number: Hazard class: 3	Yes ffects: on of high vapor concentrations m throat. Continued inhalation may on hazard. Liquid can directly ente irs. r repeated contact may cause irrita ses burning sensation, redness, s oms of exposure: See Potential h ation: RTECS #: NT8050000 [Ise Ecological Information timephales promelas (Fish, fresh v a and other aquatic invertebrate Scenedesmus quadricauda (Algae legradability: No data available lo data available acts: An environmental hazard ca Disposal Considerations uidelines are intended for the c be different. Dispose of in accc Transport Information (US UN1219 Shipping i	résult in uncons er the lungs (asp ition and drying, welling, and/or b ealth effects ab opropanol] / SM8 vater) LC50: 964 s: Daphnia mag i), LOEC50 = 1,8 Bioaccum PBT and v nnot be exclude iisposal of cata ordance with al 5 DOT / CANAI name: Isopro roup: II	ciousness and death. irated) when swallowe cracking and defatting lurred vision. ove. 3380000 [Phenolphtha 0 mg/l/96 hours [Isopro na (Crustacia), EC50 = 300 mg/l/7 days [Isopro ulative potential: No PvB assessment: No d in the event of unpro log-size quantities o I local, state and fed DA TDG) panol solution Reportal	d or vomited. Seriou of the skin which ca lein] = >10,000 mg/l/24 ho ppanol] data available o data available fessional handling of nly. Federal regul	is lung damag n lead to derr burs [Isopropa disposal. ations may a	e and possible fa natitis. nol] pply to empty co n a licensed che	atal chemical pneumonia ca
Potential health ef Inhalation: Inhalati and irritation of the Ingestion: Aspiratic develop if this occu Skin: Prolonged or Eyes: Contact cau Signs and sympto Additional informa Section 12 Toxicity to fish: P Toxicity to fish: P Toxicity to daphni: Toxicity to algae: S Persistence and d Mobility in soil: N Other adverse effe Section 13 These disposal gr regulations may b Section 14 UN/NA number: Hazard class: 3 Exceptions: Lin Section 15	Yes ffects: on of high vapor concentrations m throat. Continued inhalation may on hazard. Liquid can directly enter repeated contact may cause irrita ses burning sensation, redness, s oms of exposure: See Potential h ation: RTECS #: NT8050000 [Ise Ecological Information timephales promelas (Fish, fresh w a and other aquatic invertebrate Scenedesmus quadricauda (Algae legradability: No data available to data available acts: An environmental hazard ca Disposal Considerations uidelines are intended for the co be different. Dispose of in acco Transport Information (US UN1219 Shipping r a Regulatory Information	résult in uncons er the lungs (asp ition and drying, welling, and/or b ealth effects ab opropanol] / SM4 vater) LC50: 964 s: Daphnia mag b), LOEC50 = 1,{ Bioaccum PBT and v nnot be exclude isposal of cata ordance with al 5 DOT / CANAI name: Isopro roup: Il than 1 L	ciousness and death. irated) when swallowe cracking and defatting lurred vision. ove. 3380000 [Phenolphtha 0 mg/l/96 hours [Isopro- na (Crustacia), EC50 = 300 mg/l/7 days [Isopro- ulative potential: No PvB assessment: No d in the event of unpro- log-size quantities o I local, state and fed- DA TDG) panol solution Reportal 2016 ER	d or vomited. Seriou of the skin which ca lein] =>10,000 mg/l/24 ho ppanol] data available fessional handling or nly. Federal regul eral regulations or	is lung damag n lead to derr burs [Isopropa disposal. ations may a	e and possible fa natitis. nol] pply to empty co n a licensed che	atal chemical pneumonia ca container. State and/or lo emical disposal agency.
Potential health ef Inhalation: Inhalati and irritation of the Ingestion: Aspiratic develop if this occu Skin: Prolonged or Eyes: Contact cau Signs and sympto Additional informa Section 12 Toxicity to fish: P Toxicity to fish: P Toxicity to daphni: Toxicity to algae: S Persistence and d Mobility in soil: N Other adverse effe Section 13 These disposal gi regulations may b Section 14 UN/NA number: Hazard class: 3 Exceptions: Lin Section 15 A chemical is consider	Yes     Y	résult in uncons er the lungs (asp ition and drying, welling, and/or b ealth effects ab opropanol] / SM4 vater) LC50: 964 s: Daphnia mag b), LOEC50 = 1,{ Bioaccum PBT and v nnot be exclude isposal of cata ordance with al c DOT / CANAI name: Isopro roup: Il than 1 L	ciousness and death. irated) when swallowe cracking and defatting lurred vision. ove. 3380000 [Phenolphtha 0 mg/l/96 hours [Isopro- na (Crustacia), EC50 300 mg/l/7 days [Isopro- ulative potential: No PvB assessment: No d in the event of unpro- log-size quantities o l local, state and fed- DA TDG) panol solution Reportal 2016 ER	d or vomited. Seriou of the skin which ca lein] = >10,000 mg/l/24 hd ppanol] data available fessional handling of nly. Federal regul eral regulations or <b>ble Quantity:</b> No <b>G Guide #</b> 129	n lead to derr ours [Isopropa disposal. ations may a contract with	e and possible fa natitis. nol] upply to empty c n a licensed che	container. State and/or lo emical disposal agency.
Potential health ef Inhalation: Inhalati and irritation of the Ingestion: Aspiratic develop if this occu Skin: Prolonged or Eyes: Contact cau Signs and sympto Additional informa Section 12 Toxicity to fish: P Toxicity to fish: P Toxicity to daphni: Toxicity to algae: S Persistence and d Mobility in soil: N Other adverse effe Section 13 These disposal gr regulations may b Section 14 UN/NA number: Hazard class: 3 Exceptions: Lin Section 15	Yes     Y	résult in uncons er the lungs (asp ition and drying, welling, and/or b ealth effects ab opropanol] / SM4 vater) LC50: 964 s: Daphnia mag b), LOEC50 = 1,{ Bioaccum PBT and v nnot be exclude isposal of cata ordance with al 5 DOT / CANAI name: Isopro roup: Il than 1 L	ciousness and death. irated) when swallowe cracking and defatting lurred vision. ove. 3380000 [Phenolphtha 0 mg/l/96 hours [Isopro- na (Crustacia), EC50 = 300 mg/l/7 days [Isopro- ulative potential: No PvB assessment: No d in the event of unpro- log-size quantities o I local, state and fed- DA TDG) panol solution Reportal 2016 ER	d or vomited. Seriou of the skin which ca lein] =>10,000 mg/l/24 ho ppanol] data available fessional handling or nly. Federal regul eral regulations or	is lung damag n lead to derr burs [Isopropa disposal. ations may a	e and possible fa natitis. nol] pply to empty co n a licensed che	atal chemical pneumonia ca container. State and/or lo emical disposal agency.

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

# MANUFACTURING STATEMENT MANUFACTURER'S CERTIFICATE, CERTIFICATE OF ALIMENTARITY,

# HEALTH CERTIFICATE, SANITARY CERTIFICATE, QUALITY CERTIFICATE

We hereby certify that the above mentioned product: Is legally manufactured for Nova Panamedical, S.A. / ACTIRENT, S.A. nova  $+QSO^{\circ}$  according to production recommendations and sanitary measures and complies with the purity specifications of the Food Chemical Codex (FCC). Does not contain any harmful ingredients or additives injurious for the health of the consumer and is fit for food applications. Local legislation should be consulted before use of product.

Is free for sale. The manufacturing premises are operated according to good manufacturing practices as described in the FDA 21CFR110. Procedures for the prevention of cross contamination of products are installed together with the state-of-the art quality control measures. This document is drawn up at the request of the interested party in order to be submitted to the appropriate authorities.

# Statement on GMO status for +QSO®

Nova Panamedical, S.A. / ACTIRENT, S.A. nova  $+QSO^{\circ}$  is aware of the existence of legislation1 on Genetically Modified (GM) Food in various countries and wants to be transparent in the information supplied to our customers about our products.

Regarding the product with the above mentioned brand name we can inform you that: This product is not a GMO and does not contain a GMO or recombinant DNA material; The micro-organism used in the process and all formulating agents (such as carriers or diluents) are of non-GM origin.

<sup>1</sup> Most relevant: Regulation (EC) No 1829/2003 on Genetically Modified Food and Feed.

# Stability statement +QSO®

Regarding the products with the above mentioned brand name we can inform you that: +QSO® has a recommended storage temperature of 4-8°C whatever the presentation is When stored under these conditions and during the shelf life period, as defined on the Product Specification Sheet of the product, the +QSO® intrinsic formulation inhibits the growth of the majority of microorganisms. The expected enzymatic activity loss during the shelf life period and under the recommended storage conditions is recorded on each product specification sheet. When the product is stored at conditions deviating from the recommended storage conditions, the expected enzymatic activity loss will be higher than the one recorded on each product specification sheet.

As indication, the loss of activity at different temperatures is estimated to be:

At 20°C the enzymatic activity loss is expected to be less than 0.1% per day.

At 30°C the enzymatic activity loss is expected to be less than 0.3% per day.

In our experience, the freezing of the product (for example at -25°C) has no negative effect on the Enzymatic activity of the product.

Although diligent care has been used to ensure that the information provided herein is accurate, nothing contained herein can be construed to imply any representation or warranty for which we assume legal responsibility, including without limitation any warranties as to the accuracy, currency or completeness of this information or of non-infringement of third party intellectual property rights. The content of this document is subject to change without further notice. Please contact us for the latest version of this document or for further information. Since the user's product formulations, specific use applications and conditions of use are beyond our control; we make no warranty or representation regarding the results, which may be obtained by the user. It shall be the responsibility of the user's intended use of our products.



# SAFETY DATA SHEET +QSO®

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier
Product name: +QSO® 100
Internal code: 740117140001 0
Synonyms: Granulated enzyme (enzyme protein) in tablet form; rennet tablet
Chemical formula: Not applicable.

1.2 Relevant identified uses of the substance or mixture and uses advised against Recommended use: This product is an enzymatic preparation used in the food industry.

1.3 Details of the supplier of the safety data sheet: Supplier:

> Nova Panamedical, S.A. / ACTIRENT, S.A. nova +QSO® Avenida Petapa 52-80 zona 12 Ofibodega Petapa #40 Guatemala, Guatemala 01012 Telephone no.: +502 22958680 e-mail address: novamasqueso@actirent.net

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture
Product definition: Mixture
<u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u>
Resp. Sens. 1, H334
See Section 16 for the full text of the R-phrases declared above.
Classification according to Directive 1999/45/EC [DPD]
The product is classified as dangerous according to Directive 1999/45/EC and its amendments.
Classification: R42
See Section 16 for the full text of the R-phrases declared above



2.2 Label elements Hazard pictogram: Signal word: Danger



Hazard statements: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

# Precautionary statements

Prevention: In case of inadequate ventilation wear respiratory protection. Avoid breathing dust. Response: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or physician.

Storage: Not applicable. Disposal: Not applicable. Hazardous ingredients: endopeptidase

2.3 Other hazards Hazard statements: Not available

# SECTION 3: Composition/information on ingredients

Powder preparation of microbial proteases extracted from Rhizomucor miehei containing microcrystalline cellulose (cspt); magnesium stearate, vegetal grade USP; silicate dioxide.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

IUB number: endopeptidase: 3.4.2x.xx. There is no general IUB number for proteinases. But all these enzymes fall under the 3.4.2x.xx category.

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

# Wash out mouth with water

Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

# 

# Skin contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

# 4.1 Description of first aid measures

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In the event of any complaints or symptoms, avoid further exposure.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Inhalation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Ingestion: No known significant effects or critical hazards.

Skin contact: No known significant effects or critical hazards.

Eye contact: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Skin contact: No specific data.

Ingestion: No specific data.

Inhalation: Adverse symptoms may include the following: wheezing and breathing difficulties; asthma Eye contact: No specific data.



4.3 Indication of any immediate medical attention and special treatment neededNotes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Specific treatments: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media
<u>Small fire</u>
Suitable: Use dry chemical or CO2.
Not suitable: None known.
<u>Large fire</u>
Suitable: Use extinguishing media suitable for surrounding materials.
Not suitable: None known.

5.2 Special hazards arising from the substance or mixtureHazards from the substance or mixture: Fine dust clouds may form explosive mixtures with air.Hazardous combustion products: In case of fire, may produce toxic and/or corrosive decomposition products.

# 5.3 Advice for firefighters

Special protective actions for fire fighters: Firewater contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Special protective equipment for fire fighters: Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for firefighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions:

Use suitable protective equipment (section 8). Avoid direct contact with liquid. After a leak avoid inhaling the fumes or the dry product powder. Avoid high-pressure washing and squirts (Aerosol formation). Keep down leaking liquid. Pick up the leaked liquid with mechanical tools. Wash the remaining product with plenty of water. Air out the room. Remove and wash contaminated clothes.

# 6.2 Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

# 6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, watercourses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Note: see section 1 for emergency contact information and section 13 for waste disposal. Large spill:

Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Small spill:

# 6.4 Reference to other sections:

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

# 7.1 Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

# 

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# 7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 4 to 8°C (39.2 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate containment to avoid environmental contamination. Keep in a cool and dry place. The product must be stored in the original, sealed containers

Packaging materials Suitable: Polyethylene containers.

7.3 Specific end use(s)Recommendations: Not availableIndustrial sector specific solutions: Not available.

# SECTION 8: Exposure controls/personal protection

Exposure limit: Non-set Breathing apparatus protection: Wear a suitable protection in case of aerosol formation Hand protection: Practical experience shown protection gloves supply a sufficient protection. Eyes protection: Protection glasses or face mask Skin protection: Protective clothes Environment rules: Do not throw out in the environment

SECTION 9: Physical and chemical properties Physical state: Solid. [Granular] Color: White to brown. (Product color may vary from batch to batch) Solubility in water: Easily soluble in cold water. Odor: Slight fermentation odor. pH: Not available.



# SECTION 10: Stability and reactivity

10.1 Reactivity: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability: The product is stable.

10.3 Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid No specific data.

10.5 Incompatible materials: No specific data.

10.6 Hazardous decomposition products: No specific data.

# SECTION 11: Toxicological information

11.1 Information on toxicological effects Acute toxicity Product/ingredient name: endopeptidase Result: LD50 Oral Species: Rat Dose: >5000 mg/kg Exposure: -Conclusion/Summary: Not available.

# Irritation/Corrosion Conclusion/Summary

Skin: Not available. Eyes: Not available. Respiratory: Not available. **Sensitization** Conclusion/Summary Skin: Not available. Respiratory: Not available.

Conclusion/Summary **Carcinogenicity**: Not available. Conclusion/Summary **Teratogenicity**: Not available. Conclusion/Summary **Reproductive toxicity**: Not available. Specific target organ toxicity (single exposure): Not available.

Potential acute health effects

Inhalation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion: No known significant effects or critical hazards.
Skin contact: No known significant effects or critical hazards.
Eye contact: No known significant effects or critical hazards.



Symptoms related to the physical, chemical and toxicological characteristics Skin contact: No specific data. Ingestion: No specific data. Inhalation Adverse symptoms may include the following: Wheezing and breathing difficulties; asthma Eye contact: No specific data.

General: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity: No known significant effects or critical hazards. Mutagenicity: No known significant effects or critical hazards. Teratogenicity: No known significant effects or critical hazards. Developmental effects: No known significant effects or critical hazards. Fertility effects: No known significant effects or critical hazards. Mutagenicity

# **SECTION 12: Ecological information**

12.1 Toxicity Conclusion/Summary: Not available

12.2 Persistence and degradability Conclusion/Summary: Not available

12.3 Mobility in soilSoil/water partition coefficient (KOC): Not available.Mobility: Not available.

12.4 Results of PBT and vPvBs assessment PBT: Not applicable. vPvBs: Not applicable.

12.6 Other adverse effects: No known significant effects or critical hazards.

Remarks: The preparation is believed not to be dangerous to the environment with respect to mobility, persistence and degradability, bio-accumulative potential, aquatic toxicity and other data relating to eco-toxicity.



# SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

# 13.1 Waste treatment methods

# Product

Methods of disposal:

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled.

Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste: The classification of the product may meet the criteria for a hazardous waste.

# Packaging

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

# Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.



# SECTION 14: Transport information No special precaution has to be used for transport of this product

SECTION 15: Regulatory information
15.1 Safety, health and environmental regulations/legislation specific for the substance
EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorization
Substances of very high concern
None of the components are listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles
Not applicable.
15.2 Chemical Safety
Assessment: Not applicable.

# SECTION 16: Other information

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

<u>Full text of abbreviated H statements</u>: H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation.

Full text of classifications [CLP/GHS]:

Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 Resp. Sens. 1, H334 RESPIRATORY SENSITIZATION - Category 1 Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2 STOT SE 3, H335 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)

<u>Full text of abbreviated R phrases</u>: R36/37/38- Irritating to eyes, respiratory system and skin. R42- May cause sensitization by inhalation.

Full text of classifications [DSD/DPD]: Xi - Irritant



Abbreviations and acronyms: ATE = Acute Toxicity Estimate CLP = Classification, Labeling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Sources of key data: Literature data and/or investigation reports are available through the manufacturer.

Internal code: 740117140001 0

Training advice: Handling of this substance or preparation is restricted to skilled personnel only. Safe handling of enzymes is detailed in 'AMFEP Guide to the Safe handling of Enzymes' (www.amfep.org).

Notice to reader

The information contained in the Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications.

The user is responsible for ensuring that appropriate precautions are taken and for satisfying them that the data are suitable and sufficient for the product's intended purpose. In case of any unclarity we advise consulting the supplier or an expert.

Date of printing:2014 06Date of issue:2017 09 (English Version)Version # 2