SAFETY DATA SHEET

Section 1 Chemical Product and Company Information

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com Page E1 of E2

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Product CALCIUM HYDROXIDE	
Synonyms Hydrated Lime / Slaked Lime / Caustic Lime / Calciu	im Hydrate
Section 2 Hazards Identification	
Signal word: DANGER Pictograms: GHS05 Target organs: Eyes, Skin, Respiratory system GHS Classification: Skin corrosion (Category 1B) Eye damage (Category 1) GHS Label information: Hazard statement: H314: Causes severe skin burns and eye damage.	 Precautionary statement: P260: Do not breathe dust. P264: Wash hands thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310: Immediately call a POISON CENTER or doctor. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405: Store locked up. P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Calcium hydroxide		1305-62-0	>98%	215-137-3	
					_
Section 4	First Aid Measures				

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE BURNS AND EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection					
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)		
Exposure Limits.	Calcium hydroxide	TWA: 5 mg/m ³	TWA: 5 mg/m ³ Respirable fraction	TWA: 5 mg/m ³		

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

approved respirator.					
Section 9 Physical & Chemical Pro	perties				
Appearance: Solid. White to yellow powder. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: as CaO 2850°C (5162°F) Boiling point: as CaO 579°C (1076°F) Flash point: Not flammable	Evaporation rate (= 1): D Flammability (solid/gas): I Explosion limits: Lower / I Vapor pressure (mm Hg): Vapor density (Air = 1): Da Relative density (Specific g Solubility(ies): 0.185% @	ata not available. Ipper: Data not available Data not available ta not available ravity): 2.24	Auto-ignitio Decomposi Viscosity: Molecular f	befficient: Data no on temperature: I ition temperature: Data not available. formula: Ca(OH) ₂ weight: 74.10	Data not available Data not available.
Section 10 Stability & Reactivity					
Chemical stability: Stable Conditions to avoid: Absorbs CO ₂ from air to form		zation: Will not occur.			
Incompatible materials: Acids, fluorine.					
Hazardous decomposition products: None know	n.				
Section 11 Toxicological Information					
Acute toxicity: Oral-rat LD50: 7340 mg/kg Skin corrosion/irritation: Skin-rabbit - Irritant. Serious eye damage/irritation: Eyes-rabbit - Seve Respiratory or skin sensitization: Data not availa Germ cell mutagenicity: Data not available Carcinogenity: Data not available NTP: No component of this product present at level IARC: No component of this product present at leve OSHA: No component of this product present at leve OSHA: No component of this product present at leve STOT-single exposure: Data not available STOT-repeated exposure: Data not available STOT-repeated exposure: Data not available Potential health effects: Inhalation: Inhalation may cause sore throat, burnir Ingestion: lngestion may cause stentnoat, burnis Stys: Contact with skin causes redness, roughness Eyes: Contact with eyes causes redness, pain, sev Signs and symptoms of exposure: Exercise app Additional information: RTECS #: EW2800000	ble s greater than or equal to 0.1% s greater than or equal to 0.19 els greater than or equal to 0.1 g sensation. abdominal pain, abdominal cra , pain, dry skin, burns, blisters. ere deep burns.	n is identified as probable, po % is identified as a carcinoge nps, vomiting.	ossible or confir	med human carcine	o
Section 12 Ecological Information					
Toxicity to fish: Gambusia affinis (fish, fresh water Toxicity to daphnia and other aquatic invertebrat Toxicity to algae: No data available Persistence and degradability: No data available Mobility in soil: No data available Other adverse effects: An environmental hazard c Section 13 Disposal Considerations	es: No data available Bioaccumulative poter PBT and vPvB assess annot be excluded in the event	nent: No data available of unprofessional handling o	·		
These disposal guidelines are intended for the regulations may be different. Dispose of in acc	ordance with all local, state				
Section 14 Transport Information (U	S DOT / CANADA TDG)				
Hazard class:Not applicablePaceExceptions:Not applicable2012	ping name: Not Regulate king group: Not applicable REG Guide # Not applicable	e Reportable Qu	antity: No	Mari	ne pollutant: No
Section 15 Regulatory Information					
A chemical is considered to be listed if the CAS number for			DC	NDC:	
Component	TSCA CERLCA		DSL	NDSL	WHMIS Classification
Calcium hydroxide	Listed Not lis	ted D002	Listed	Not listed	Ē
Section 16 Additional Information					
The information contained herein is furnished without warra dent determinations of suitability and completeness of infor					

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook. **SDS No.:** CC0545

Chemical Product and Company Information Section 1

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Synonyms

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only.

Not for drug, food or household use.

COPPER(II) SULFATE, PENTAHYDRATE Product Cupric Sulfate, 5-Hydrate

Section 2 **Hazards Identification**

Signal word: WARNING Precautionary statement: Pictograms: GHS07 / GHS09 P264: Wash hands thoroughly after handling. Target organs: Liver, Kidneys, Lungs, Spleen. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. GHS Classification: Remove contact lenses, if present and easy to do. Continue rinsing. Acute toxicity-oral (Category 4) P332+P313: If skin irritation occurs: Get medical attention. Skin irritation (Category 2) P337+P313: If eye irritation persists: Get medical attention. Eye irritation (Category 2A) P362+P364: Take off contaminated clothing and wash it before reuse. Aquatic acute toxicity (Category 1) P391: Collect spillage. Aquatic chronic toxicity (Category 1) P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations. GHS Label information: Hazard statement: H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes serious eve irritation. H410: Very toxic to aquatic life with long lasting effects.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Cupric sulfate		7758-99-8	>99%	231-847-6 (anhydrous)	
Section 4	First Aid Measures				

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Prot	ection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Linits.	Copper, dusts and mists, as Cu	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

nt: Data not available erature: Data not available nperature: 560°C (1040°F) t available. : CuSO ₄ -5H ₂ O 249.68
p n

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Hygroscopic material. Stable when kept dry, under normal temperature and pressure. Avoid high temperatures, exposure to air and incompatible materials.

Incompatible materials: Reducing agents, acetylene or nitromethane, magnesium, strong bases, alkalines, phosphates, hydrazine, zirconium. Can corrode aluminum, steel and iron.

Hazardous decomposition products: Oxides of sulfur and copper fumes.

Section 11 Toxicological Information

Section II Toxicological Informatio	1					
Acute toxicity: Oral-rat LD50: 300 mg/kg [Copper Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available Carcinogenity: Data not available NTP: No component of this product present at leve IARC: No component of this product present at leve OSHA: No component of this product present at leve STOT-single exposure: Data not available STOT-repeated exposure: Data not available Potential health effects: Inhalation: May cause irritation to the mucous mer Ingestion: Ingestion can cause irritation. Exc Eyes: Can cause severe irritation and may result i Signs and symptoms of exposure: Note to phys depression and convulsions may be needed. Wilst dizziness, jaundice, and general debility.	able s greater than or els greater than or rels greater than or rels greater than o rels greater than o horanes and uppe stive tract and ab essive exposure r irreversible eye i ician: Probable m	equal to 0.1% is identifi equal to 0.1% is identifi r equal to 0.1% is identi r respiratory tract. dominal pain. nay cause allergic derm damage. uccosal damage may co	ied as probable, p ified as a carcinog atitis. May cause intradict the use of	ossible or confir en or potential c irritation or burn gastric lavage.	med human carcin arcinogen by OSF is on wet skin. Measures against	IA.
Section 12 Ecological Information						
Toxicity to fish: Salmo gairdneri (fish, estuary, free Toxicity to daphnia and other aquatic invertebra Toxicity to algae: No data available Persistence and degradability: No data available Mobility in soil: No data available Other adverse effects: An environmental hazard	tes: No data avai Bioaccum PBT and v	lable ulative potential: No o PvB assessment: No	data available data available			
Section 13 Disposal Considerations	;					
These disposal guidelines are intended for the	disposal of cata	alog-size quantities or	nly. Federal regu	lations may a	pply to empty cor	ntainer. State and/or local
regulations may be different. Dispose of in ac	cordance with a	I local, state and fede	eral regulations o	r contract with	a licensed chem	nical disposal agency.
Section 14 Transport Information	_		h - t	1 ⁻¹ -1		
Hazard class: 9 Packing Exceptions: Non regulated equal to or less	group: III		le Quantity: 10) lbs (4.54 kg)	Mari	ne pollutant: Yes 2 ERG Guide # 171
Section 15 Regulatory Information						
A chemical is considered to be listed if the CAS number for			DCDA and	DSL	NDSL	WILIMIC Close if is at it in
Component	TSCA		RCRA code			WHMIS Classification
Cupric sulfate	Listed	10 lbs (4.54 kg)	Not listed	Not listed	Not listed	D2B
Section 16 Additional Information						
Additional information						

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

SAFETY DATA SHEET

Section 1 Chemical Product and Company Information

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com Page E1 of E2

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory use only. Not for drug, food or household use.

GENERAL STORAGE CODE GREEN

Product	POTASSIUM BITARTRATE	
Synonyms	Tartaric Acid Monopotassium Salt / Cream of Tartar / Potassium Hydr	rogen Tartrate
Section 2	Hazards Identification	
This substa to the Glob Chemicals. Signal word Pictograms Target orga GHS Classi GHS Label	ance or mixture has not been classified as hazardous according ally Harmonized System (GHS) of Classification and Labeling of	Supplemental information: Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Potassium bitartrate		868-14-4	100%	212-769-1	
Section 4	First Aid Measures				

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Linits.	Potassium bitartrate	Not established	Not established	Not established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical & Appearance: Solid. White, crystallin	Chamical Bropart						
Annearance: Solid White crystalli	x chemical Propert	ies					
Odor: No odor Odor threshold: Data not availab pH: Data not available Melting / Freezing point: Data not Boiling point: Decomposes Flash point: Not flammable	le Fil va bt available Va Re	ammability (so plosion limits por pressure por density (A elative density	e (= 1): Data not a blid/gas): Data not a : Lower / Upper: E (mm Hg): Negligible hir = 1): Data not av (Specific gravity): 1 g/162 ml water @ 3	available Data not available ailable 1.956 @ 20°C	Auto-ignitio Decomposi Viscosity: Molecular f	befficient: Data no on temperature: D ition temperature: Data not available formula: KHC ₄ H ₄ C weight: 188.18	Data not available Data not available
Section 10 Stability &	Reactivity						
Chemical stability: Stable Conditions to avoid: Excessive t Incompatible materials: Strong of Hazardous decomposition produ	emperatures and heat boxidizers and alkalies.		s polymerization:	Will not occur.			
Section 11 Toxicologi	ical Information						
Acute toxicity: Data not available Skin corrosion/irritation: Data n Serious eye damage/irritation: I Respiratory or skin sensitizatior Germ cell mutagenicity: Data not Carcinogenity: Data not available NTP: No component of this produc IARC: No component of this produc OSHA: No component of this produc OSHA: No component of this produc OSHA: No component of this produc Ca Prop 65: This product does not Reproductive toxicity: Data not STOT-single exposure: Data not STOT-repeated exposure: Data not STOT-repeated exposure: Data Aspiration hazard: Data not avai Potential health effects: Inhalation: May cause gastrointest	ot available Data not available 1: Data not available 1: Data not available ot available e ty present at levels gre uct present at levels gr uct present at levels gr uct present at levels gr contain any chemical available available not available ilable tract irritation. inal irritation with naus	eater than or ea reater than or e s known to the	qual to 0.1% is ident equal to 0.1% is iden State of California to	fied as probable, po tified as a carcinoge	ssible or confir or potential c	med human carcino arcinogen by OSH/	
Skin: Contact may cause irritation Eyes: Contact may cause irritation Signs and symptoms of exposur	re: Exercise appropria	ate procedures	to minimize potentia	l hazards.			
Eyes: Contact may cause irritation Signs and symptoms of exposur Additional information: RTECS	re: Exercise appropria #: WW8223000	ate procedures	to minimize potentia	l hazards.			
Eyes: Contact may cause irritation Signs and symptoms of exposu Additional information: RTECS Section 12 Ecological	re: Exercise appropria #: WW8223000 I Information	ate procedures	to minimize potentia	I hazards.			
Eyes: Contact may cause irritation Signs and symptoms of exposure Additional information: RTECS Section 12 Ecological Toxicity to fish: No data available Toxicity to daphnia and other aq Toxicity to algae: No data available Persistence and degradability: Mobility in soil: No data available Other adverse effects: An enviro Section 13 Disposal These disposal guidelines are i regulations may be different.	re: Exercise appropri- #: WW8223000 I Information e uatic invertebrates: le No data available e nmental hazard canno Considerations ntended for the disp bispose of in accorda	No data availat Bioaccumula PBT and vP ot be excluded tosal of catalo ance with all le	ole ative potential: No /B assessment: No in the event of unpro g-size quantities o pocal, state and fed	data available o data available fessional handling c nly. Federal regui	ations may ap		
Eyes: Contact may cause irritationSigns and symptoms of exposurAdditional information: RTECSSection 12EcologicalToxicity to fish: No data availableToxicity to daphnia and other aqToxicity to algae: No data availablePersistence and degradability: NMobility in soil: No data availableOther adverse effects: An enviroSection 13DisposalThese disposal guidelines are irregulations may be different. DSection 14Transport	re: Exercise appropri- #: WW8223000 I Information e uatic invertebrates: le No data available e nmental hazard canno Considerations ntended for the disp bispose of in accorda Information (US D	No data availab Bioaccumula PBT and vPv ot be excluded i losal of catalo ance with all b OT / CANADA	ole ative potential: No /B assessment: No in the event of unpro g-size quantities o ocal, state and fed A TDG)	data available o data available fessional handling c nly. Federal regui	ations may ap		
Eyes: Contact may cause irritationSigns and symptoms of exposurAdditional information: RTECSSection 12EcologicalToxicity to fish: No data availableToxicity to daphnia and other aqToxicity to algae: No data availablePersistence and degradability: NMobility in soil: No data availableOther adverse effects: An enviroSection 13Disposal QThese disposal guidelines are iregulations may be different. DSection 14TransportUN/NA number: Not applicableExceptions: Not applicableExceptions: Not applicableSection 15Regulator	re: Exercise appropri- #: WW8223000 I Information e uatic invertebrates: le No data available mmental hazard canno Considerations ntended for the disp Dispose of in accorda Information (US D ble Shipping Packing 2012 ER y Information	No data availab Bioaccumula PBT and vPv ot be excluded in oosal of catalo ance with all be OT / CANADA g name: No group: Not G Guide # N	ole ative potential: No /B assessment: No in the event of unpro g-size quantities o ccal, state and fed A TDG) t Regulated applicable lot applicable	data available o data available fessional handling c nly. Federal regui	ations may ap contract with	a licensed chemi	
Eyes: Contact may cause irritation Signs and symptoms of exposur Additional information: RTECS Section 12 Ecological Toxicity to fish: No data available Toxicity to daphnia and other aq Toxicity to algae: No data available Persistence and degradability: N Mobility in soil: No data available Other adverse effects: An enviro Section 13 Disposal Q These disposal guidelines are i regulations may be different. D Section 14 Transport UN/NA number: Not applicable Exceptions: Not applicable Exceptions: Not applicable Section 15 Regulator A chemical is considered to be listed if the	re: Exercise appropri- #: WW8223000 I Information e uatic invertebrates: le No data available mmental hazard canno Considerations ntended for the disp Dispose of in accorda Information (US D ble Shipping Packing 2012 ER y Information	No data availat Bioaccumula PBT and vPN to be excluded in toosal of catalo ance with all to OT / CANADA g name: No group: Not G Guide # N annhydrous form is	ole ative potential: No /B assessment: No in the event of unpro g-size quantities o ccal, state and fed A TDG) t Regulated applicable Not applicable on the Inventory list.	data available o data available fessional handling c nly. Federal regu eral regulations or Reportable Qua	ations may an contract with antity: No	a licensed chemi	ical disposal agency. ne pollutant: No
Eyes: Contact may cause irritationSigns and symptoms of exposurAdditional information: RTECSSection 12EcologicalToxicity to fish: No data availableToxicity to daphnia and other aqToxicity to algae: No data availablePersistence and degradability: NMobility in soil: No data availableOther adverse effects: An enviroSection 13Disposal QThese disposal guidelines are iregulations may be different. DSection 14TransportUN/NA number: Not applicableExceptions: Not applicableExceptions: Not applicableSection 15Regulator	re: Exercise appropri- #: WW8223000 I Information e uatic invertebrates: le No data available mmental hazard canno Considerations ntended for the disp Dispose of in accorda Information (US D ble Shipping Packing 2012 ER y Information	No data availab Bioaccumula PBT and vPv ot be excluded in oosal of catalo ance with all be OT / CANADA g name: No group: Not G Guide # N	ole ative potential: No /B assessment: No in the event of unpro g-size quantities o ccal, state and fed A TDG) t Regulated applicable lot applicable	data available) data available fessional handling c nly. Federal regu eral regulations or	ations may ap contract with	a licensed chemi	ical disposal agency.
Eyes: Contact may cause irritation Signs and symptoms of exposur Additional information: RTECS Section 12 Ecological Toxicity to fish: No data available Toxicity to algae: No data available Persistence and degradability: Nobility in soil: No data available Other adverse effects: An enviro Section 13 Disposal G These disposal guidelines are i regulations may be different. D Section 14 Transport UN/NA number: Not applicable Exceptions: Not applicable Section 15 Regulator A chemical is considered to be listed if to Component Potassium bitartrate	re: Exercise appropri- #: WW8223000 I Information e uatic invertebrates: le No data available mmental hazard canno Considerations ntended for the disp Dispose of in accorda Information (US D ble Shipping Packing 2012 ER y Information	No data availab Bioaccumula PBT and vPv ot be excluded i oosal of catalo ance with all be OT / CANADA g name: No group: Not G Guide # N inhydrous form is TSCA	ole ative potential: No /B assessment: No in the event of unpro g-size quantities o ocal, state and fed A TDG) t Regulated applicable Not applicable ion the Inventory list. CERLCA (RQ)	data available o data available fessional handling c nly. Federal regul eral regulations or Reportable Qua RCRA code	ations may ar contract with antity: No DSL	a licensed chemi Marir NDSL	ical disposal agency. ne pollutant: No WHMIS Classification

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

SAFETY DATA SHEET

Section 1 Chemical Product and Company Information

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only.

Not for drug, food or household use.

SODIUM BORATE, DECAHYDRATE Product Synonyms Sodium Tetraborate ; Borax Section 2 **Hazards Identification** Signal word: DANGER Precautionary statement: Pictograms: GHS08 / GHS07 P201: Obtain special instructions before use Target organs: None known. P202: Do not handle until all safety precautions have been read and understood. P264: Wash hands thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical attention. GHS Classification: P308+P313: IF exposed or concerned: Get medical attention. Eye irritation (Category 2A) P405: Store locked up. Reproductive toxicity (Category 1B) P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations. GHS Label information. Hazard statement: H319: Causes serious eve irritation. H360: May damage fertility or the unborn child.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Inform	ation on Ingredients			
Chemical Name	CAS #	%	EINECS	
Sodium borate, decahydrate	1303-96-4	100%	215-540-4	
Section 4 First Aid Measures				

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: This product is an inherent fire retardant. There are no unusual fire and explosion hazards.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances

Section 8	Exposure Controls / Personal Pr	otection		
Exposuro Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits:	Borate compounds, inorganic	TWA: 2 mg/m ³ STEL: 6 mg/m ³ (A4)	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an evewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical & Chemical Prop	perties	
Appearance: White, crystalline powder Odor: No odor Odor threshold: Data not available pH: Data not available Melting / Freezing point: 62°C (144°F) Boiling point: Data not available Flash point: Data not available	Evaporation rate (=1): Data not available Flammability (solid/gas): Not flammable Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): 1.73 Solubility(ies): Soluble in water	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available Viscosity: Data not available Molecular formula: Na ₂ B ₄ O ₇ •10H ₂ O Molecular weight: 381.37
Section 10 Stability & Reactivity		

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: When heated, loses water, eventually forming anhydrous borax.

Incompatible materials: Strong acids, oxidizers and reducing agents.

Hazardous decomposition products: Boron oxide and sodium oxides.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 2,600 mg/kg ; Inhalation-rat LC50: >2.0 mg/l ; Dermal-rabbit LD50: >10,000 g/kg

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available Potential health effects:

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion: Ingestion may cause gastrointestinal irritation. Symptoms of over-exposure my include nausea, vomiting and diarrhea.

Skin: Contact may cause irritation.

Eyes: Contact may cause irritation.

Signs and symptoms of exposure: Animal feeding studies in rat, mouse and dog, at high doses, have demonstrated effects on fertility and testes. Studies with the chemically related boric acid in the rat, mouse and rabbit, at high doses, demonstrate developmental effects on the fetus, including fetal weight loss and minor skeletal variations. The doses administered were many times in excess of those to which humans would normally be exposed. Human epidemiological studies show no increase in pulmonary disease in occupational populations with cronic exposures to boric acid dust and sodium borate dust. A recent epidemiological study under the conditions of normal occupational eposure to borate dusts indicated no effect on fertility.

Additional information: RTECS #: VZ2275000

Section 12

Ecological Information Toxicity to fish: LC50 - Carassius auratus (goldfish) - 178 mg/l - 72 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 1,085 - 1,402 mg/l - 48 h

Toxicity to algae: IC50 - Desmodesmus subspicatus (green algae) - 158 mg/l - 96 h

Persistence and degradability: No data available Bioaccumulative potential: No data available

Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 **Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency. Transport Information Section 14

•						
UN/NA number: Not applicable Hazard class: Not applicable Exceptions: Not applicable	Shipping name: N Packing group: No 2012 ERG Guide #	ot applicable	Reportable Qu	antity: No	Mari	ine pollutant: No
Section 15 Regulatory Informa	ation					
A chemical is considered to be listed if the CAS nu	mber for the anhydrous form	is on the Inventory list.				
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Sodium borate, decahydrate	Listed	Not listed	Not listed	Listed	Not listed	T D2A
Section 16 Additional Informa	ition					
The information contained bergin is furnished with	out warranty of any kind Em	ployors should use this i	nformation only as a su	innloment to othe	r information gathors	d by them and must make indeper

dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

SAFETY DATA SHEET

GENERAL STORAGE CODE GREEN

Page E1 of E2

Section 1 Chemical Product and Company Information

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

CHEMTREC 24 Hour Emergency

Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Product SODIUM CARBONATE, ANHYDROUS

Synonyms Soda Ash Section 2 Hazards Identification

Signal word: WARNING Pictograms: GHS07 Target organs: None known.



GHS Classification: Eye irrit. (Category 2A) GHS Label information: Hazard statement: H319: Causes serious eye irritation. Precautionary statement: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several

P307+P313: Feys in the FES. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Sodium carbonate		497-19-8	100%	207-838-8	
Section 4	First Aid Measures				

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Extinguishing Media: Use any media suitable for extinguishing supporting fire.

General information: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Sodium carbonate reacts with hydrated lime to form caustic soda. Special care should be taken where lime and sodium carbonate are handled in the same area.

Section 6 Accidental Release Measures

Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation. Recover for use if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water. Avoid runoff into storm sewers and ditches which lead to waterways.

Section	7	
---------	---	--

3

Handling & Storage

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale dusts. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Section 8 **Exposure Controls / Personal Protection Chemical Name** ACGIH (TLV) OSHA (PEL) NIOSH (REL) Exposure Limits: Sodium carbonate None established. None established None established Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low. Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator. **Physical & Chemical Properties** Section 9 Appearance: Solid, white powder. Evaporation rate (= 1): Data not available Partition coefficient: Data not available Odor: No odor. Flammability (solid/gas): Data not available. Auto-ignition temperature: Data not available Odor threshold: Data not available. Explosion limits: Lower / Upper: Not flammable Decomposition temperature: 1000°C (1832°F) pH: Data not available Vapor pressure (mm Hg): Data not available Viscosity: Data not available. Molecular formula: Na₂CO₃ Melting / Freezing point: 864°C (1587°F) Vapor density (Air = 1): Data not available Boiling point: Decomposes Relative density (Specific gravity): 2.533 Molecular weight: 105.99 Flash point: Not flammable Solubility(ies): 17% @ 20°C in water Section 10 Stability & Reactivity Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures. Hygroscopic material, avoid moisture. Incompatibilities with other materials: Acids cause decompostion liberating gaseous carbon dioxide. When mixed with lime dust and water, corrosive and caustic soda may be produced. Hazardous decomposition products: Carbon dioxide. Section 11 **Toxicological Information** Acute toxicity: Oral-rat LD50: 4090 mg/kg; Inhalation-rat LC50: 2.3 mg/l/2 hours; Dermal-rat LD50: 2210 mg/kg Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available Carcinogenity: Data not available NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity: Data not available STOT-single exposure: Data not available. STOT-repeated exposure: Data not available Aspiration hazard: Data not available Potential health effects: Inhalation: May be harmful if inhaled. Causes respiratory tract irritation. Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed. Skin: May be harmful if absorbed through skin. Causes skin irritation. Eyes: Causes eye irritation. Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Additional information: RTECS #: VZ4050000 Section 12 **Ecological Information** Toxicity to fish: LC50 - Lepomis macrochirus (Bluegill) - 300 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 265 mg/l - 48 h Toxicity to algae: No data available Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Section 13 **Disposal Considerations** These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency. Section 14 **Transport Information** UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No 2012 ERG Guide # Not applicable **Exceptions:** Not applicable Section 15 **Regulatory Information** A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list. DSL NDSL WHMIS Classification RCRA code Component TSCA CERLCA (RQ) Sodium carbonate Listed Not listed Not listed Not listed Not listed D2B Section 16 **Additional Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.



CEMENT & CONCRETE PRODUCTS[™]

B2: Packaged Aggregates

SAFETY DATA SHEET (Complies with OSHA 29 CFR 1910.1200)

SECTION I: PRODUCT IDENTIFICATION

The QUIKRETE[®] Companies **One Securities Centre** 3490 Piedmont Road, Suite 1300 Atlanta, GA 30305

Emergency Telephone Number (770) 216-9580 Information Telephone Number (770) 216-9580

SDS B2 **Revision: May-15**

QUIKRETE[®] Product Name

Commercial Grade Sand

Code # Fine 1961 Medium 1962 Coarse 1963

Product Use: Silica aggregates for use in construction

SECTION II - HAZARD IDENTIFICATION

Hazard-determining components of labeling: Silica 2.1 Classification of the substance or mixture

Carcinogen – Category 1A Specific Target Organ Toxicity Single Exposure - Category 3 Specific Target Organ Toxicity Repeat Exposure - Category 1 Eye Irritant – Category 2B

2.2a Signal word DANGER!

2.2b Hazard Statements

May cause cancer through chronic inhalation May cause respiratory irritation Causes damage to lungs through prolonged or repeated inhalation Causes eye irritation if particles or dust get in eye

Industrial hygiene experts have studied long-term daily use of silica sands in sand-blasting and other occupations generating extreme volumes of dust. They have determined that long term, daily exposure to high concentrations of blasting sand dust causes damage to the lungs, may cause

ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305	SDS B2	TEL 404-634-9100	WWW.QUIKRETE.COM
Page 1 of 9			



silicosis, and may cause cancer. Do not use for sand blasting. There are extensive OSHA precautions required for sand blasting.

2.2c Pictograms



2.2d Precautionary statements

Do not handle until all safety precautions have been read and understood. Wear protective gloves, eye protection, and protective clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use only in a well-ventilated area. Do not breathe dust.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately seek medical advice or attention if symptoms are significant or persist.

Dispose of contents/containers in accordance with all regulations.

2.3 Additional Information

2.3a HNOC – Hazards not otherwise classified: Not applicable

2.3b Unknown Acute Toxicity: None 2.3c WHMIS Classification

> Class D2A – Chronic Toxic Effects – Carcinogen Class D2B - Eye Irritant

2.3d Label Elements According To WHMIS **Hazard Symbols**



ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305



CEMENT & CONCRETE PRODUCTS™

Signal Word DANGER!

SECTION III - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION					
Hazardous Components	CAS No.	<u>% by Weight</u>			
Sand, Silica, Quartz	14808-60-7	100			

SECTION IV – FIRST AID MEASURES

4.1 Description of the first-aid measures

General information:

After inhalation: Remove person to fresh air and keep comfortable for breathing.

After skin contact: Rinse skin with water.

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

After swallowing: If conscious, have the victim drink plenty of water and call a physician immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms/effects, acute and delayed

Inhalation: May cause respiratory tract irritation. Causes damage to organs through prolonged or repeated inhalation. This product contains crystalline silica. Prolonged or repeated inhalation of respirable silica from this product can cause silicosis.

Skin contact: Causes mechanical skin irritation.

Eye Contact: Causes eye irritation if particles or dust get in eye.

Ingestion: Ingestion of large quantities may cause discomfort and/or distress, nausea or vomiting.

4.3 Indication of immediate medical attention and special treatment needed:

Immediately seek medical advice or attention if symptoms are significant or persist.

SECTION V - FIRE FIGHTING MEASURES

5.1 Flammability of the Product: Non-flammable and non-combustible

5.2 Suitable extinguishing agents: Treat for surrounding material

5.3 Special hazards arising from the substance or mixture: None

5.3a Products of Combustion: None

5.3b Explosion Hazards in Presence of Various Substances: Non-explosive in presence of shocks

SECTION VI – ACCIDENTAL RELEASE MEASURES

SDS B2

ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305

TEL 404-634-9100



CEMENT & CONCRETE PRODUCTS[™]

6.1 Personal precautions, protective equipment and emergency procedures: Wear personal

protective equipment (See section VIII). Keep unprotected persons away.

6.2 Methods and material for containment and cleaning up:

Do not allow to enter sewers/ surface or ground water. Dispose of unwanted materials and containers properly in accordance with all regulations.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND STORAGE

7.1 Handling

Precautions for safe handling: Do not use for sand blasting. There are extensive OSHA precautions required for sand blasting. Ensure good ventilation/exhaustion at the workplace. DO NOT BREATHE DUST. In dusty environments, the use of an OSHA, MSHA or NIOSH approved respirator and tight fitting goggles is recommended. Wear appropriate PPE (See section 8).Do not mix with other chemical products, except as indicated by the manufacturer. Do not get in eyes, on skin or clothing. Good housekeeping is important to prevent accumulation of dust.

7.2 Storage

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep out of the reach of children.

SECTION VIII – EXPOSURE CONTROL MEASURES / PERSONAL PROTECTION					
8.1 Components with limit values that require monitoring at the workplace:					
Hazardous Components	CAS No.	PEL (OSHA)	TLV (ACGIH)		
		mg/M ³	mg/M ³		
Silica Sand, crystalline	14808-60-7	0.1	0.025 (resp)		

8.2 Exposure Controls

Use ventilation adequate to keep exposures below recommended exposure limits.

8.3 General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

8.3a Personal protective equipment Protection of hands:

Wear gloves of adequate length to offer appropriate skin protection from incidental contact. General duty work gloves have been found to offer adequate protection for most intended uses.

Eye protection:

Wear approved eye protection properly fitted dust- proof chemical safety glasses.

ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305	SDS B2	TEL 404-634-9100	WWW.QUIKRETE.COM
Page 4 of 9			



Respiratory protection:

A NIOSH-approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional, following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

SECTION IX - PHYSICAL/CHEMICAL CHARACTERISTICS

General Information	
Appearance	Form: Granular Solid
	Color: Varies
	Odor: None
pH-value at 20°C (68 °F):	Not applicable
Boiling point/Boiling range:	Not applicable
Flash point:	Not applicable
Auto igniting:	Product is not self-igniting
Vapor pressure at 21°C (70°F)	Not applicable
Density at 25°C (77 °F):	2.5-2.8

Solubility in / Miscibility with	
Water:	Insoluble
VOC content:	0 g/L VOC

SECTION X - STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal storage conditions. Keep in dry storage.

10.3 Possibility of hazardous reaction

No dangerous reaction known under conditions of normal use.

10.4 Thermal decomposition / conditions to be avoided

No decomposition if used according to specifications.

10.5 Incompatible materials

Contact of silica with powerful oxidizing agents such as fluorine, chlorine trifluoride, manganese trioxide, or oxygen difluoride may cause fires

10.6 Hazardous Decomposition or By-products

Silica will dissolve in Hydrofluoric Acid and produce a corrosive gas – silicon tetrafluoride.

SECTION XI – TOXICOLOGICAL INFORMATION

ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305	SDS B2	TEL 404-634-9100	WWW.QUIKRETE.COM



CEMENT & CONCRETE PRODUCTS™

11.1 Exposure Routes: Inhalation, skin contact, eye contact, or ingestion.

11.2 Symptoms related to physical/chemical/toxicological characteristics:

Inhalation: May cause respiratory tract irritation. Causes damage to organs through prolonged or repeated exposure. This product contains crystalline silica. Prolonged or repeated inhalation of respirable silica from this product can cause silicosis. **Skin contact:** May cause mechanical skin irritation.

Eye Contact: Causes eye irritation if particles or dust gets in eye.

Ingestion: Ingestion of large quantities may cause discomfort and/or distress.

11.3 Delayed, immediate and chronic effects of short-term and long-term exposure Short Term

Skin Corrosion/Irritation: Not applicable Serious Eye Damage/Irritation: Causes eye irritation if particles or dust gets in eye Respiratory Sensitization: Not applicable Skin Sensitization: Not applicable Specific Target Organ Toxicity-Single Exposure: (Category 3) May cause respiratory irritation Aspiration Hazard: Not applicable

Long Term

Carcinogenicity: May cause cancer through chronic inhalation. Germ Cell Mutagenicity: Not applicable Reproductive Toxicity: Not applicable Specific Target Organ Toxicity- Repeated Exposure: (Category 1) Causes damage to lungs through prolonged/repeated exposure Synergistic/Antagonistic Effects: Not applicable

SECTION XII – ECOLOGICAL INFORMATION

12.1 Ecotoxicity

No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Other Adverse Effects

No further relevant information available.

SECTION XIII – DISPOSAL CONSIDERATIONS

ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305 SDS B2 TEL 404-634-9100 WWW.QUIKRETE.COM



13.1 Waste Disposal Method

The packaging and material may be land filled; however, material should be covered to minimize generation of airborne dust. This product is not classified as a hazardous waste under the authority of the RCRA (40CFR 261) or CERCLA (40CFR 117&302). Disposal must be made in accordance with local, state and federal regulations.

13.2 Other disposal considerations

Uncleaned packaging

Recommendation: Disposal must be made in accordance with local, state and federal regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

SECTION X	(IV – TRANSPORT INFO	RMATION	
	DOT (U.S.)	TDG (Canada)	
UN-Number	Not Regulated	Not Regulated	
UN proper shipping name	Not Regulated	Not Regulated	
Transport Hazard Class(es)	Not Regulated	Not Regulated	
Packing Group (if applicable)	Not Regulated	Not Regulated	

14.1 Environmental hazards:

Not applicable

14.2 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code Not applicable

14.3 Special precautions for user

Do not handle until all safety precautions have been read and understood.

SECTION XV – OTHER REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislations specific for the chemical

Canada

WHMIS Classification: Considered to be a D2A and D2B hazardous material under the Hazardous Products Act as defined by the Controlled Products Regulations and subject to the requirements of Health Canada's Workplace Hazardous Material Information (WHMIS). This document complies with the WHMIS requirements of the Hazardous Products Act (HPA) and the CPR.

15.2 US Federal Information

SARA 302/311/312/313 Components

ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305 SDS B2 TEL 404-634-9100 WWW.QUIKRETE.COM



CEMENT & CONCRETE PRODUCTS[™]

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302, 311, 312 or 313.

RCRA: Crystalline silica (quartz) is not classified as a hazardous waste under the Resource Conservation and Recovery Act, or its regulations, 40 CFR §261 et seq.

CERCLA: Crystalline silica (quartz) is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR §302.

Emergency Planning and Community Right to Know Act (SARA Title III): Crystalline silica (quartz) is not an extremely hazardous substance under Section 302 and is not a toxic chemical subject to the requirements of Section 313.

FDA: Silica is included in the list of substances that may be included in coatings used in food contact surfaces, 21 CFR §175.300(b)(3)(xxvi).

NTP: Respirable crystalline silica, primarily quartz dusts occurring in industrial and occupational settings, is classified as Known to be a Human Carcinogen.

OSHA Carcinogen: Crystalline silica (quartz) is not listed.

15.3 State Right to Know Laws

California Prop. 65 Components

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

California Inhalation Reference Exposure Level (REL): California established a chronic REL of 3 µg for silica (crystalline, respirable). A chronic REL is an airborne level of a substance at or below which no adverse health effects are anticipated in individuals indefinitely exposed to the substance at that level.

Massachusetts Toxic Use Reduction Act: Silica, crystalline (respirable size, <10 microns) is "toxic" for purposes of the Massachusetts Toxic Use Reduction Act.


15.4 Global Inventories

DSL All components of this product are on the Canadian DSL list.

TSCA No.: Crystalline silica (quartz) appears on the EPA TSCA inventory under the CAS No. 14808-60-7. All constituents are listed in the TSCA inventory.



15.5 NFPA Ratings



SECTION XVI – OTHER INFORMATION

Last Updated: May 26, 2015

NOTE: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

Prepared by	The QUIKRETE [®] Co Phone (800) 282-583 www.QUIKRETE.co End of SDS	28		
ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD	SUITE 1300, ATLANTA, GA 30305	SDS B2	TEL 404-634-9100	WWW.QUIKRETE.COM
	Page 9 of 9			

SDS No.: PP0160

Section 1 Chemical Product and Company Information

1% PHENOLPHTHALEIN IN ISOPROPYL ALCOHOL SOLUTION

HOME SCIENCE TOOLS

665 Carbon Street Billings, MT 59102 800-860-6272 www.homesciencetools.com

Product

CHEMTREC 24 Hour Emergency

Phone Number (800) 424-9300 For laboratory use only.

Not for drug, food or household use.

Synonyms 1% Phenolphthalein in IPA	
Section 2 Hazards Identification	
 Signal word: DANGER Pictograms: GHS02 / GHS07 / GHS08 Target organs: Central nervous system, Liver, Kidneys. Image: Second Structure Image: Second Structure Image: Second Structure Standard S	 Precautionary statement(s): P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P210: Keep away from heat/sparks/open flames/hot surfaces No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P260: Do not breathe fume/gas/mist/vapours/spray. P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTER or doctor/physician if you feel unwell. P308+P313: If exposed or concerned: Get medical advice/attention. P37+P313: If eye irritation persists: Get medical advice/attention. P37+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray for extinction. P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with all local, state and federal regulations.

Ca Prop 65 - WARNING! This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Isopropyl alcohol		67-63-0	70%	200-661-7	
Water		7732-18-5	29%	231-791-2	
Phenolphthalein		77-09-8	1%	201-004-7	
Section 4	First Aid Measures				

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL. IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Linits.	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m ³	TWA: 400 ppm / STEL: 500 ppm

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9	Physical & Chemical Prop	perties				
Odor: Aromatic or Odor threshold: pH: Data not avai Melting / Freezing p Boiling point: App	Data not available.	Evaporation rate (Butyl acetate = Flammability (solid/gas): Data n Explosion limits: Lower / Upper Vapor pressure (mm Hg): 33 mr Vapor density (Air = 1): 2.1 [Pur Relative density (Specific gravity): 0.3 Solubility(ies): Complete in wate	ot available. : 2% / 12% [Pure IPA] n @20°C [Pure IPA] e IPA] 3*	Auto-ignitio Decompos Viscosity: Molecular	n temperature: 399°0	
Section 10	Stability & Reactivity					
Chemical stabilit Conditions to ave	· · · · · ·	Hazardous polymerization t, sparks, open flame and other sour				
Incompatible ma	terials: Strong oxidizing materials	, caustics, aluminums, metals, nitrof	orm, oleum, chlorinated	compounds of	an react vigorously	with this alcohol.
Hazardous decor	mposition products: Oxides of ca	arbon.				
Section 11	Toxicological Information					
IARC classified: G OSHA: No compo Reproductive too STOT-single exp STOT-repeated e Aspiration hazar	a anticipated to be a human carcino Group 2B: Possibly carcinogenic to onent of this product present at leve xicity: Data not available opsure: The substance or mixture exposure: Data not available					
and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en curs. or repeated contact may cause irrit uses burning sensation, redness, toms of exposure: See Potential		th. wed or vomited. Seriol ting of the skin which ca	us lung damag	e and possible fata	
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en curs. or repeated contact may cause irrit tuses burning sensation, redness, s toms of exposure: See Potential nation: RTECS #: NT8050000 [Is Ecological Information	v result in unconsciousness and dea er the lungs (aspirated) when swallo ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph	th. wed or vomited. Seriol ting of the skin which ca thalein]	us lung damag	e and possible fata	
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12 Toxicity to fish: I Toxicity to dapher Toxicity to algae: Persistence and Mobility in soil: I Other adverse eff Section 13 These disposal of	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en- curs. or repeated contact may cause irrit uses burning sensation, redness, s toms of exposure: See Potential nation: RTECS #: NT8050000 [Is Ecological Information Pimephales promelas (Fish, fresh nia and other aquatic invertebrat : Scenedesmus quadricauda (Alga degradability: No data available No data available ifects: An environmental hazard ca Disposal Considerations guidelines are intended for the	v result in unconsciousness and dea er the lungs (aspirated) when swalld ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph water) LC50: 9640 mg/l/96 hours [Is es: Daphnia magna (Crustacia), EC e), LOEC50 = 1,800 mg/l/7 days [Isc Bioaccumulative potential: PBT and vPvB assessment: annot be excluded in the event of un disposal of catalog-size quantitie	th. wed or vomited. Serior ting of the skin which ca thalein] 50 = >10,000 mg/l/24 h propanol] No data available professional handling o s only. Federal regul	us lung damag an lead to derr ours [Isopropa r disposal. ations may a	pe and possible fata natitis. nol]	al chemical pneumonia can
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12 Toxicity to fish: I Toxicity to daphr Toxicity to algae: Persistence and Mobility in soil: I Other adverse eff Section 13 These disposal of regulations may	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en- curs. or repeated contact may cause irrit uses burning sensation, redness, s toms of exposure: See Potential nation: RTECS #: NT8050000 [Is Ecological Information Pimephales promelas (Fish, fresh nia and other aquatic invertebrat : Scenedesmus quadricauda (Alga degradability: No data available No data available ifects: An environmental hazard ca Disposal Considerations guidelines are intended for the	v result in unconsciousness and dea er the lungs (aspirated) when swalld ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph water) LC50: 9640 mg/l/96 hours [Is es: Daphnia magna (Crustacia), EC e), LOEC50 = 1,800 mg/l/7 days [Isc Bioaccumulative potential: PBT and vPvB assessment: annot be excluded in the event of un	th. wed or vomited. Serior ting of the skin which ca thalein] 50 = >10,000 mg/l/24 h propanol] No data available professional handling o s only. Federal regul	us lung damag an lead to derr ours [Isopropa r disposal. ations may a	pe and possible fata natitis. nol]	al chemical pneumonia can
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12 Toxicity to fish: I Toxicity to fish: I Toxicity to daphr Toxicity to algae: Persistence and Mobility in soil: I Other adverse eff Section 13 These disposal of regulations may Section 14 UN/NA number	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en- curs. or repeated contact may cause irrit uses burning sensation, redness, s toms of exposure: See Potential nation: RTECS #: NT8050000 [Is Ecological Information Pimephales promelas (Fish, fresh hia and other aquatic invertebrat : Scenedesmus quadricauda (Alga degradability: No data available No data available fects: An environmental hazard ca Disposal Considerations guidelines are intended for the be different. Dispose of in acc Transport Information r: UN1219 Shipping	v result in unconsciousness and dea er the lungs (aspirated) when swalld ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph water) LC50: 9640 mg/l/96 hours [Is es: Daphnia magna (Crustacia), EC e), LOEC50 = 1,800 mg/l/7 days [Isc Bioaccumulative potential: PBT and vPvB assessment: annot be excluded in the event of un disposal of catalog-size quantitie ordance with all local, state and in name: Isopropanol solution	th. wed or vomited. Serior ting of the skin which ca thalein] 50 = >10,000 mg/l/24 h popropanol] No data available professional handling o s only. Federal regul iederal regulations or	us lung damag an lead to derr ours [Isopropa r disposal. ations may a contract with	e and possible fata natitis. nol] pply to empty cor n a licensed chem	al chemical pneumonia can ntainer. State and/or loca nical disposal agency.
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12 Toxicity to fish: I Toxicity to daphr Toxicity to algae: Persistence and Mobility in soil: I Other adverse eff Section 13 These disposal of regulations may Section 14 UN/NA number Hazard class:	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en- curs. or repeated contact may cause irrit iuses burning sensation, redness, s toms of exposure: See Potential nation: RTECS #: NT8050000 [Is Ecological Information Pimephales promelas (Fish, fresh nia and other aquatic invertebrat : Scenedesmus quadricauda (Alga degradability: No data available No data available fects: An environmental hazard ca Disposal Considerations guidelines are intended for the be different. Dispose of in acc Transport Information r: UN1219 Shipping 3 Packing g	v result in unconsciousness and dea er the lungs (aspirated) when swalld ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph water) LC50: 9640 mg/l/96 hours [Is es: Daphnia magna (Crustacia), EC e), LOEC50 = 1,800 mg/l/7 days [Isc Bioaccumulative potential: PBT and vPvB assessment: annot be excluded in the event of un disposal of catalog-size quantitie ordance with all local, state and in name: Isopropanol solution proup: II Repo	th. wed or vomited. Serior ting of the skin which ca thalein] 50 = >10,000 mg/l/24 h propanol] No data available professional handling of s only. Federal regulations or rtable Quantity: No	us lung damag an lead to derr ours [Isopropa r disposal. ations may a contract with	e and possible fata natitis. nol] pply to empty cor n a licensed chem	al chemical pneumonia can
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12 Toxicity to fish: I Toxicity to dapher Toxicity to dapher Toxicity to algae: Persistence and Mobility in soil: I Other adverse eff Section 13 These disposal of regulations may Section 14 UN/NA number Hazard class: Exceptions: L	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en- curs. or repeated contact may cause irrit uses burning sensation, redness, s toms of exposure: See Potential nation: RTECS #: NT8050000 [Is Ecological Information Pimephales promelas (Fish, fresh nia and other aquatic invertebrat : Scenedesmus quadricauda (Alga degradability: No data available No data available fects: An environmental hazard ca Disposal Considerations guidelines are intended for the be different. Dispose of in acc Transport Information r: UN1219 Shipping 3 Packing g imited quantity equal to or less	v result in unconsciousness and dea er the lungs (aspirated) when swalld ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph water) LC50: 9640 mg/l/96 hours [Is es: Daphnia magna (Crustacia), EC e), LOEC50 = 1,800 mg/l/7 days [Isc Bioaccumulative potential: PBT and vPvB assessment: annot be excluded in the event of un disposal of catalog-size quantitie ordance with all local, state and in name: Isopropanol solution proup: II Repo	th. wed or vomited. Serior ting of the skin which ca thalein] 50 = >10,000 mg/l/24 h popropanol] No data available professional handling o s only. Federal regul iederal regulations or	us lung damag an lead to derr ours [Isopropa r disposal. ations may a contract with	e and possible fata natitis. nol] pply to empty cor n a licensed chem	al chemical pneumonia can ntainer. State and/or loca nical disposal agency.
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12 Toxicity to fish: I Toxicity to fish: I Toxicity to dapher Toxicity to algae: Persistence and Mobility in soil: I Other adverse eff Section 13 These disposal of regulations may Section 14 UN/NA number Hazard class: Exceptions: L Section 15	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en- curs. or repeated contact may cause irrit uses burning sensation, redness, s toms of exposure: See Potential mation: RTECS #: NT8050000 [Is Ecological Information Pimephales promelas (Fish, fresh nia and other aquatic invertebrat : Scenedesmus quadricauda (Alga degradability: No data available No data available fects: An environmental hazard ca Disposal Considerations guidelines are intended for the be different. Dispose of in acc Transport Information r: UN1219 Shipping 3 Packing g imited quantity equal to or less Regulatory Information	v result in unconsciousness and dea ter the lungs (aspirated) when swalld ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph water) LC50: 9640 mg/l/96 hours [Is es: Daphnia magna (Crustacia), EC e), LOEC50 = 1,800 mg/l/7 days [Isc Bioaccumulative potential: PBT and vPvB assessment: annot be excluded in the event of un disposal of catalog-size quantitie ordance with all local, state and in name: Isopropanol solution proup: II Repoints s than 1 L ERG (th. wed or vomited. Serior ting of the skin which ca thalein] 50 = >10,000 mg/l/24 h poropanol] No data available professional handling o s only. Federal regul rederal regulations or rtable Quantity: No Guide # 129	us lung damag an lead to derr ours [Isopropa r disposal. ations may a contract with	e and possible fata natitis. nol] pply to empty cor n a licensed chem	al chemical pneumonia can ntainer. State and/or loca nical disposal agency.
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12 Toxicity to fish: I Toxicity to fish: I Toxicity to dapher Toxicity to algae: Persistence and Mobility in soil: I Other adverse eff Section 13 These disposal of regulations may Section 14 UN/NA number Hazard class: Exceptions: L Section 15	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en- curs. or repeated contact may cause irrit uses burning sensation, redness, s toms of exposure: See Potential nation: RTECS #: NT8050000 [Is Ecological Information Pimephales promelas (Fish, fresh nia and other aquatic invertebrat : Scenedesmus quadricauda (Alga degradability: No data available No data available fects: An environmental hazard ca Disposal Considerations guidelines are intended for the be different. Dispose of in acc Transport Information r: UN1219 Shipping 3 Packing g imited quantity equal to or less Regulatory Information ered to be listed if the CAS number for	v result in unconsciousness and dea er the lungs (aspirated) when swalld ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph water) LC50: 9640 mg/l/96 hours [Is es: Daphnia magna (Crustacia), EC e), LOEC50 = 1,800 mg/l/7 days [Isc Bioaccumulative potential: PBT and vPvB assessment: annot be excluded in the event of un disposal of catalog-size quantitie ordance with all local, state and in name: Isopropanol solution proup: II Repo	th. wed or vomited. Serior ting of the skin which ca thalein] 50 = >10,000 mg/l/24 h popopanol] No data available professional handling of s only. Federal regulations or rtable Quantity: No Guide # 129 st.	us lung damag an lead to derr ours [Isopropa r disposal. ations may a contract with	e and possible fata natitis. nol] pply to empty cor n a licensed chem	al chemical pneumonia can ntainer. State and/or loca nical disposal agency.
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12 Toxicity to fish: I Toxicity to fish: I Toxicity to dapher Toxicity to algae: Persistence and Mobility in soil: I Other adverse eff Section 13 These disposal of regulations may Section 14 UN/NA number Hazard class: Exceptions: L Section 15 A chemical is conside	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en- curs. or repeated contact may cause irrit uses burning sensation, redness, s toms of exposure: See Potential nation: RTECS #: NT8050000 [Is Ecological Information Pimephales promelas (Fish, fresh nia and other aquatic invertebrat : Scenedesmus quadricauda (Alga degradability: No data available No data available fects: An environmental hazard ca Disposal Considerations guidelines are intended for the be different. Dispose of in acc Transport Information r: UN1219 Shipping 3 Packing g imited quantity equal to or less Regulatory Information ered to be listed if the CAS number for	v result in unconsciousness and dea ter the lungs (aspirated) when swalld ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph water) LC50: 9640 mg/l/96 hours [Is es: Daphnia magna (Crustacia), EC e), LOEC50 = 1,800 mg/l/7 days [Isc Bioaccumulative potential: PBT and vPvB assessment: annot be excluded in the event of un disposal of catalog-size quantitie ordance with all local, state and in name: Isopropanol solution proup: II Reports than 1 L ERG of the anhydrous form is on the Inventory list	th. wed or vomited. Serior ting of the skin which ca thalein] 50 = >10,000 mg/l/24 h popopanol] No data available professional handling of s only. Federal regulations or rtable Quantity: No Guide # 129 st.	us lung damag an lead to derr ours [Isopropa r disposal. ations may a contract with	e and possible fata natitis. nol] pply to empty cor n a licensed chem Mari	ntainer. State and/or loca nical disposal agency.
Inhalation: Inhala and irritation of the Ingestion: Aspirat develop if this occ Skin: Prolonged of Eyes: Contact ca Signs and sympt Additional inform Section 12 Toxicity to fish: I Toxicity to fish: I Toxicity to dapher Toxicity to dapher To	ation of high vapor concentrations r e throat. Continued inhalation may tion hazard. Liquid can directly en- curs. or repeated contact may cause irrit uses burning sensation, redness, s toms of exposure: See Potential nation: RTECS #: NT8050000 [Is Ecological Information Pimephales promelas (Fish, fresh nia and other aquatic invertebrat : Scenedesmus quadricauda (Alga degradability: No data available No data available fects: An environmental hazard ca Disposal Considerations guidelines are intended for the be different. Dispose of in acc Transport Information r: UN1219 Shipping 3 Packing g imited quantity equal to or less Regulatory Information ered to be listed if the CAS number for	v result in unconsciousness and dea ter the lungs (aspirated) when swalld ation and drying, cracking and defat swelling, and/or blurred vision. health effects above. sopropanol] / SM8380000 [Phenolph water) LC50: 9640 mg/l/96 hours [Is es: Daphnia magna (Crustacia), EC e), LOEC50 = 1,800 mg/l/7 days [Isc Bioaccumulative potential: PBT and vPvB assessment: annot be excluded in the event of un disposal of catalog-size quantitie ordance with all local, state and in name: Isopropanol solution proup: II Report is than 1 L ERG of the anhydrous form is on the Inventory lits TSCA CERLCA (RQ Listed Not listed	th. wed or vomited. Serior ting of the skin which ca thalein] 50 = >10,000 mg/l/24 h poropanol] No data available professional handling of s only. Federal regulations or rtable Quantity: No Guide # 129 st. RCRA code Not listed	us lung damag an lead to derr ours [Isopropa r disposal. ations may a contract with DSL Listed	e and possible fata natitis. nol] pply to empty cor a licensed chem Mari NDSL Not listed	al chemical pneumonia can ntainer. State and/or loca nical disposal agency. ine pollutant: No WHMIS Classification B2; D2B

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.